ASSIGNMENT 1: HOUSE PRICES

Projects form an important part of the education of software engineers. They form an active method of teaching, as defined by Piaget, leading to a "training in self-discipline and voluntary effort", which is important to software engineering professionals. Two purposes served by these projects are: education in professional practice, and outcome-based assessment.

Data cleaning or data scrubbing is one of the most important steps previous to any data decision-making or modelling process. Data cleaning is the process of fixing or removing incorrect, corrupted, incorrectly formatted, duplicate, or incomplete data within a dataset.

Data cleaning is the process that removes data that does not belong to the dataset or it is not useful for modelling purposes. Data transformation is the process of converting data from one format or structure into another format. Transformation processes can also be referred to as data wrangling, or data munging, transforming and mapping data from one "raw" data form into another format. **Essentially, real-world data is messy data and for model building: garbage data in means garbage out**.

munge = manipular (només per data)

wrangle = discutir

This practical assignment belongs to Data Science Master at the UPC, any dataset for modelling purposes should include a first methodological step on **data preparation** about:

- Removing duplicate or irrelevant observations
- Fix structural errors (usually coding errors, trailing blanks in labels, lower/upper case consistency, etc.).
- Check data types. Dates should be coded as such and factors should have level names (if possible, levels have to be set and clarify the variable they belong to). This point is sometimes included under data transformation process. New derived variables are to be produced sometimes scaling and/or normalization (range/shape changes to numeric variables) or category regrouping for factors (nominal/ordinal).
- Filter unwanted outliers. Univariate and multivariate outliers have to be highlighted. Remove register/erase values and set NA for univariate outiers.
- Handle missing data: figure out why the data is missing. Data imputation is to be considered when the aim is modelling (imputation has to be validated).
- Data validation is mixed of 'common sense and sector knowledge': Does the data make sense? Does the data follow the appropriate rules for its field? Does it prove or disprove the working theory, or bring any insight to light? Can you find trends in the data to help you form a new theory? If not, is that because of a data quality issue?

Dataset Context and Contents

City in Iowa, USA

The Ames Housing dataset was compiled by Dean De Cock for use in data science education. It can be found in the Kaggle website (https://www.kaggle.com/competitions/house-prices-advanced-regression-techniques/overview), there are 1460 observations in the train dataset and 1459 in the test dataset. **Target variable is SalePrice**.

Student team consists of 2/3 students. Contribution of each team member has to be included in the report.

Hint: You have to retain all available numeric variables. You are allowed to select a subset of about 10 available factors.

More hints:
- Use a profiling tool such as Condes and choose the 10 most representative
- First target against only numeric variables (transformations). Second, add factors (main effects) Third, add interactions (2nd order) Y ~ AxB + CxX_2. Finally, validation

Variables

MSSubClass: Identifies the type of dwelling involved in the sale.

This variable contains info already found in other variables and PUD classification

20	1-STORY 1946 & NEWER ALL STYLES
30	1-STORY 1945 & OLDER
40	1-STORY W/FINISHED ATTIC ALL AGES
45	1-1/2 STORY - UNFINISHED ALL AGES
50	1-1/2 STORY FINISHED ALL AGES
60	2-STORY 1946 & NEWER
70	2-STORY 1945 & OLDER
75	2-1/2 STORY ALL AGES
80	SPLIT OR MULTI-LEVEL 2+basement or 3
85	SPLIT FOYER foyer = vestíbul
90	DUPLEX - ALL STYLES AND AGES 2 families
120	1-STORY PUD (Planned Unit Development) - 1946 & NEWER
150	1-1/2 STORY PUD - ALL AGES
160	2-STORY PUD - 1946 & NEWER lev=level
180	PUD - MULTILEVEL - INCL SPLIT LEV/FOYER
190	2 FAMILY CONVERSION - ALL STYLES AND AGES

2

It belongs to a community with shared amenities

Has been converted to fit 2 families instead of 1

MSZoning: Identifies the general zoning classification of the sale.

A	Agriculture
C	Commercial
FV	Floating Village Residential
I	Industrial
RH	Residential High Density
RL	Residential Low Density
RP	Residential Low Density Park
RM	Residential Medium Density

Literally floating on water

Lot = solar, Frontage = façana

LotFrontage: Linear feet of street connected to property (**numeric**)

#feet of the perimeter that have street on one side

LotArea: Lot size in square feet (**numeric**)

Street: Type of road access to property

Grvl	Gravel
Pave	Paved

Alley: Type of alley access to property

Grvl	Gravel
Pave	Paved
NA	No alley access

LotShape: General shape of property

Reg	Regular
IR1	Slightly irregular
IR2	Moderately Irregular
IR3	Irregular

LandContour: Flatness of the property

Level = a nivell

Lvl	Near Flat/Level
Bnk	Banked - Quick and significant rise from street grade to building
HLS	Hillside - Significant slope from side to side
Low	Depression

Utilities: Type of utilities available

There should be a space inbetween

S = Sewer

AllPub	All public Utilities (E,G,W,& S)
NoSewr	Electricity, Gas, and Water (Septic Tank)
NoSeWa	Electricity and Gas Only
ELO	Electricity only

LotConfig: Lot configuration

https://www.allbusiness.com/media-library/image.gif?id=32013783&width=470&quality=80

https://www.designingbuildings.co.uk/wiki/File:Culdesac.jpg

Inside	Inside lot
Corner	Corner lot
CulDSac	Cul-de-sac
FR2	Frontage on 2 sides of property
FR3	Frontage on 3 sides of property

LandSlope: Slope of property

Gtl	Gentle slope
Mod	Moderate Slope
Sev	Severe Slope

Neighborhood: Physical locations within Ames city limits

Remember Ames is the city we're studying

Blmngtn	Bloomington Heights
Blueste	Bluestem
BrDale	Briardale
BrkSide	Brookside
ClearCr	Clear Creek
CollgCr	College Creek
Crawfor	Crawford
Edwards	Edwards
Gilbert	Gilbert
IDOTRR	Iowa DOT and Rail Road
MeadowV	Meadow Village
Mitchel	Mitchell

wrong tabulation

Names	North Ames
NoRidge	Northridge
NPkVill	Northpark Villa
NridgHt	Northridge Heights
NWAmes	Northwest Ames
OldTown	Old Town
SWISU	South & West of Iowa State University
Sawyer	Sawyer
SawyerW	Sawyer West
Somerst	Somerset
StoneBr	Stone Brook
Timber	Timberland
Veenker	Veenker

Condition1: Proximity to various conditions

Artery	Adjacent to arterial street
Feedr	Adjacent to feeder street

```
       Norm  Normal
       RRNn  Within 200' of North-South Railroad
       RRAn  Adjacent to North-South Railroad
       PosN  Near positive off-site feature--park, greenbelt, etc.
       PosA  Adjacent to postive off-site feature
       RRNe  Within 200' of East-West Railroad
       RRAe  Adjacent to East-West Railroad
```

Condition2: Proximity to various conditions (if more than one is present)

```
       ArteryAdjacent to arterial street
       Feedr Adjacent to feeder street
       Norm  Normal
       RRNn  Within 200' of North-South Railroad
       RRAn  Adjacent to North-South Railroad
       PosN  Near positive off-site feature--park, greenbelt, etc.
       PosA  Adjacent to postive off-site feature
       RRNe  Within 200' of East-West Railroad
       RRAe  Adjacent to East-West Railroad
```

Building Type

BldgType: Type of dwelling

```
       1Fam  Single-family Detached
       2FmConTwo-family Conversion; originally built as one-family dwelling
       Duplx Duplex
```
Two-family

```
       TwnhsETownhouse End Unit
       TwnhsITownhouse Inside Unit
```
In a row of homes (so they can be inside or at one end of the row)

HouseStyle: Style of dwelling

Except for the finished/unfinished label, this info is already in MSSubClass

```
       1StoryOne story
       1.5FinOne and one-half story: 2nd level finished
       1.5UnfOne and one-half story: 2nd level unfinished
       2StoryTwo story
       2.5FinTwo and one-half story: 2nd level finished
       2.5UnfTwo and one-half story: 2nd level unfinished
       SFoyerSplit Foyer
       SLvl  Split Level
```


OverallQual: Rates the overall material and finish of the house

```
       10    Very Excellent
       9     Excellent
       8     Very Good
       7     Good
       6     Above Average
       5     Average
       4     Below Average
       3     Fair
       2     Poor
       1     Very Poor
```

OverallCond: Rates the overall condition of the house

```
       10    Very Excellent
       9     Excellent
       8     Very Good
       7     Good
       6     Above Average
       5     Average
       4     Below Average
       3     Fair
       2     Poor
       1     Very Poor
```

YearBuilt: Original construction date (numeric/date)

YearRemodAdd: Remodel date (same as construction date if no remodeling or additions)

(numeric/date)

RoofStyle: Type of roof

Flat	Flat
Gable	Gable
Gambrel	Gabrel (Barn)
Hip	Hip
Mansard	Mansard
Shed	Shed

RoofMatl: Roof material

ClyTile	Clay or Tile
CompShg	Standard (Composite) Shingle
Membran	Membrane
Metal	Metal
Roll	Roll
Tar&Grv	Gravel & Tar
WdShake	Wood Shakes
WdShngl	Wood Shingles

CAREFUL!
It's Exterior1st, not Exteriorist (because it's the 1st covering)

Exterior1st: Exterior covering on house

AsbShng	Asbestos Shingles
AsphShn	Asphalt Shingles
BrkComm	Brick Common
BrkFace	Brick Face
CBlock	Cinder Block
CemntBd	Cement Board
HdBoard	Hard Board
ImStucc	Imitation Stucco
MetalSd	Metal Siding
Other	Other
Plywood	Plywood
PreCast	PreCast
Stone	Stone
Stucco	Stucco
VinylSd	Vinyl Siding
Wd Sdng	Wood Siding
WdShing	Wood Shingles

Exterior2nd: Exterior covering on house (**if more than one material**)

AsbShng	Asbestos Shingles
AsphShn	Asphalt Shingles
BrkComm	Brick Common
BrkFace	Brick Face
CBlock	Cinder Block
CemntBd	Cement Board
HdBoard	Hard Board
ImStucc	Imitation Stucco
MetalSd	Metal Siding
Other	Other
Plywood	Plywood
PreCast	PreCast
Stone	Stone
Stucco	Stucco
VinylSd	Vinyl Siding
Wd Sdng	Wood Siding
WdShing	Wood Shingles

MasVnrType: Masonry veneer type Tipus de revestiment de les totxanes (parets)

BrkCmn	Brick Common
BrkFace	Brick Face
CBlock	Cinder Block
None	None
Stone	Stone

Revestiment de la façada

MasVnrArea: Masonry veneer area in square feet (numeric)

ExterQual: Evaluates the quality of the material on the exterior

Ex	Excellent
Gd	Good
TA	Average/Typical
Fa	Fair
Po	Poor

ExterCond: Evaluates the present condition of the material on the exterior

Ex	Excellent
Gd	Good
TA	Average/Typical
Fa	Fair
Po	Poor

Foundation: Type of foundation

BrkTil	Brick & Tile
CBlock	Cinder Block
PConc	Poured Contrete
Slab	Slab
Stone	Stone
Wood	Wood

BsmtQual: Evaluates the height of the basement

Ex	Excellent (100+ inches)
Gd	Good (90-99 inches)
TA	Typical (80-89 inches)
Fa	Fair (70-79 inches)
Po	Poor (<70 inches
NA	No Basement

BsmtCond: Evaluates the general condition of the basement

Ex	Excellent
Gd	Good
TA	Typical - slight dampness allowed
Fa	Fair - dampness or some cracking or settling
Po	Poor - Severe cracking, settling, or wetness
NA	No Basement

BsmtExposure: Refers to walkout or garden level walls Quant dona el subterrani a l'exterior (hi ha subterranis que tenen una sortida al nivell del jardí)

Gd	Good Exposure
Av	Average Exposure (split levels or foyers typically score average or above)
Mn	Mimimum Exposure
No	No Exposure
NA	No Basement

BsmtFinType1: Rating of basement finished area

GLQ	Good Living Quarters
ALQ	Average Living Quarters
BLQ	Below Average Living Quarters
Rec	Average Rec Room (Rec = Recreation)
LwQ	Low Quality
Unf	Unfinshed
NA	No Basement

BsmtFinSF1: Type 1 finished square feet (numeric)

BsmtFinType2: Rating of basement finished area (if multiple types)

GLQ Good Living Quarters
ALQ Average Living Quarters
BLQ Below Average Living Quarters
Rec Average Rec Room
LwQ Low Quality
Unf Unfinshed
NA No Basement

BsmtFinSF2: Type 2 finished square feet (numeric)

BsmtUnfSF: Unfinished square feet of basement area (**numeric**)

TotalBsmtSF: Total square feet of basement area (**numeric**)

Heating: Type of heating

Floor Floor Furnace
GasA Gas forced warm air furnace
GasW Gas hot water or steam heat
Grav Gravity furnace
OthW Hot water or steam heat other than gas
Wall Wall furnace

HeatingQC: Heating **quality and condition**

Ex Excellent
Gd Good
TA Average/Typical
Fa Fair
Po Poor

CentralAir: Central air conditioning

N No
Y Yes

Electrical: Electrical system

SBrkr Standard Circuit Breakers & Romex
FuseA Fuse Box over 60 AMP and all Romex wiring (Average)
FuseF 60 AMP Fuse Box and mostly Romex wiring (Fair)
FuseP 60 AMP Fuse Box and mostly knob & tube wiring (poor)
Mix Mixed

1stFlrSF: First Floor square feet (**numeric**)

2ndFlrSF: Second floor square feet (**numeric**)

LowQualFinSF: Low quality finished square feet (**all floors**) (numeric)
Above grade = above ground level

GrLivArea: Above grade (ground) living area square feet (**numeric**)

BsmtFullBath: Basement full bathrooms (numeric)

BsmtHalfBath: Basement half bathrooms (numeric)

FullBath: Full bathrooms above grade (**numeric**)

HalfBath: Half baths above grade (**numeric**)

Bedroom: Bedrooms above grade (**does NOT include basement bedrooms**) (numeric)

Kitchen: Kitchens above grade (**numeric**)

KitchenQual: Kitchen quality

Ex Excellent

```
       Gd    Good
       TA    Typical/Average
       Fa    Fair
       Po    Poor
```

TotRmsAbvGrd: Total rooms above grade (does not include bathrooms) **(numeric)**

Functional: Home functionality (**Assume typical unless deductions are warranted**)

```
       Typ   Typical Functionality
       Min1  Minor Deductions 1
       Min2  Minor Deductions 2
       Mod   Moderate Deductions
       Maj1  Major Deductions 1
       Maj2  Major Deductions 2
       Sev   Severely Damaged
       Sal   Salvage only
```

Fireplaces: Number of fireplaces **(numeric)**

FireplaceQu: Fireplace quality

```
       Ex    Excellent - Exceptional Masonry Fireplace
       Gd    Good - Masonry Fireplace in main level
       TA    Average - Prefabricated Fireplace in main living area or Masonry
             Fireplace in basement
       Fa    Fair - Prefabricated Fireplace in basement
       Po    Poor - Ben Franklin Stove
       NA    No Fireplace
```

GarageType: Garage location

```
       2Types       More than one type of garage
       Attchd       Attached to home
       Basment      Basement Garage
       BuiltIn      Built-In (Garage part of house - typically has room above garage)
       CarPort      Car Port Cobert pel cotxe
       Detchd       Detached from home
       NA           No Garage
```

GarageYrBlt: Year garage was built (numeric/date)

GarageFinish: Interior finish of the garage

```
       Fin   Finished
       RFn   Rough Finished
       Unf   Unfinished
       NA    No Garage
```

GarageCars: Size of garage in car capacity **(numeric)**

GarageArea: Size of garage in square feet **(numeric)**

GarageQual: Garage quality

```
       Ex    Excellent
       Gd    Good
       TA    Typical/Average
       Fa    Fair
       Po    Poor
       NA    No Garage
```

GarageCond: Garage condition

```
       Ex    Excellent
       Gd    Good
       TA    Typical/Average
       Fa    Fair
```

```
        Po    Poor
        NA    No Garage

PavedDrive: Paved driveway
        Y     Paved
        P     Partial Pavement
        N     Dirt/Gravel

WoodDeckSF: Wood deck area in square feet (numeric)

OpenPorchSF: Open porch area in square feet (numeric)

EnclosedPorch: Enclosed porch area in square feet (numeric)

3SsnPorch: Three season porch area in square feet (numeric)

ScreenPorch: Screen porch area in square feet (numeric)

PoolArea: Pool area in square feet (numeric)

PoolQC: Pool quality

        Ex    Excellent
        Gd    Good
        TA    Average/Typical
        Fa    Fair
        NA    No Pool

Fence: Fence quality

        GdPrv Good Privacy
        MnPrv Minimum Privacy
        GdWo  Good Wood
        MnWw  Minimum Wood/Wire
        NA    No Fence

MiscFeature: Miscellaneous feature not covered in other categories

        Elev  Elevator
        Gar2  2nd Garage (if not described in garage section)
        Othr  Other
        Shed  Shed (over 100 SF)
        TenC  Tennis Court
        NA    None

MiscVal: $Value of miscellaneous feature

MoSold: Month Sold (MM)

YrSold: Year Sold (YYYY)

SaleType: Type of sale
        WD    Warranty Deed - Conventional
        CWD   Warranty Deed - Cash
        VWD   Warranty Deed - VA Loan
        New   Home just constructed and sold
        COD   Court Officer Deed/Estate
        Con   Contract 15% Down payment regular terms
        ConLw Contract Low Down payment and low interest
        ConLI Contract Low Interest
        ConLD Contract Low Down
        Oth   Other

SaleCondition: Condition of sale

        Normal       Normal Sale
```

driveway = entrada del carrer a la casa pel cotxe

deck = plataforma

These 3 are just different kinds of closed porches, I can't find the differences between them

(numeric, $)

Deed = escriptura

Per veterans de guerra i similars

Court Officer = persona que treballa al sistema judicial

Down payment = acompte (1a part del pagament que és realitza al moment de la compra)

(by 2Types category, from GarageType)

foreclosure = prendre la vivenda al comprador perquè no paga a temps

Abnorml	Abnormal Sale - trade, foreclosure, short sale
AdjLand	Adjoining Land Purchase
Alloca	Allocation - two linked properties with separate deeds, typically condo with a garage unit
Family	Sale between family members
Partial	Home was not completed when last assessed (associated with New Homes)

També es compra un terreny adjacent

`SalePrice: Target variable (numeric)`

The file contains some numeric variables (retain all of them) and many factors (restrict to 10 to reduce the effort). How to reduce the dimension of factors? By their definition or statistics analysis? missing, easy

- Exploratory Data Analysis and Model Fitting should take train sample only.
- Create factors for retained qualitative variables. Train and Test samples. Retain the qualitative?
- Determine if the response variable (charges) has an acceptably normal distribution. SalePrice
- Address tests to discard serial correlation. What's Serial correlation means? siel target te autocorrelatio amb el matei,
- Detect univariant and multivariant outliers, errors and missing values (if any) and apply an imputation technique if needed.
- Preliminary exploratory analysis to describe observed relations has to be undertaken.
- If you can improve linear relations or limit the effect of influential data, you must consider suitable transformations for variables. ??? boxcox, logaritmic, o influencer degut al outlier.
- Apart from the retained factor variables, you can consider other categorical variables that can be defined from categorized numeric variables. Do not forget to implement new variable definitions in the test sample. 1. crear model 2. amb el millor model numeriques afegir l final.a interaccio de categoriques
- You must take into account possible interactions between categorical and numerical variables. van al final del projeccte
- When building the model, you should study the presence of multicollinearity and try to reduce their impact on the model for easier interpretation.
- You should build the model using a technique for selecting variables (removing no significant predictors and/or stepwise selection of the best models). Stepwise???
- The validation of the model has to be done with graphs and / or suitable tests to verify model assumptions.
- You must include the study of unusual and / or influential data. What data is unusual/influential?
- The resulting model should be interpreted in terms of the relationships of selected predictors and its effect on the response variable.
- You have to apply your final model to the test sample and roughly assess forecasting capability.