


VPS4 / VPS8 Network Scheme

Planned container and network layout. P2P is transport only; PostgreSQL is standalone now.



Addressing Table

Existing baseline networks plus planned P2P link-scoped networks for pg-vps4-vps8, link id 48.

Network	Scope / owner	vps4 addresses	vps8 addresses
172.20.0.0/24	shared edge network, per-node local	edge-haproxy 172.20.0.3; softether-edge 172.20.0.2	edge-haproxy 172.20.0.3; softether-edge 172.20.0.2
172.24.0.0/24	shared edge management, per-node local	edge-haproxy 172.24.0.3; softether-edge 172.24.0.2	edge-haproxy 172.24.0.3; softether-edge 172.24.0.2
172.27.48.0/24	P2P server / transport side	-	softether-p2p-server 172.27.48.2; edge-haproxy 172.27.48.3; platform-router 172.27.48.4
172.28.48.0/24	P2P client side	softether-p2p-client 172.28.48.2; platform-router 172.28.48.3	-
172.29.48.0/24	P2P management side	-	softether-p2p-server 172.29.48.2; edge-haproxy 172.29.48.3
172.30.4.0/24	platform data on vps4	ai-service-postgres 172.30.4.10; platform-router 172.30.4.2	-
172.31.4.0/24	platform app on vps4	future nginx/app/worker 172.31.4.x; platform-router 172.31.4.2	-
172.30.8.0/24	platform data on vps8	-	ai-service-postgres 172.30.8.10; platform-router 172.30.8.2
172.31.8.0/24	platform app on vps8	-	future nginx/app/worker 172.31.8.x; platform-router 172.31.8.2
10.88.48.0/30	SoftEther virtual VPN subnet	softether-p2p-client 10.88.48.2	softether-p2p-server 10.88.48.1

Operational notes

Current PostgreSQL mode: standalone on both vps4 and vps8. Standby conversion is a later explicit reinit step.
P2P management uses the same public SNI as transport, l3-vps8.mine-craft.su, but on port 5555.
No cascade-vps SNI is part of this design. The old vpn_cascade layer stays absent/frozen.
Addressing convention: link id 48 follows connection direction vps4 -> vps8; per-node networks use node numbers.