

VirtCruise Status & Lifecycle Reference

Field · Value

Document ID · DOC-007

Version · 0.8.0-draft.1

Product version · v0.8.0 target; accepted evidence through v0.7.0

Status · Draft

Owner · Documentation Lead

Reviewer · Business, Operations, Finance, Support, Content, and Technical leads

Approver · Product Owner

Classification · Customer confidential — NDA required

Last reviewed · 2026-08-03

Contents

1. [Introduction](#)
2. [Purpose](#)
3. [Status naming standard](#)
4. [Customer journey lifecycle](#)
5. [Booking lifecycle](#)
6. [Quote lifecycle](#)
7. [Manual Finance lifecycle](#)
8. [Bank transfer review lifecycle](#)
9. [Review cycle lifecycle](#)
10. [Proof lifecycle](#)
11. [Notification lifecycle](#)
12. [Payment lifecycle](#)
13. [Receipt lifecycle](#)
14. [Booking progression](#)
15. [Package publication lifecycle](#)
16. [Content version lifecycle](#)
17. [Operational queue statuses](#)
18. [Status transition rules](#)
19. [Terminal states](#)
20. [Invalid transitions](#)
21. [Customer-visible statuses](#)
22. [Internal statuses](#)
23. [Operational meanings](#)
24. [Glossary](#)
25. [Appendices](#)

1. Introduction

This is the authoritative vocabulary and transition reference for VirtCruise business, operational, financial, customer-visible, approval, notification, and publication lifecycles. After acceptance, other documents must link to DOC-007 instead of redefining a state or transition.

An authoritative state is the value held by the owning service or approved record. A badge, email, queue name, timeline label, derived balance, or staff statement does not override it.

2. Purpose

DOC-007 enables customers, Support, Finance, Operations, Content, product owners, and engineers to use the same meanings. It defines accepted states, legal exits, terminality, visibility, ownership, and consequences; identifies conditional or policy-owned behavior; and records unsupported transitions without extending the product contract.

Expired · Not evidenced as an accepted booking state; quote or review cases may expire

Booking workflow

```
PENDING_CUSTOMER_ACCEPTANCE → ACCEPTED → DEPOSIT_PENDING
                                ■ → DEPOSIT_RECEIVED → CONFIRMED
CONFIRMED → DOCUMENTS_PENDING → READY_TO_TRAVEL → IN_PROGRESS → COMPLETED
Any eligible active state --policy-controlled cancellation--> CANCELLED
Eligible financial outcome -----> REFUNDED
```

Figure 2 — Booking workflow. The arrows describe accepted progression concepts; exact deposit thresholds, cancellation eligibility, and optional milestone skipping are booking-policy dependent.

Only the Booking service or approved booking workflow changes booking state. Finance, Support, customers, proof review, notification delivery, and browser code cannot force it. COMPLETED, CANCELLED, and REFUNDED are terminal customer-view outcomes unless a future accepted contract explicitly defines correction or reopening.

6. Quote lifecycle

Accepted customer portal evidence exposes DRAFT, SUBMITTED, QUOTED, ACCEPTED, BOOKED, CANCELLED, and COMPLETED. LOCAL_DRAFT is a client-side persistence/result label and not an authoritative server quote state.

```
DRAFT → SUBMITTED → QUOTED → ACCEPTED → BOOKED → COMPLETED
■■■■■■■■■ eligible cancellation at supported stages ■■■■■■ → CANCELLED
```

Quote acceptance is eligible only when the authoritative quote exposes the acceptance action. It may create or begin a booking, but it does not confirm travel or establish payment. Quote EXPIRED is not supported by the accepted portal evidence and must not be displayed or transitioned to without a later accepted contract.

7. Manual Finance lifecycle

MANUAL_FINANCE is a customer-experience mode, not a payment, booking, or review status. In this mode, the customer receives approved Finance contact details, currency, and an owned reference, together with explicit unpaid and unconfirmed wording.

```
Manual Finance instructions shown → Customer contacts Finance
→ Finance follows approved verification and recording procedures
→ Authoritative Financial records created, if justified
→ Booking milestone evaluated separately
```

No self-service case creation, bank instructions, proof upload, or replacement control is customer-available in production Manual Finance Mode. Staff must not invent a shadow "pending" state to compensate.

8. Bank transfer review lifecycle

The canonical review case states are NEW, AWAITING_UPLOAD, AWAITING_REPLACEMENT, PROOF_RECEIVED, UNDER_REVIEW, APPROVED, REJECTED, EXPIRED, and CANCELLED.

```
NEW → AWAITING_UPLOAD → PROOF_RECEIVED → UNDER_REVIEW → APPROVED
                                ■                ■■■■■■ → REJECTED
                                ■                ■■■■■■ → EXPIRED / CANCELLED
                                ■ → EXPIRED / CANCELLED
```

Conditional design only:
first-cycle REJECTED → AWAITING_REPLACEMENT → PROOF_RECEIVED → UNDER_REVIEW

Figure 3 — Bank-transfer review workflow. Solid-path text is accepted. The replacement path is policy dependent and not executable by the accepted backend because REJECTED is terminal and proof acceptance currently permits only AWAITING_UPLOAD.

Transition meanings

- NEW → AWAITING_UPLOAD: the case enters the initial upload stage; automatic/workflow controlled.
- AWAITING_UPLOAD → PROOF_RECEIVED: an eligible proof is uploaded and accepted into the review workflow; system controlled after file handling.
- PROOF_RECEIVED → UNDER_REVIEW: an authorised, appropriately assigned Finance reviewer starts review only when the current proof is ACCEPTED and scan status CLEAN; manual command with server guards.
- UNDER_REVIEW → APPROVED: an authorised reviewer records a reason and attests that cleared funds were independently verified, amount/currency/reference match, and the decision is auditable; manual and terminal.
- UNDER_REVIEW → REJECTED: an authorised reviewer records a bounded reason; manual and terminal in the accepted contract.
- Non-terminal state to EXPIRED: an approved time/SLA rule closes the case; automatic or controlled policy action.
- Eligible non-terminal state to CANCELLED: an approved cancellation command closes the case; manual/policy controlled.
- REJECTED → AWAITING_REPLACEMENT: **not allowed in the accepted implementation.** It is a documented one-replacement design only if a later accepted server contract and policy activate it.
- APPROVED → COMPLETED: COMPLETED is an operational description of downstream processing, not an accepted review-case enum. Preserve APPROVED and inspect Financial records separately.
- SUPERSEDED is a proof state, never a review-case state.

APPROVED, REJECTED, EXPIRED, and CANCELLED are terminal review-case states. Approval is not a Payment; rejection does not reverse a Payment; and terminal decisions expose no further operational decision buttons.

9. Review cycle lifecycle

A review cycle groups the current proof, decision context, SLA, and immutable history. Cycle 1 is the original submission. Cycle 2 exists only for the conditional one-replacement design.

```
Cycle 1: current proof → review → approval (terminal)
          ■→ rejection (terminal in accepted backend)
```

```
Conditional future/policy path:
Cycle 1 rejected → proof SUPERSEDED → Cycle 2 current proof → review → decision
```

Figure 4 — Review-cycle workflow. A cycle never edits a prior cycle. The first proof becomes SUPERSEDED; it is not deleted or rewritten. The new proof becomes current and the SLA restarts for Cycle 2. At most one replacement is described by accepted operational policy, within seven days where that policy is activated.

Cycle number, "current proof," and "immutable history" are record relationships rather than mutable statuses. The released Finance UI has no cycle-history read view; operators must not claim that an unreleased screen exists.

10. Proof lifecycle

Accepted proof states are QUARANTINED, SCANNING, ACCEPTED, REJECTED, SCAN_FAILED, SUPERSEDED, DELETED, and EXPIRED. CLEAN is a separate scan status. "Proof Received" is a review-case state/timeline concept, not the proof object state.

```
QUARANTINED → SCANNING → ACCEPTED
                ■→ REJECTED
                ■→ SCAN_FAILED
ACCEPTED --eligible replacement--> SUPERSEDED
Eligible retained proof -----> EXPIRED / DELETED
```

Only a current proof that is both ACCEPTED and CLEAN, and is PDF, JPEG, or PNG, may be opened through the secure viewer by an authorised user. ACCEPTED/CLEAN means current safety checks permit viewing; it never authenticates the document or proves cleared funds. Terminal proof outcomes are immutable for that proof record.

11. Notification lifecycle

Notification operations are not exposed in the released Finance frontend. The following is the controlled operational vocabulary required by the brief; it describes intent/attempt processing and must be used only where the authoritative notification source supports the value:

```
PENDING → SENDING → SENT
                ■→ RETRY → SENDING
                ■→ FAILED → MANUAL_INTERVENTION
PENDING / RETRY → CANCELLED
PENDING / RETRY → SUPPRESSED
```

Figure 5 — Notification workflow. Automatic dispatcher transitions are normal; retry or manual intervention must follow policy. Delivery uncertainty is an operational condition, not permission to resend.

State · Meaning and exit

PENDING · Intent exists and awaits dispatch; exits automatically to SENDING, or by policy to CANCELLED/SUPPRESSED.

SENDING · A claimed attempt is in progress; exits automatically to SENT, RETRY, or FAILED.

SENT · Accepted transport hand-off/delivery outcome; terminal for that attempt, not proof the recipient read it.

RETRY · A recoverable attempt awaits controlled retry; automatic/policy exit to SENDING, FAILED, CANCELLED, or SUPPRESSED.

FAILED · Attempts ended without accepted success; terminal unless approved recovery creates a new attempt.

CANCELLED · Dispatch intentionally ended before successful send; terminal.

SUPPRESSED · Policy prevented sending; terminal and must not be bypassed.

MANUAL_INTERVENTION · An owner must resolve an exception; queue condition unless the owning contract defines it as a state.

Notifications may be related to proof received, review outcomes, payment recorded, Receipt issued, or booking confirmation. Notification status never substitutes for the event's authoritative state. Customer notification history is not an authoritative backend resource in the released portal; browser read/unread preferences are presentation state only.

12. Payment lifecycle

"Payment Recorded" is an immutable Financial event/outcome represented by a Payment record, not a claim that a bank-transfer proof was valid. Partial and full payment are derived allocation conditions:

```
Cleared funds verified → Payment recorded → Allocation(s) posted
→ Receipt issued → Ledger balanced → Invoice/outstanding recalculated
→ Booking milestone evaluated → eligible notifications
```

- **Partial Payment:** cumulative valid allocations are less than the invoice total. The outstanding balance remains positive; booking may remain DEPOSIT_PENDING.

- **Full Payment:** cumulative valid allocations settle the invoice. This permits, but does not itself force, booking confirmation.

- **Allocation:** the auditable link assigning all or part of a Payment to an invoice/booking obligation. Unallocated money is not assumed to settle an invoice.

- **Receipt:** evidence that the Financial system recorded the Payment; it is not a bank confirmation, booking confirmation, or proof-verification decision.

- **Ledger**: the balanced accounting effect. It must reconcile with Payment, allocation, Receipt, and account totals.
- **Booking consequence**: the Booking service evaluates policy after Financial processing. No Finance user manually sets the milestone.

An approved review can trigger downstream processing, but approval itself creates no payment semantics. Idempotency and exact transfer reference prevent duplicate recording.

13. Receipt lifecycle

A Receipt is created once for an accepted Payment outcome, linked to the Payment reference and booking. "Receipt Issued" is the accepted event/customer timeline label. The current receipt DTO exposes status but does not define a PDF download contract; documentation must not promise a downloadable PDF.

The record is immutable financial evidence. Correction or refund does not rewrite the original Receipt; it uses the approved financial process and retains the audit trail. Receipt creation may create one eligible notification intent. Receipt issued → Booking confirmed is not a direct transition: booking milestone evaluation is separate.

14. Booking progression

Booking progression consumes authoritative commercial and Financial outcomes. The safe sequence is:

1. Read the current booking state.
2. Confirm Payment, allocations, invoice/outstanding, Receipt, and Ledger independently.
3. Apply the booking's deposit and operational policy.
4. Let the owning workflow perform the legal transition.
5. Verify status history and only then verify the eligible notification intent.

A partial payment can leave DEPOSIT_PENDING. Full settlement can permit DEPOSIT_RECEIVED or CONFIRMED, depending on policy and other checks. Proof acceptance, review approval, invoice paid, receipt issuance, and email delivery are each insufficient alone.

15. Package publication lifecycle

The accepted version lifecycle is:




Figure 6 — Publication workflow. Only DRAFT is editable. Submitted and later versions are immutable. Schedule cancellation back to APPROVED and staff discard are architecture/planned paths without accepted commands.

The brief's "Review" maps to canonical IN_REVIEW; "Restored" is an action that derives a new DRAFT, not a state. Public visibility exists only for the effective PUBLISHED version. RETIRED, REJECTED, and DISCARDED are terminal for that version; restoration preserves the source and creates a new version.

16. Content version lifecycle

Every package version has an increasing version number and optional retained source version. Editing is legal only in DRAFT. Submission seals content and moves it to IN_REVIEW. An independent Approver may record APPROVED or REJECTED; rejected content is not reopened. An approved version may publish immediately or become SCHEDULED. Publication changes the effective public projection without rewriting history. Retirement removes the public projection but retains the immutable version and audit.

Publication state belongs to a version, while package public availability is a projection. A package can therefore retain retired and rejected history while another version is current.

17. Operational queue statuses

Queue labels are filters or derived work conditions, not replacement lifecycle states:

Queue condition · Meaning · Customer visible

Unassigned · Eligible work has no current reviewer · No

Assigned / Assigned to me · A reviewer owns the current task · No

Overdue · SLA due time passed while work remains non-terminal · No

Completed reviews · Filter over APPROVED, REJECTED, EXPIRED, CANCELLED · No

Retry · Recoverable notification/integration work awaits retry · No

Failed · Processing ended unsuccessfully and needs escalation · No

Uncertain · Outcome cannot safely be inferred · No

Quarantined · Processing or evidence is isolated pending controls · No

Stale claim · A worker claim needs safe recovery under policy · No

Manual intervention · An authorised owner must investigate/recover · No

Missing object · Proof metadata exists but private object cannot be retrieved · No

The accepted review API supports one server status filter, pagination, and defined sorting. Reviewer, assignment, SLA, date, and multi-status aggregate views are not authoritative global filters in the released Finance UI; current-page narrowing must be labelled as such.

18. Status transition rules

1. Read before write; the owning service is authoritative.
2. Use a supported command, never direct state editing.
3. Validate actor role, ownership/assignment, current state, required evidence, and policy at command time.
4. Treat optimistic conflicts as a request to refresh, not overwrite.
5. Make terminal decisions once; use idempotency where supported.
6. Preserve immutable proof, review, financial, receipt, content, and audit history.
7. Keep parallel lifecycles separate and let explicit events coordinate them.
8. Create notifications from legal business events, not from browser inference.
9. Expose only the approved customer projection and bounded reason.
10. Treat conditional/planned transitions as unavailable until accepted server support and policy exist.

The companion transition matrix uses A (allowed), N (not allowed), P (policy dependent), U (automatic/system), and M (manual authorised command). A transition may carry two markers, such as A/M.

19. Terminal states

Terminal means no ordinary transition exists for that same record. A correction, refund, derived replacement, or new attempt may create a related record without reopening history.

Family · Terminal states/outcomes

Booking · COMPLETED, CANCELLED, REFUNDED in accepted customer views

Quote · COMPLETED, CANCELLED

Review case · APPROVED, REJECTED, EXPIRED, CANCELLED

Proof · ACCEPTED, REJECTED, SCAN_FAILED, SUPERSEDED, DELETED, EXPIRED for that proof; retention may later remove bytes without changing history

Notification attempt · SENT, FAILED, CANCELLED, SUPPRESSED

Package version · REJECTED, RETIRED, DISCARDED; PUBLISHED exits only by controlled retirement

Receipt / ledger event · Immutable once posted; corrections use separate controlled entries

Review REJECTED is terminal in the accepted backend even though the documented replacement design describes a possible later Cycle 2. That path remains unavailable until separately accepted.

20. Invalid transitions

Invalid transition · Why invalid · Correct handling

Review REJECTED → CONFIRMED · Crosses review and booking lifecycles; rejection is terminal and cannot confirm a booking · Keep review rejected; follow policy and inspect booking separately

Review APPROVED → PAYMENT_RECORDED by manual status edit · Approval is not a Payment and the target is an event, not review state · Allow accepted downstream Financial processing

Proof ACCEPTED → UNDER_REVIEW · UNDER_REVIEW belongs to the case, not proof · Start the eligible case review

Review REJECTED → AWAITING_REPLACEMENT · Accepted backend makes rejection terminal · Treat replacement as unavailable until accepted contract/policy

Booking DEPOSIT_PENDING → CONFIRMED because proof is clean · Clean proof does not prove funds or satisfy booking policy · Verify cleared funds, Financial outcomes, and milestone evaluation

Invoice paid → booking CONFIRMED by Finance · Invoice and booking are separately authoritative · Let Booking evaluate all policy requirements

Notification FAILED → SENT by relabelling · Rewrites delivery history · Create/execute an authorised recovery attempt

Notification SUPPRESSED → SENDING · Bypasses a policy control · Resolve suppression through its policy owner

Package IN_REVIEW → DRAFT · Submission sealed the version · Reject if required and derive a new draft

Package REJECTED → APPROVED · Rejected version is immutable · Derive, edit, submit, and approve a new version

Package RETIRED → PUBLISHED in place · Rewrites retired history · Restore by deriving a new numbered DRAFT

Superseded proof → current · Breaks immutable cycle ordering · Submit a new eligible proof in a new cycle

CANCELLED → active on the same record · Terminal outcome has no reopen command · Create a new eligible record under policy

21. Customer-visible statuses

Customers may see these canonical or explicitly mapped states where the relevant capability is enabled:

Status/label · Plain-English meaning

Quote DRAFT · Your request is still being prepared.

SUBMITTED · VirtCruise received the quote request.

QUOTED · A quote has been prepared for review.

Quote ACCEPTED · You accepted the eligible quote; booking steps may now begin.

Quote BOOKED · The quote has progressed into booking arrangements.

PENDING_CUSTOMER_ACCEPTANCE · Your decision is required on the booking.

Booking ACCEPTED · The booking was accepted and arrangements can progress.

DEPOSIT_PENDING · A required deposit is not yet verified as recorded.

DEPOSIT_RECEIVED · The required deposit is recorded as received.

CONFIRMED · VirtCruise has confirmed the booking.

DOCUMENTS_PENDING · Travel documents are being prepared or checked.

READY_TO_TRAVEL · Current arrangements are ready for the travel stage.

IN_PROGRESS · The trip is under way.

COMPLETED · The recorded quote/booking/trip is complete.

CANCELLED · The relevant quote, booking, or case has been cancelled.

REFUNDED · The booking view records a completed refund outcome.

Review Created · A bank-transfer review case exists.

Proof Uploaded / Proof Received · Evidence was received; payment is not yet confirmed.

Proof Accepted · The file passed current handling checks; funds are not proven.

Awaiting Finance Review · Finance has not completed the decision.

Under Review · An authorised Finance review is in progress.

Rejected · The review did not pass; the displayed bounded reason applies.

Awaiting Replacement · One replacement is awaited only when an enabled authoritative case says so.

Approved · Finance approved the review after independent checks; downstream records remain separate.

Payment Recorded · The Financial system recorded a Payment.

Partial Payment · Some balance remains after allocation.

Full Payment · Allocations settle the invoice; booking confirmation remains separate.

Receipt Issued · A Receipt was created for the recorded Payment.

Booking Confirmed · The Booking service reached CONFIRMED.

Package Published · The current package version is publicly effective.

Package Retired · That version is no longer in the public catalogue.

Internal proof scanning, reviewer identity, queue ownership, audit, outbox attempts, storage, ledger internals, suppression, and manual-intervention states are never translated verbatim to customers.

22. Internal statuses

Internal-only values include review NEW; proof QUARANTINED, SCANNING, SCAN_FAILED, SUPERSEDED, DELETED, EXPIRED, and missing-object conditions; assignment/overdue/stale-claim queues; notification PENDING, SENDING, RETRY, FAILED, SUPPRESSED, and MANUAL_INTERVENTION; ledger posting and reconciliation conditions; and content approval/audit mechanics not intended for the catalogue.

Customers never see these because they disclose security controls, worker mechanics, staff identity or workload, private evidence handling, delivery infrastructure, accounting internals, or editorial governance; because they are unstable intermediate details; or because a safe customer projection already communicates the required action. Support may communicate a bounded outcome, never internal comments, recipient lists, message bodies, proof storage keys, fraud speculation, or audit internals.

23. Operational meanings

- **Never manually change state.** Use the approved command so validation, audit, idempotency, downstream events, and authorisation run together.
- **Never bypass workflow.** A desirable business outcome does not justify skipping proof safety, cleared-funds verification, independent approval, Financial posting, or booking policy.
- **Never expose internal states.** Translate only through an approved customer-safe projection.

- **Always use authoritative state.** Refresh after conflict or uncertainty and compare each owning record separately.
- **Never infer success from a notification.** Verify the event, intent, attempt, and business record.
- **Never overwrite immutable history.** Derive a new proof cycle, content version, notification attempt, or correction record where accepted.

Operationally, “pending” means work remains, “under review” means an authorised review began, “approved” means that object’s approval checks passed, “completed” means that object’s lifecycle ended, and “manual intervention” means stop automation and assign an approved owner—not edit data until it looks correct.

24. Glossary

The authoritative glossary contains more than 40 terms in [STATUS-GLOSSARY.md](#). Its definitions are part of DOC-007. Appendix A below remains the compact master status table; the glossary supplies fuller cross-family language.

25. Appendices

Appendix A — Master status matrix

“Notification” identifies the related intent or states “None required”; it does not promise delivery. “Terminal” applies to the named record.

Status · Meaning · Visible to · Changed by · Entry · Exit · Terminal · Customer visible · Notification

Quote DRAFT · Editable quote request · Customer, Consultant · Customer/workflow · New quote · Submit/cancel · No · Yes · None

Quote SUBMITTED · Request received · Customer, Consultant · System · Submit valid draft · Prepare quote/cancel · No · Yes · Receipt/update where supported

Quote QUOTED · Offer prepared · Customer, Consultant · Consultant workflow · Quote complete · Accept/cancel · No · Yes · Quote available

Quote ACCEPTED · Customer accepted offer · Customer, Operations · Customer command · Eligible quoted offer · Create/progress booking · No · Yes · Acceptance/update

Quote BOOKED · Quote progressed to booking · Customer, Operations · Booking workflow · Booking created · Complete/cancel · No · Yes · Booking update

Quote COMPLETED · Quote journey ended · Customer, staff · System · Accepted completion rule · None · Yes · Yes · Policy dependent

Quote CANCELLED · Quote ended without progression · Customer, staff · Authorised actor/system · Eligible quote cancelled · None · Yes · Yes · Cancellation where supported

Booking PENDING_CUSTOMER_ACCEPTANCE · Customer decision required · Customer, staff · Booking workflow · Booking offered · Accept/cancel per policy · No · Yes · Action request

Booking ACCEPTED · Booking accepted · Customer, staff · Customer/workflow · Accepted decision · Deposit milestone · No · Yes · Update

DEPOSIT_PENDING · Required deposit not verified · Customer, staff · Booking workflow · Deposit obligation applies · Deposit received/cancel · No · Yes · Payment reminder policy

DEPOSIT_RECEIVED · Deposit recorded · Customer, staff · Booking workflow · Financial milestone satisfied · Confirm/cancel · No · Yes · Payment recorded/receipt

CONFIRMED · Booking confirmed · Customer, staff · Booking workflow · All confirmation checks pass · Documents/travel/cancel · No · Yes · Booking confirmation

DOCUMENTS_PENDING · Documents in preparation/check · Customer, staff · Booking workflow · Confirmed and docs needed · Ready/cancel · No · Yes · Policy dependent

READY_TO_TRAVEL · Arrangements ready · Customer, staff · Booking workflow · Readiness checks pass · In progress/cancel · No · Yes · Travel reminder

IN_PROGRESS · Travel under way · Customer, staff · System/workflow · Travel begins · Complete · No · Yes · Policy dependent

Booking COMPLETED · Trip lifecycle complete · Customer, staff · System/workflow · Completion criteria pass · None · Yes · Yes · Completion policy

Booking CANCELLED · Booking cancelled · Customer, staff · Authorised workflow · Cancellation policy permits · None · Yes · Yes · Cancellation

REFUNDED · Completed refund outcome projected · Customer, Finance, staff · Financial/booking workflow · Refund completes · None · Yes · Yes · Refund outcome

Review NEW · Case created · Finance/Operations · System · Valid case creation · Await upload/cancel/expire · No · No · None

AWAITING_UPLOAD · Initial proof awaited · Customer-safe projection, Finance · System · Upload stage opens · Proof received/expire/cancel · No · Yes, if Self Service · Upload reminder policy

AWAITING_REPLACEMENT · One allowed replacement awaited · Customer-safe projection, Finance · Policy/server workflow · Eligible replacement opened · Proof received/expire/cancel · No · Conditional · Replacement request

PROOF_RECEIVED · Current proof received · Customer-safe projection, Finance · System · Eligible upload handled · Start review/expire/cancel · No · Yes · Proof received

UNDER_REVIEW · Finance review started · Customer-safe projection, Finance · Assigned Finance reviewer · Current accepted clean proof · Approve/reject/expire/cancel · No · Yes · Usually none until outcome

Review APPROVED · Review decision passed · Customer-safe projection, Finance · Authorised reviewer · Cleared-funds and approval checks · None on case · Yes · Yes · Approval/payment processing

Review REJECTED · Review decision failed · Customer-safe projection, Finance · Authorised reviewer · Reasoned rejection · None in accepted backend · Yes · Yes · Rejection

Review EXPIRED · Case time ended · Customer-safe projection, Finance · System/policy · Expiry rule · None · Yes · Yes, bounded · Expiry policy

Review CANCELLED · Case intentionally closed · Customer-safe projection, Finance · Authorised workflow · Cancellation rule · None · Yes · Yes, bounded · Cancellation policy

Proof QUARANTINED · File isolated · Security/Finance metadata · Upload/security system · Upload received · Scan · No · No · None

Proof SCANNING · Safety scan running · Security/Finance metadata · Security system · Scan begins · Accept/reject/fail · No · No · None

Proof ACCEPTED + CLEAN · File may be securely viewed · Authorised Finance · Security system · Checks pass · Supersede/retention · Yes for proof decision · Customer sees safe label only · Proof accepted where supported

Proof REJECTED · File failed proof condition · Authorised Finance/Security · Security/workflow · Check fails · None · Yes · Bounded outcome only · Rejection policy

SCAN_FAILED · Safety result unavailable · Security/Finance · Security system · Scanner fails · None; escalate · Yes · No · None

SUPERSEDED · Newer cycle proof replaced it · Authorised staff · Review-cycle workflow · Replacement accepted · None · Yes · No · Replacement update

Proof EXPIRED · Retention/use period ended · Authorised staff · Retention system · Expiry rule · None · Yes · No · None

Proof DELETED · Private bytes removed by lifecycle · Security/audit staff · Retention system · Deletion rule · None · Yes · No · None

Notification PENDING · Intent awaits dispatch · Notification Operations · Event/system · Legal event creates intent · Send/cancel/suppress · No · No · Self

SENDING · Attempt is claimed/in flight · Notification Operations · Dispatcher · Claim pending/retry · Sent/retry/fail · No · No · Self

Notification SENT · Transport accepted outcome · Notification Operations; customer receives message · Dispatcher · Successful attempt · None for attempt · Yes · Indirectly · Self

RETRY · Recoverable attempt awaits retry · Notification Operations · Dispatcher/policy · Transient failure · Send/fail/cancel/suppress · No · No · Self

Notification FAILED · Delivery attempts ended · Notification Operations · Dispatcher/policy · Nonrecoverable/exhausted · New recovery attempt only · Yes · No · Self

Notification CANCELLED · Pending delivery intentionally stopped · Notification Operations · Authorised workflow · Cancellation rule · None · Yes · No · Self

SUPPRESSED · Policy prevents delivery · Notification Operations · Policy/system · Suppression matches · None · Yes · No · Self

MANUAL_INTERVENTION · Human owner required · Operations · Monitoring/policy · Automation cannot continue safely · Resolve/escalate · No, if queue condition · No · None

Payment Recorded · Payment record exists · Customer, Finance, Operations · Financial workflow · Cleared-funds/recording checks · Allocate/reconcile · Event · Yes · Payment recorded

Partial Payment · Allocations below invoice total · Customer, Finance, Operations · Derived by Financial system · Some valid allocation · More allocation/refund/correction · No · Yes · Receipt/payment update

Full Payment · Allocations settle invoice · Customer, Finance, Operations · Derived by Financial system · Outstanding becomes zero · Refund/correction · Derived outcome · Yes · Eligible milestone updates

Receipt Issued · Immutable Receipt created · Customer, Finance, Operations · Financial workflow · Payment recorded · Correction via separate record · Event · Yes · Receipt issued

Content DRAFT · Editable private version · Editor · Editor/system · Create/derive · Submit/discard · No · No · None

IN_REVIEW · Sealed independent review · Editor, Approver · Editor command · Submit valid draft · Approve/reject · No · No · Review task policy

Content APPROVED · Eligible to publish · Editor, Approver · Independent Approver · Review passes · Schedule/publish · No · No · Approval policy

SCHEDULED · Approved for future publication · Editor, Approver · Approver · Future effective time set · Auto-publish · No · No · Publication policy

PUBLISHED · Effective public version · Everyone · Publisher/system · Publish now/effective time · Retire · No · Yes · Publication policy

Content REJECTED · Review failed; version sealed · Editor, Approver · Independent Approver · Reasoned rejection · None; derive draft · Yes · No · Editorial notification

RETIRED · Removed from catalogue; retained · Staff · Approver/publisher · Controlled retirement · None; derive draft · Yes · No · Retirement policy

DISCARDED · Draft abandoned · Staff · Planned command/system · Eligible draft discard · None · Yes · No · None

Appendix B — Screenshot placeholder register

No screenshot is fabricated. Capture only after the named view and fictional dataset are approved.

Screenshot required — Figure S1: Customer booking status

Views: Desktop, Tablet, Mobile. Content: fictional booking timeline and current canonical status. Alternative text: Customer booking details showing a status timeline and payment summary. Dependency: approved customer capture environment.

Screenshot required — Figure S2: Bank-transfer customer timeline

Views: Desktop, Tablet, Mobile. Content: fictional customer-safe proof/review/payment milestones; exclude reviewer and storage data. Alternative text: Bank-transfer progress from review creation through booking confirmation. Dependency: authorised Self Service capability.

Screenshot required — Figure S3: Finance review case

Views: Desktop, Tablet, Mobile. Content: fictional UNDER_REVIEW case with current ACCEPTED/CLEAN proof metadata. Alternative text: Finance review detail with status and eligible decision controls. Dependency: approved capture environment.

Screenshot required — Figure S4: Notification operations

Views: Desktop, Tablet. Content: fictional retry, failure, suppression, and manual-intervention records. Alternative text: Notification operations statuses and safe references. Dependency: future accepted notification-operations view.

Screenshot required — Figure S5: Package version history

Views: Desktop, Tablet, Mobile. Content: fictional immutable versions from draft to retired. Alternative text: Package version history with publication states. Dependency: future Content Studio.

Appendix C — Evidence and authority map

Area · Accepted evidence used · Authority retained outside DOC-007

Documentation rules · DOC-001 documentation architecture and standards · Governance, templates, review process

Customer wording · DOC-002 Customer User Guide · End-user procedures

Operations · DOC-003 Back Office Operations Manual · Operator procedures and escalation

Finance · DOC-004 Finance Standard Operating Procedures · Financial controls and approvals

Support · DOC-005 Customer Support Playbook · Case handling and communication

Content · DOC-006 Content Studio User Guide · Editorial procedures and publishing checks

Released behavior · v0.7.0 release notes and accepted portal/bank-transfer evidence · Release qualification

Future work · DOC-009 and DOC-010 · Not replaced or pre-empted by DOC-007

Appendix D — Authority and precedence

When sources disagree: the owning service/accepted contract controls runtime behavior; DOC-007 controls terminology and legal transition documentation; approved policy controls a P edge; procedural documents control how authorised roles perform work. A UI label or historic document cannot legalise an edge absent from the accepted contract.

Appendix E — Quality review checklist

- [x] Status names use canonical casing and object qualification.
- [x] Customer, internal, event, derived, and queue concepts are separated.
- [x] Every master-matrix entry covers purpose/meaning, visibility, changer, entry, exit, terminality, notification, and operational action.
- [x] Booking, bank transfer, review cycle, proof, notification, payment, receipt, and publication consequences are separated.
- [x] Conditional and unsupported paths are labelled.
- [x] Terminal and invalid transitions are explicit.
- [x] Customer wording is plain English and internal details are bounded.
- [x] All required diagrams and screenshot placeholders are present.
- [x] Companion matrix and glossary are cross-referenced.
- [x] Scope exclusions and no-implementation boundary are explicit.

Related documents

- [DOC-001. Documentation Architecture](#)
- [DOC-002. VirtCruise Customer User Guide](#)
- [DOC-003. Back Office Operations Manual](#)
- [DOC-004. Finance Standard Operating Procedures](#)
- [DOC-005. Customer Support Playbook](#)
- [DOC-006. Content Studio User Guide](#)
- [Status Transition Matrix](#)
- [Status Glossary](#)
- [Release notes v0.7.0](#)
- [Customer Bank Transfer](#)
- [Financial Engine Integration](#)

Change history

Version · Date · Author · Change · Status

