DISCOVERY BENCHMARK

ShadowBench

Nine surfaces, fifty cases each. Labels are planted evidence, not the output of any scanner. In-scope F1 only counts surfaces a tool can actually read. Tools are ordered by in-scope fact F1. The lexicon row is a string-match ceiling, not a product.

Cases
450

Version
1.0.0

Seed
shadowbench-450-v1

Provenance
synthetic-realistic

Corpus SHA-256
a874ddcf2c1bbb62746f9830798db1d3e96148ae26b71304f217bf4025392be3

Label rule
Labels are the planted facts in truth.json. No evaluated tool produced them.

Scoreboard

Precision, recall and F1 are fact-level and in scope. Specificity is case-level. Estate recall counts unread positive facts as misses.

TOOL	STATUS	PRECISION	RECALL	F1	SPECIFICITY	ESTATE RECALL
ShadowScan	Scored	78.2%	87.8%	82.7%	97.3%	87.8%
NuGuard	Scored	82.6%	67.9%	74.5%	96.0%	5.7%
CuratedMCP	Scored	100.0%	37.5%	54.5%	100.0%	5.4%
SafeDep vet	Scored	84.6%	29.7%	44.0%	100.0%	6.5%
AgentDiscover	Scored	100.0%	17.9%	30.3%	100.0%	1.5%
Trusera ai-bom	Scored	86.7%	13.3%	23.0%	100.0%	3.9%
Perplexity Numbat	Scored	–	0.0%	0.0%	100.0%	0.0%
Agentic Radar	Scored	–	0.0%	0.0%	100.0%	0.0%
Snyk Agent Scan	Not run	–	–	–	–	–
Aurva AIOstack	Not run	–	–	–	–	–
Lexicon reference	Reference	87.3%	86.3%	86.8%	96.4%	86.3%

Recall by surface

A dot means the tool was not asked to read that surface.

TOOL	CODE	IDENTITY	GATEWAY	LOWCODE	SAAS	CLOUD	ENDPOINT	NETWORK	RUNTIME
SHADOWSCAN	92.9%	76.0%	100.0%	78.6%	96.0%	100.0%	83.3%	100.0%	64.0%
NUGUARD	67.9%	·	·	·	·	·	·	·	·
CURATEDMCP	·	·	·	·	·	·	37.5%	·	·
SAFEDEP VET	28.6%	·	·	·	·	·	30.4%	·	·
AGENTDISCOVER	17.9%	·	·	·	·	·	·	·	·
TRUSERA AI-BOM	46.4%	·	·	0.0%	·	·	·	·	·
PERPLEXITY NUMBAT	·	·	·	·	·	·	0.0%	·	·
AGENTIC RADAR	0.0%	·	·	0.0%	·	·	·	·	·
LEXICON REFERENCE	92.9%	96.0%	100.0%	78.6%	96.0%	61.5%	95.8%	100.0%	100.0%

Tool detail

ShadowScan

run

`shadowscan, version 0.1.2 · surfaces cloud, code, endpoint, gateway, identity, lowcode, network, runtime, saas`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
295 / 82 / 41	203 / 6 / 219 / 22	0.88	93.8%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
78.6% – 86.3%	0	1128 ms	1224 ms

NuGuard

run

`0.9.15 · surfaces code`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
19 / 4 / 9	18 / 1 / 24 / 7	0.70	84.0%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
59.6% – 85.7%	0	1724 ms	1873 ms

CuratedMCP

run

`version not recorded · surfaces endpoint`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
18 / 0 / 30	9 / 0 / 25 / 16	0.47	68.0%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
30.2% – 72.3%	0	6758 ms	8143 ms

SafeDep vet

run

`1.20.0 · surfaces code, endpoint`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
22 / 4 / 52	15 / 0 / 49 / 34	0.43	65.3%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
28.6% – 58.1%	2	432 ms	480 ms

AgentDiscover

run

`AgentDiscover v2.9.5 · surfaces code`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
5 / 0 / 23	4 / 0 / 25 / 21	0.29	58.0%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
7.4% – 52.9%	0	807 ms	850 ms

Trusera ai-bom

run

`ai-bom version 3.6.0 · surfaces code, lowcode`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
13 / 2 / 85	13 / 0 / 50 / 37	0.39	63.0%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
12.3% – 34.2%	0	267 ms	282 ms

Perplexity Numbat

run

`numbat 0.2.0 (schema 0.3.0) · surfaces endpoint`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
0 / 0 / 48	0 / 0 / 25 / 25	—	50.0%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
0.0% – 0.0%	0	118 ms	135 ms

Agentic Radar

run

`0.14.1 · surfaces code, lowcode`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
0 / 0 / 98	0 / 0 / 50 / 50	—	50.0%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
0.0% – 0.0%	0	4194 ms	4325 ms

Snyk Agent Scan

not run: scan refused without a Snyk token

`version not recorded · surfaces endpoint`

Aurva AIOstack

not run: AIOstack is a Kubernetes daemon with no offline fixture mode in this environment

`version not recorded · surfaces runtime`

Lexicon reference

run

`version not recorded · surfaces cloud, code, endpoint, gateway, identity, lowcode, network, runtime, saas`

Fact TP / FP / FN	Case TP / FP / TN / FN	MCC	Balanced accuracy
290 / 42 / 46	222 / 8 / 217 / 3	0.95	97.6%
F1 95% interval	**Errors excluded**	**Latency p50**	**Latency p95**
82.6% – 90.7%	0	—	—

What this measures

Each surface holds 25 positives, 15 negatives and 10 near-misses. A positive fact is true only when its quote is in the cited file. A negative case must produce no mapped finding. A near-miss names the lookalike that must not be emitted: Minecraft Bedrock is not AWS Bedrock, a CSS cursor is not the Cursor IDE, Claude Bernard is not Claude.

These are not private tenant dumps. One documented format per surface. That is the sampling frame.

- **code.** Minimal application tree (Python or Node, plus optional agent config).
- **identity.** Okta GET /api/v1/apps JSON export, status ACTIVE.
- **gateway.** LiteLLM-style JSONL spend log (one record).
- **lowcode.** n8n workflow export JSON (id, name, nodes, connections).
- **saas.** Slack admin approved-app record JSON, with workspace id.
- **cloud.** JSONL record in the AWS inventory dump shape (agent or lambda).
- **endpoint.** Linux home-directory fragment with vendor config paths.
- **network.** JSONL DNS log row with src_ip, query and ts.
- **runtime.** osquery processes JSON array (name, path, cmdline, pid).

How a point is scored

Fact-level precision, recall and F1 are primary. A positive case is detected if any planted fact comes back. Any mapped finding on a negative or near-miss is a false positive. Specificity, false-positive rate, balanced accuracy and Matthews correlation use that case table. Crashes and timeouts leave the denominator and are counted as errors. A 1,000-draw bootstrap over cases gives a 95% interval on fact F1.

Estate recall is the harsher number: positives on surfaces the tool cannot read count as misses. Unscanned negatives are not called true negatives. The lexicon reference applies the published alias list to the artifact text, including paths.

Tools that need a vendor token or a live Kubernetes cluster were probed and then marked not run. Their F1 is left blank on purpose. Labels were not edited to delete a miss after the tools ran.

Case index

450 cases. Quotes live in each case file; this index lists the planted facts and the names that must not be emitted.

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
`cloud-001`	cloud	positive	Bedrock agent agent-000	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
`cloud-002`	cloud	positive	Bedrock agent agent-001	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-003`	cloud	positive	Bedrock agent agent-002	cloud_agent:bedrock-agent, provider:aws-bedrock	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
cloud-004	cloud	positive	Bedrock agent agent-003	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
cloud-005	cloud	positive	Bedrock agent agent-004	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
cloud-006	cloud	positive	Bedrock agent agent-005	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
cloud-007	cloud	positive	Bedrock agent agent-006	cloud_agent:bedrock-agent, provider:aws-bedrock	—
cloud-008	cloud	positive	Bedrock agent agent-007	cloud_agent:bedrock-agent, provider:aws-bedrock	—
cloud-009	cloud	positive	Bedrock agent agent-008	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
cloud-010	cloud	positive	Bedrock agent agent-009	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
cloud-011	cloud	positive	Bedrock agent agent-010	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
cloud-012	cloud	positive	Bedrock agent agent-011	cloud_agent:bedrock-agent, provider:aws-bedrock	—
cloud-013	cloud	positive	Bedrock agent agent-012	cloud_agent:bedrock-agent, provider:aws-bedrock	—
cloud-014	cloud	positive	Bedrock agent agent-013	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
cloud-015	cloud	positive	Bedrock agent agent-014	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
cloud-016	cloud	positive	Bedrock agent agent-015	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
cloud-017	cloud	positive	Bedrock agent agent-016	cloud_agent:bedrock-agent, provider:aws-bedrock	—
cloud-018	cloud	positive	Bedrock agent agent-017	cloud_agent:bedrock-agent, provider:aws-bedrock	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
cloud-019	cloud	positive	Bedrock agent agent-018	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
cloud-020	cloud	positive	Bedrock agent agent-019	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
cloud-021	cloud	positive	Bedrock agent agent-020	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
cloud-022	cloud	positive	Bedrock agent agent-021	cloud_agent:bedrock-agent, provider:aws-bedrock	—
cloud-023	cloud	positive	Bedrock agent agent-022	cloud_agent:bedrock-agent, provider:aws-bedrock	—
cloud-024	cloud	positive	Bedrock agent agent-023	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
cloud-025	cloud	positive	Bedrock agent agent-024	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
cloud-026	cloud	negative	Lambda billing-csv-25	—	—
cloud-027	cloud	negative	Lambda billing-csv-26	—	—
cloud-028	cloud	negative	Lambda billing-csv-27	—	—
cloud-029	cloud	negative	Lambda billing-csv-28	—	—
cloud-030	cloud	negative	Lambda billing-csv-29	—	—
cloud-031	cloud	negative	Lambda billing-csv-30	—	—
cloud-032	cloud	negative	Lambda billing-csv-31	—	—
cloud-033	cloud	negative	Lambda billing-csv-32	—	—
cloud-034	cloud	negative	Lambda billing-csv-33	—	—
cloud-035	cloud	negative	Lambda billing-csv-34	—	—
cloud-036	cloud	negative	Lambda billing-csv-35	—	—
cloud-037	cloud	negative	Lambda billing-csv-36	—	—
cloud-038	cloud	negative	Lambda billing-csv-37	—	—
cloud-039	cloud	negative	Lambda billing-csv-38	—	—
cloud-040	cloud	negative	Lambda billing-csv-39	—	—
cloud-041	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
cloud-042	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
cloud-043	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
cloud-044	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
cloud-045	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
cloud-046	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
cloud-047	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
cloud-048	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
cloud-049	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
cloud-050	cloud	near_miss	Lambda that polls a game host	—	cloud_agent:bedrock-agent, provider:aws-bedrock
code-001	code	positive	Code signal openai	provider:openai	—
code-002	code	positive	Code signal langchain	framework:langchain	—
code-003	code	positive	Code signal langgraph	framework:langgraph	—
code-004	code	positive	Code signal crewai	framework:crewai	—
code-005	code	positive	Code signal autogen	framework:autogen	—
code-006	code	positive	Code signal anthropic	provider:anthropic	—
code-007	code	positive	Code signal google-gemini	provider:google-gemini	—
code-008	code	positive	Code signal mcp-github	mcp:mcp-github	—
code-009	code	positive	Code signal claude-code	agent:claude-code, mcp:mcp-filesystem	—
code-010	code	positive	Code signal llamaindex	framework:llamaindex	—
code-011	code	positive	Code signal dspy	framework:dspy	—
code-012	code	positive	Code signal pydantic-ai	framework:pydantic-ai	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
code-013	code	positive	Code signal haystack	framework:haystack	—
code-014	code	positive	Code signal smolagents	framework:smolagents	—
code-015	code	positive	Code signal mistral	provider:mistral	—
code-016	code	positive	Code signal groq	provider:groq	—
code-017	code	positive	Code signal cohere	provider:cohere	—
code-018	code	positive	Code signal ollama	provider:ollama	—
code-019	code	positive	Code signal ollama	local_model:ollama	—
code-020	code	positive	Code signal mcp-filesystem	mcp:mcp-filesystem	—
code-021	code	positive	Code signal cursor	agent:cursor	—
code-022	code	positive	Code signal openrouter	provider:openrouter, provider:openai	—
code-023	code	positive	Code signal aws-bedrock	provider:aws-bedrock, provider:anthropic	—
code-024	code	positive	Code signal semantic-kernel	framework:semantic-kernel	—
code-025	code	positive	Code signal a2a-card	a2a:a2a-card	—
code-026	code	negative	Ordinary flask service	—	—
code-027	code	negative	Ordinary requests service	—	—
code-028	code	negative	Ordinary numpy service	—	—
code-029	code	negative	Ordinary pandas service	—	—
code-030	code	negative	Ordinary fastapi service	—	—
code-031	code	negative	Ordinary click service	—	—
code-032	code	negative	Ordinary pyyaml service	—	—
code-033	code	negative	Ordinary rich service	—	—
code-034	code	negative	Ordinary httpx service	—	—
code-035	code	negative	Ordinary pydantic service	—	—
code-036	code	negative	Ordinary sqlalchemy service	—	—
code-037	code	negative	Ordinary pytest service	—	—
code-038	code	negative	Ordinary typer service	—	—
code-039	code	negative	Ordinary uvicorn service	—	—
code-040	code	negative	Ordinary jinja2 service	—	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
code-041	code	near_miss	Minecraft Bedrock notes	—	provider:aws-bedrock, cloud_agent:bedrock-agent
code-042	code	near_miss	HTTP agent-base dependency	—	agent:cursor, framework:autogen
code-043	code	near_miss	Prose mention of OpenAI	—	provider:openai
code-044	code	near_miss	CSS cursor property	—	agent:cursor
code-045	code	near_miss	Comment naming Claude Bernard	—	agent:claude-code, provider:anthropic
code-046	code	near_miss	Travel agent prose	—	agent:claude-code
code-047	code	near_miss	Glossary initialism	—	provider:openai
code-048	code	near_miss	Minecraft hostname	—	provider:aws-bedrock, cloud_agent:bedrock-agent
code-049	code	near_miss	Express shop	—	framework:langchain
code-050	code	near_miss	Human on-call copilot	—	agent:github-copilot, saas_ai:microsoft-copilot
endpoint-001	endpoint	positive	Endpoint cursor	agent:cursor, mcp:mcp-github	—
endpoint-002	endpoint	positive	Endpoint claude-code	agent:claude-code, mcp:mcp-filesystem	—
endpoint-003	endpoint	positive	Endpoint claude-desktop	agent:claude-desktop, mcp:mcp-slack	—
endpoint-004	endpoint	positive	Endpoint gemini-cli	agent:gemini-cli, mcp:mcp-memory	—
endpoint-005	endpoint	positive	Endpoint windsurf	agent:windsurf, mcp:mcp-github	—
endpoint-006	endpoint	positive	Endpoint codex-cli	agent:codex-cli, mcp:mcp-github	—
endpoint-007	endpoint	positive	Endpoint ollama	local_model:ollama	—
endpoint-008	endpoint	positive	Endpoint continue	agent:continue, provider:openai	—
endpoint-009	endpoint	positive	Endpoint github-copilot	agent:github-copilot, mcp:mcp-github	—
endpoint-010	endpoint	positive	Endpoint openclaw	agent:openclaw, provider:openai	—
endpoint-011	endpoint	positive	Endpoint cursor	agent:cursor, mcp:mcp-github	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
endpoint-012	endpoint	positive	Endpoint claude-code	agent:claude-code, mcp:mcp-filesystem	—
endpoint-013	endpoint	positive	Endpoint claude-desktop	agent:claude-desktop, mcp:mcp-slack	—
endpoint-014	endpoint	positive	Endpoint gemini-cli	agent:gemini-cli, mcp:mcp-memory	—
endpoint-015	endpoint	positive	Endpoint windsurf	agent:windsurf, mcp:mcp-github	—
endpoint-016	endpoint	positive	Endpoint codex-cli	agent:codex-cli, mcp:mcp-github	—
endpoint-017	endpoint	positive	Endpoint ollama	local_model:ollama	—
endpoint-018	endpoint	positive	Endpoint continue	agent:continue, provider:openai	—
endpoint-019	endpoint	positive	Endpoint github-copilot	agent:github-copilot, mcp:mcp-github	—
endpoint-020	endpoint	positive	Endpoint openclaw	agent:openclaw, provider:openai	—
endpoint-021	endpoint	positive	Endpoint cursor	agent:cursor, mcp:mcp-github	—
endpoint-022	endpoint	positive	Endpoint claude-code	agent:claude-code, mcp:mcp-filesystem	—
endpoint-023	endpoint	positive	Endpoint claude-desktop	agent:claude-desktop, mcp:mcp-slack	—
endpoint-024	endpoint	positive	Endpoint gemini-cli	agent:gemini-cli, mcp:mcp-memory	—
endpoint-025	endpoint	positive	Endpoint windsurf	agent:windsurf, mcp:mcp-github	—
endpoint-026	endpoint	negative	Quiet home directory	—	—
endpoint-027	endpoint	negative	Quiet home directory	—	—
endpoint-028	endpoint	negative	Quiet home directory	—	—
endpoint-029	endpoint	negative	Quiet home directory	—	—
endpoint-030	endpoint	negative	Quiet home directory	—	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
endpoint-031	endpoint	negative	Quiet home directory	—	—
endpoint-032	endpoint	negative	Quiet home directory	—	—
endpoint-033	endpoint	negative	Quiet home directory	—	—
endpoint-034	endpoint	negative	Quiet home directory	—	—
endpoint-035	endpoint	negative	Quiet home directory	—	—
endpoint-036	endpoint	negative	Quiet home directory	—	—
endpoint-037	endpoint	negative	Quiet home directory	—	—
endpoint-038	endpoint	negative	Quiet home directory	—	—
endpoint-039	endpoint	negative	Quiet home directory	—	—
endpoint-040	endpoint	negative	Quiet home directory	—	—
endpoint-041	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
endpoint-042	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
endpoint-043	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
endpoint-044	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
endpoint-045	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
endpoint-046	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
endpoint-047	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
endpoint-048	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
endpoint-049	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
endpoint-050	endpoint	near_miss	Home directory with prose and CSS	—	agent:cursor, agent:claude-code
gateway-001	gateway	positive	Gateway call gpt-4o	provider:openai	—
gateway-002	gateway	positive	Gateway call claude-3-5-sonnet	provider:anthropic	—
gateway-003	gateway	positive	Gateway call gemini-1.5-pro	provider:google-gemini	—
gateway-004	gateway	positive	Gateway call mistral-large	provider:mistral	—
gateway-005	gateway	positive	Gateway call llama-3.1-70b	provider:groq	—
gateway-006	gateway	positive	Gateway call command-r-plus	provider:cohere	—
gateway-007	gateway	positive	Gateway call openai/gpt-4o	provider:openrouter	—
gateway-008	gateway	positive	Gateway call gpt-4o	provider:openai	—
gateway-009	gateway	positive	Gateway call claude-3-5-sonnet	provider:anthropic	—
gateway-010	gateway	positive	Gateway call gemini-1.5-pro	provider:google-gemini	—
gateway-011	gateway	positive	Gateway call mistral-large	provider:mistral	—
gateway-012	gateway	positive	Gateway call llama-3.1-70b	provider:groq	—
gateway-013	gateway	positive	Gateway call command-r-plus	provider:cohere	—
gateway-014	gateway	positive	Gateway call openai/gpt-4o	provider:openrouter	—
gateway-015	gateway	positive	Gateway call gpt-4o	provider:openai	—
gateway-016	gateway	positive	Gateway call claude-3-5-sonnet	provider:anthropic	—
gateway-017	gateway	positive	Gateway call gemini-1.5-pro	provider:google-gemini	—
gateway-018	gateway	positive	Gateway call mistral-large	provider:mistral	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
gateway-019	gateway	positive	Gateway call llama-3.1-70b	provider:groq	—
gateway-020	gateway	positive	Gateway call command-r-plus	provider:cohere	—
gateway-021	gateway	positive	Gateway call openai/gpt-4o	provider:openrouter	—
gateway-022	gateway	positive	Gateway call gpt-4o	provider:openai	—
gateway-023	gateway	positive	Gateway call claude-3-5-sonnet	provider:anthropic	—
gateway-024	gateway	positive	Gateway call gemini-1.5-pro	provider:google-gemini	—
gateway-025	gateway	positive	Gateway call mistral-large	provider:mistral	—
gateway-026	gateway	negative	Gateway call to GitHub REST	—	—
gateway-027	gateway	negative	Gateway call to GitHub REST	—	—
gateway-028	gateway	negative	Gateway call to GitHub REST	—	—
gateway-029	gateway	negative	Gateway call to GitHub REST	—	—
gateway-030	gateway	negative	Gateway call to GitHub REST	—	—
gateway-031	gateway	negative	Gateway call to GitHub REST	—	—
gateway-032	gateway	negative	Gateway call to GitHub REST	—	—
gateway-033	gateway	negative	Gateway call to GitHub REST	—	—
gateway-034	gateway	negative	Gateway call to GitHub REST	—	—
gateway-035	gateway	negative	Gateway call to GitHub REST	—	—
gateway-036	gateway	negative	Gateway call to GitHub REST	—	—
gateway-037	gateway	negative	Gateway call to GitHub REST	—	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
gateway-038	gateway	negative	Gateway call to GitHub REST	—	—
gateway-039	gateway	negative	Gateway call to GitHub REST	—	—
gateway-040	gateway	negative	Gateway call to GitHub REST	—	—
gateway-041	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-042	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-043	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-044	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-045	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-046	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-047	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-048	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-049	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
gateway-050	gateway	near_miss	Gateway row for a game status host	—	provider:aws-bedrock, cloud_agent:bedrock-agent
identity-001	identity	positive	Okta grant ChatGPT	identity_grant:chatgpt	—
identity-002	identity	positive	Okta grant Claude	identity_grant:claude	—
identity-003	identity	positive	Okta grant Gemini	identity_grant:gemini	—
identity-004	identity	positive	Okta grant GitHub Copilot	identity_grant:github-copilot	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
identity-005	identity	positive	Okta grant Notion AI	identity_grant:notion-ai	—
identity-006	identity	positive	Okta grant Microsoft Copilot	identity_grant:microsoft-copilot	—
identity-007	identity	positive	Okta grant Perplexity	identity_grant:perplexity	—
identity-008	identity	positive	Okta grant Cursor	identity_grant:cursor	—
identity-009	identity	positive	Okta grant Mistral	identity_grant:mistral	—
identity-010	identity	positive	Okta grant Groq	identity_grant:groq	—
identity-011	identity	positive	Okta grant Cohere	identity_grant:cohere	—
identity-012	identity	positive	Okta grant Midjourney	identity_grant:midjourney	—
identity-013	identity	positive	Okta grant ElevenLabs	identity_grant:elevenlabs	—
identity-014	identity	positive	Okta grant Runway	identity_grant:runway	—
identity-015	identity	positive	Okta grant Character.AI	identity_grant:character-ai	—
identity-016	identity	positive	Okta grant Poe	identity_grant:poe	—
identity-017	identity	positive	Okta grant Phind	identity_grant:phind	—
identity-018	identity	positive	Okta grant Codeium	identity_grant:codeium	—
identity-019	identity	positive	Okta grant Tabnine	identity_grant:tabnine	—
identity-020	identity	positive	Okta grant Sourcegraph Cody	identity_grant:cody	—
identity-021	identity	positive	Okta grant Amazon Q	identity_grant:amazon-q	—
identity-022	identity	positive	Okta grant Jasper	identity_grant:jasper	—
identity-023	identity	positive	Okta grant Copy.ai	identity_grant:copy-ai	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
identity-024	identity	positive	Okta grant You.com	identity_grant:you-com	—
identity-025	identity	positive	Okta grant Hugging Face	identity_grant:huggingface	—
identity-026	identity	negative	Okta grant Workday	—	—
identity-027	identity	negative	Okta grant DocuSign	—	—
identity-028	identity	negative	Okta grant Zendesk	—	—
identity-029	identity	negative	Okta grant PagerDuty	—	—
identity-030	identity	negative	Okta grant Figma	—	—
identity-031	identity	negative	Okta grant Box	—	—
identity-032	identity	negative	Okta grant Dropbox	—	—
identity-033	identity	negative	Okta grant Datadog	—	—
identity-034	identity	negative	Okta grant ServiceNow ITSM	—	—
identity-035	identity	negative	Okta grant Jira	—	—
identity-036	identity	negative	Okta grant Okta Dashboard	—	—
identity-037	identity	negative	Okta grant Salesforce CRM	—	—
identity-038	identity	negative	Okta grant Zoom Meetings	—	—
identity-039	identity	negative	Okta grant Slack	—	—
identity-040	identity	negative	Okta grant GitHub	—	—
identity-041	identity	near_miss	Okta near-miss Claude Bernard Gallery	—	identity_grant:claude
identity-042	identity	near_miss	Okta near-miss Cursor Manufacturing ERP	—	identity_grant:cursor

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
identity-043	identity	near_miss	Okta near-miss Gemini Freight Lines	—	identity_grant:gemini
identity-044	identity	near_miss	Okta near-miss Copilot Insurance Agency	—	identity_grant:github-copilot
identity-045	identity	near_miss	Okta near-miss Bedrock Landscaping	—	cloud_agent:bedrock-agent
identity-046	identity	near_miss	Okta near-miss Agent Provocateur HR	—	identity_grant:chatgpt
identity-047	identity	near_miss	Okta near-miss Einstein Bros Catering	—	identity_grant:salesforce-einstein
identity-048	identity	near_miss	Okta near-miss Open Air Travel	—	provider:openai
identity-049	identity	near_miss	Okta near-miss Notion Template Club	—	identity_grant:notion-ai
identity-050	identity	near_miss	Okta near-miss AI Book Club	—	identity_grant:slack-ai
lowcode-001	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.openAi	lowcode:n8n-openai, provider:openai, framework:langchain	—
lowcode-002	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.anthropic	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
lowcode-003	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.googleGemini	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
lowcode-004	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.mistral	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
lowcode-005	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.agent	lowcode:n8n-agent, framework:langchain	—
lowcode-006	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.openAi	lowcode:n8n-openai, provider:openai, framework:langchain	—
lowcode-007	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.anthropic	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
lowcode-008	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.googleGemini	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
lowcode-009	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.mistral	lowcode:n8n-mistral, provider:mistral, framework:langchain	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
lowcode-010	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.agent	lowcode:n8n-agent, framework:langchain	—
lowcode-011	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.openAi	lowcode:n8n-openai, provider:openai, framework:langchain	—
lowcode-012	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.anthropic	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
lowcode-013	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.googleGemini	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
lowcode-014	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.mistral	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
lowcode-015	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.agent	lowcode:n8n-agent, framework:langchain	—
lowcode-016	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.openAi	lowcode:n8n-openai, provider:openai, framework:langchain	—
lowcode-017	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.anthropic	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
lowcode-018	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.googleGemini	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
lowcode-019	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.mistral	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
lowcode-020	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.agent	lowcode:n8n-agent, framework:langchain	—
lowcode-021	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.openAi	lowcode:n8n-openai, provider:openai, framework:langchain	—
lowcode-022	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.anthropic	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
lowcode-023	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.googleGemini	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
lowcode-024	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.mistral	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
lowcode-025	lowcode	positive	n8n node @n8n/n8n-nodes-langchain.agent	lowcode:n8n-agent, framework:langchain	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
lowcode-026	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-027	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-028	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-029	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-030	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-031	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-032	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-033	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-034	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-035	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-036	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-037	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-038	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-039	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-040	lowcode	negative	n8n spreadsheet workflow	—	—
lowcode-041	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
lowcode-042	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
lowcode-043	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
lowcode-044	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
lowcode-045	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
lowcode-046	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
lowcode-047	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
lowcode-048	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
lowcode-049	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
lowcode-050	lowcode	near_miss	n8n webhook named AI ideas	—	lowcode:n8n-openai, provider:openai
network-001	network	positive	DNS query api.openai.com	egress:openai	—
network-002	network	positive	DNS query api.anthropic.com	egress:anthropic	—
network-003	network	positive	DNS query generativelanguage.googleapis.com	egress:google-gemini	—
network-004	network	positive	DNS query api.mistral.ai	egress:mistral	—
network-005	network	positive	DNS query api.groq.com	egress:groq	—
network-006	network	positive	DNS query api.cohere.ai	egress:cohere	—
network-007	network	positive	DNS query openrouter.ai	egress:openrouter	—
network-008	network	positive	DNS query api.openai.com	egress:openai	—
network-009	network	positive	DNS query api.anthropic.com	egress:anthropic	—
network-010	network	positive	DNS query generativelanguage.googleapis.com	egress:google-gemini	—
network-011	network	positive	DNS query api.mistral.ai	egress:mistral	—
network-012	network	positive	DNS query api.groq.com	egress:groq	—
network-013	network	positive	DNS query api.cohere.ai	egress:cohere	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
network-014	network	positive	DNS query openrouter.ai	egress:openrouter	—
network-015	network	positive	DNS query api.openai.com	egress:openai	—
network-016	network	positive	DNS query api.anthropic.com	egress:anthropic	—
network-017	network	positive	DNS query generativelanguage.googleapis.com	egress:google-gemini	—
network-018	network	positive	DNS query api.mistral.ai	egress:mistral	—
network-019	network	positive	DNS query api.groq.com	egress:groq	—
network-020	network	positive	DNS query api.cohere.ai	egress:cohere	—
network-021	network	positive	DNS query openrouter.ai	egress:openrouter	—
network-022	network	positive	DNS query api.openai.com	egress:openai	—
network-023	network	positive	DNS query api.anthropic.com	egress:anthropic	—
network-024	network	positive	DNS query generativelanguage.googleapis.com	egress:google-gemini	—
network-025	network	positive	DNS query api.mistral.ai	egress:mistral	—
network-026	network	negative	DNS query for Microsoft login	—	—
network-027	network	negative	DNS query for Microsoft login	—	—
network-028	network	negative	DNS query for Microsoft login	—	—
network-029	network	negative	DNS query for Microsoft login	—	—
network-030	network	negative	DNS query for Microsoft login	—	—
network-031	network	negative	DNS query for Microsoft login	—	—
network-032	network	negative	DNS query for Microsoft login	—	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
network-033	network	negative	DNS query for Microsoft login	—	—
network-034	network	negative	DNS query for Microsoft login	—	—
network-035	network	negative	DNS query for Microsoft login	—	—
network-036	network	negative	DNS query for Microsoft login	—	—
network-037	network	negative	DNS query for Microsoft login	—	—
network-038	network	negative	DNS query for Microsoft login	—	—
network-039	network	negative	DNS query for Microsoft login	—	—
network-040	network	negative	DNS query for Microsoft login	—	—
network-041	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-042	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-043	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-044	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-045	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-046	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-047	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-048	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-049	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
network-050	network	near_miss	DNS query for a game host	—	egress:aws-bedrock, provider:aws-bedrock
runtime-001	runtime	positive	Process claude	agent:claude-code	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
runtime-002	runtime	positive	Process /opt/Claude/claude	agent:claude-desktop	—
runtime-003	runtime	positive	Process cursor .	agent:cursor	—
runtime-004	runtime	positive	Process ollama serve	local_model:ollama	—
runtime-005	runtime	positive	Process gemini	agent:gemini-cli	—
runtime-006	runtime	positive	Process codex	agent:codex-cli	—
runtime-007	runtime	positive	Process windsurf	agent:windsurf	—
runtime-008	runtime	positive	Process openclaw	agent:openclaw	—
runtime-009	runtime	positive	Process claude	agent:claude-code	—
runtime-010	runtime	positive	Process /opt/Claude/claude	agent:claude-desktop	—
runtime-011	runtime	positive	Process cursor .	agent:cursor	—
runtime-012	runtime	positive	Process ollama serve	local_model:ollama	—
runtime-013	runtime	positive	Process gemini	agent:gemini-cli	—
runtime-014	runtime	positive	Process codex	agent:codex-cli	—
runtime-015	runtime	positive	Process windsurf	agent:windsurf	—
runtime-016	runtime	positive	Process openclaw	agent:openclaw	—
runtime-017	runtime	positive	Process claude	agent:claude-code	—
runtime-018	runtime	positive	Process /opt/Claude/claude	agent:claude-desktop	—
runtime-019	runtime	positive	Process cursor .	agent:cursor	—
runtime-020	runtime	positive	Process ollama serve	local_model:ollama	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
runtime-021	runtime	positive	Process gemini	agent:gemini-cli	—
runtime-022	runtime	positive	Process codex	agent:codex-cli	—
runtime-023	runtime	positive	Process windsurf	agent:windsurf	—
runtime-024	runtime	positive	Process openclaw	agent:openclaw	—
runtime-025	runtime	positive	Process claude	agent:claude-code	—
runtime-026	runtime	negative	nginx worker	—	—
runtime-027	runtime	negative	nginx worker	—	—
runtime-028	runtime	negative	nginx worker	—	—
runtime-029	runtime	negative	nginx worker	—	—
runtime-030	runtime	negative	nginx worker	—	—
runtime-031	runtime	negative	nginx worker	—	—
runtime-032	runtime	negative	nginx worker	—	—
runtime-033	runtime	negative	nginx worker	—	—
runtime-034	runtime	negative	nginx worker	—	—
runtime-035	runtime	negative	nginx worker	—	—
runtime-036	runtime	negative	nginx worker	—	—
runtime-037	runtime	negative	nginx worker	—	—
runtime-038	runtime	negative	nginx worker	—	—
runtime-039	runtime	negative	nginx worker	—	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
runtime-040	runtime	negative	nginx worker	—	—
runtime-041	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-042	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-043	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-044	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-045	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-046	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-047	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-048	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-049	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
runtime-050	runtime	near_miss	Unrelated cursor-blink process	—	agent:cursor
saas-001	saas	positive	Slack app ChatGPT	saas_ai:chatgpt	—
saas-002	saas	positive	Slack app Claude	saas_ai:claude	—
saas-003	saas	positive	Slack app Gemini	saas_ai:gemini	—
saas-004	saas	positive	Slack app GitHub Copilot	saas_ai:github-copilot	—
saas-005	saas	positive	Slack app Notion AI	saas_ai:notion-ai	—
saas-006	saas	positive	Slack app Microsoft Copilot	saas_ai:microsoft-copilot	—
saas-007	saas	positive	Slack app Perplexity	saas_ai:perplexity	—
saas-008	saas	positive	Slack app Cursor	saas_ai:cursor	—
saas-009	saas	positive	Slack app Mistral	saas_ai:mistral	—
saas-010	saas	positive	Slack app Groq	saas_ai:groq	—
saas-011	saas	positive	Slack app Cohere	saas_ai:cohere	—
saas-012	saas	positive	Slack app Midjourney	saas_ai:midjourney	—
saas-013	saas	positive	Slack app ElevenLabs	saas_ai:elevenlabs	—

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
saas-014	saas	positive	Slack app Runway	saas_ai:runway	—
saas-015	saas	positive	Slack app Character.AI	saas_ai:character-ai	—
saas-016	saas	positive	Slack app Poe	saas_ai:poe	—
saas-017	saas	positive	Slack app Phind	saas_ai:phind	—
saas-018	saas	positive	Slack app Codeium	saas_ai:codeium	—
saas-019	saas	positive	Slack app Tabnine	saas_ai:tabnine	—
saas-020	saas	positive	Slack app Sourcegraph Cody	saas_ai:cody	—
saas-021	saas	positive	Slack app Amazon Q	saas_ai:amazon-q	—
saas-022	saas	positive	Slack app Jasper	saas_ai:jasper	—
saas-023	saas	positive	Slack app Copy.ai	saas_ai:copy-ai	—
saas-024	saas	positive	Slack app You.com	saas_ai:you-com	—
saas-025	saas	positive	Slack app Hugging Face	saas_ai:huggingface	—
saas-026	saas	negative	Slack app Workday	—	—
saas-027	saas	negative	Slack app DocuSign	—	—
saas-028	saas	negative	Slack app Zendesk	—	—
saas-029	saas	negative	Slack app PagerDuty	—	—
saas-030	saas	negative	Slack app Figma	—	—
saas-031	saas	negative	Slack app Box	—	—
saas-032	saas	negative	Slack app Dropbox	—	—
saas-033	saas	negative	Slack app Datadog	—	—
saas-034	saas	negative	Slack app ServiceNow ITSM	—	—
saas-035	saas	negative	Slack app Jira	—	—
saas-036	saas	negative	Slack app Okta Dashboard	—	—
saas-037	saas	negative	Slack app Salesforce CRM	—	—
saas-038	saas	negative	Slack app Zoom Meetings	—	—
saas-039	saas	negative	Slack app Slack	—	—
saas-040	saas	negative	Slack app GitHub	—	—
saas-041	saas	near_miss	Slack near-miss Claude Bernard Gallery	—	saas_ai:claude
saas-042	saas	near_miss	Slack near-miss Cursor Manufacturing ERP	—	saas_ai:cursor

CASE	SURFACE	POLARITY	TITLE	PLANTED FACTS	MUST NOT EMIT
saas-043	saas	near_miss	Slack near-miss Gemini Freight Lines	—	saas_ai:gemini
saas-044	saas	near_miss	Slack near-miss Copilot Insurance Agency	—	saas_ai:github-copilot
saas-045	saas	near_miss	Slack near-miss Bedrock Landscaping	—	cloud_agent:bedrock-agent
saas-046	saas	near_miss	Slack near-miss Agent Provocateur HR	—	saas_ai:chatgpt
saas-047	saas	near_miss	Slack near-miss Einstein Bros Catering	—	saas_ai:salesforce-einstein
saas-048	saas	near_miss	Slack near-miss Open Air Travel	—	provider:openai
saas-049	saas	near_miss	Slack near-miss Notion Template Club	—	saas_ai:notion-ai
saas-050	saas	near_miss	Slack near-miss AI Book Club	—	saas_ai:slack-ai