REPORT · 1.0.0 · 11 OCTOBER 2026

ShadowBench

Open-source discovery of shadow AI agents, measured on 450 planted cases across nine surfaces.

Labels are planted evidence, not the output of any scanner. In-scope F1 counts only the surfaces a tool can read. Estate recall treats every other positive as a miss. The lexicon row is a string-match ceiling, not a product.

Cases	`450`
Seed	`shadowbench-450-v1`
Provenance	`synthetic-realistic`
Corpus	`a874ddcf2c1bbb62746f9830798db1d3e96148ae26b71304f217bf4025392be3`
Labels	`Labels are the planted facts in truth.json. No evaluated tool produced them.`

Same scored run as the scoreboard. Tools were not scanned again for this document.

1 Results

Eight tools ran. Two were probed and left blank because they cannot scan offline: a missing token is not a score of zero. Tools are ordered by in-scope fact F1. Precision, recall and F1 are fact-level. Specificity is case-level.

Table 1. In-scope quality and estate recall.

#	TOOL	STATUS	PRECISION	RECALL	F1	SPECIFICITY	ESTATE RECALL
1	ShadowScan	Scored	78.2%	87.8%	**82.7%**	97.3%	87.8%
2	NuGuard	Scored	82.6%	67.9%	**74.5%**	96.0%	5.7%
3	CuratedMCP	Scored	100.0%	37.5%	**54.5%**	100.0%	5.4%
4	SafeDep vet	Scored	84.6%	29.7%	**44.0%**	100.0%	6.5%
5	AgentDiscover	Scored	100.0%	17.9%	**30.3%**	100.0%	1.5%
6	Trusera ai-bom	Scored	86.7%	13.3%	**23.0%**	100.0%	3.9%
7	Perplexity Numbat	Scored	—	0.0%	**0.0%**	100.0%	0.0%
8	Agentic Radar	Scored	—	0.0%	**0.0%**	100.0%	0.0%
9	Snyk Agent Scan	Not run	—	—	**—**	—	—
10	Aurva AIOstack	Not run	—	—	**—**	—	—
11	Lexicon reference	Reference	87.3%	86.3%	**86.8%**	96.4%	86.3%

2 Coverage

A dot means the tool was not asked to read that surface. Unread negatives are not counted as true negatives.

Table 2. Fact recall by surface. Ident. identity, Gate gateway, Low-c. low-code, Endpt endpoint, Net network, Run runtime.

TOOL	CODE	IDENT.	GATE	LOW-C.	SAAS	CLOUD	ENDPT	NET	RUN
ShadowScan	92.9%	76.0%	100.0%	78.6%	96.0%	100.0%	83.3%	100.0%	64.0%
NuGuard	67.9%	·	·	·	·	·	·	·	·
CuratedMCP	·	·	·	·	·	·	37.5%	·	·
SafeDep vet	28.6%	·	·	·	·	·	30.4%	·	·
AgentDiscover	17.9%	·	·	·	·	·	·	·	·
Trusera ai-bom	46.4%	·	·	0.0%	·	·	·	·	·
Perplexity Numbat	·	·	·	·	·	·	0.0%	·	·
Agentic Radar	0.0%	·	·	0.0%	·	·	·	·	·
Lexicon reference	92.9%	96.0%	100.0%	78.6%	96.0%	61.5%	95.8%	100.0%	100.0%

3 Tool notes

1. ShadowScan

run

`shadowscan, version 0.1.2 · cloud, code, endpoint, gateway, identity, lowcode, network, runtime, saas`

Fact TP / FP / FN	295 / 82 / 41
Case TP / FP / TN / FN	203 / 6 / 219 / 22
Matthews correlation	0.88
Balanced accuracy	93.8%
Fact F1, 95% interval	78.6% – 86.3%
Errors excluded	0
Latency, median	1128 ms
Latency, 95th	1224 ms

2. NuGuard

run

`0.9.15 · code`

Fact TP / FP / FN	19 / 4 / 9
Case TP / FP / TN / FN	18 / 1 / 24 / 7
Matthews correlation	0.70
Balanced accuracy	84.0%
Fact F1, 95% interval	59.6% – 85.7%
Errors excluded	0
Latency, median	1724 ms
Latency, 95th	1873 ms

3. CuratedMCP

run

`version not recorded · endpoint`

Fact TP / FP / FN	18 / 0 / 30
Case TP / FP / TN / FN	9 / 0 / 25 / 16
Matthews correlation	0.47
Balanced accuracy	68.0%
Fact F1, 95% interval	30.2% – 72.3%
Errors excluded	0
Latency, median	6758 ms
Latency, 95th	8143 ms

4. SafeDep vet

run

`1.20.0 · code, endpoint`

Fact TP / FP / FN	22 / 4 / 52
Case TP / FP / TN / FN	15 / 0 / 49 / 34
Matthews correlation	0.43
Balanced accuracy	65.3%
Fact F1, 95% interval	28.6% – 58.1%
Errors excluded	2
Latency, median	432 ms
Latency, 95th	480 ms

5. AgentDiscover

run

`AgentDiscover v2.9.5 · code`

Fact TP / FP / FN	5 / 0 / 23
Case TP / FP / TN / FN	4 / 0 / 25 / 21
Matthews correlation	0.29
Balanced accuracy	58.0%
Fact F1, 95% interval	7.4% – 52.9%
Errors excluded	0
Latency, median	807 ms
Latency, 95th	850 ms

6. Trusera ai-bom

run

`ai-bom version 3.6.0 · code, lowcode`

Fact TP / FP / FN	13 / 2 / 85
Case TP / FP / TN / FN	13 / 0 / 50 / 37
Matthews correlation	0.39
Balanced accuracy	63.0%
Fact F1, 95% interval	12.3% – 34.2%
Errors excluded	0
Latency, median	267 ms
Latency, 95th	282 ms

7. Perplexity Numbat

run

`numbat 0.2.0 (schema 0.3.0) · endpoint`

Fact TP / FP / FN	0 / 0 / 48
Case TP / FP / TN / FN	0 / 0 / 25 / 25
Matthews correlation	—
Balanced accuracy	50.0%
Fact F1, 95% interval	0.0% – 0.0%
Errors excluded	0
Latency, median	118 ms
Latency, 95th	135 ms

8. Agentic Radar

run

`0.14.1 · code, lowcode`

Fact TP / FP / FN	0 / 0 / 98
Case TP / FP / TN / FN	0 / 0 / 50 / 50
Matthews correlation	—
Balanced accuracy	50.0%
Fact F1, 95% interval	0.0% – 0.0%
Errors excluded	0
Latency, median	4194 ms
Latency, 95th	4325 ms

9. Snyk Agent Scan

not run: scan refused without a Snyk token

`version not recorded · endpoint`

10. Aurva AIOstack

not run: AIOstack is a Kubernetes daemon with no offline fixture mode in this environment

`version not recorded · runtime`

11. Lexicon reference

run

`version not recorded · cloud, code, endpoint, gateway, identity, lowcode, network, runtime, saas`

Fact TP / FP / FN	290 / 42 / 46
Case TP / FP / TN / FN	222 / 8 / 217 / 3
Matthews correlation	0.95
Balanced accuracy	97.6%
Fact F1, 95% interval	82.6% – 90.7%
Errors excluded	0
Latency, median	—
Latency, 95th	—

4 Method

Each surface holds 25 positives, 15 negatives and 10 near-misses. A positive fact is true only when its quote is in the cited file. A negative case must produce no mapped finding. A near-miss names the lookalike that must not be emitted: Minecraft Bedrock is not AWS Bedrock, a CSS cursor is not the Cursor IDE, Claude Bernard is not Claude.

These are not private tenant dumps. One documented format is exercised per surface. That is the sampling frame, not the whole surface.

Table 3. Sampling frame.

code	Minimal application tree (Python or Node, plus optional agent config).
identity	Okta GET /api/v1/apps JSON export, status ACTIVE.
gateway	LiteLLM-style JSONL spend log (one record).
lowcode	n8n workflow export JSON (id, name, nodes, connections).
saas	Slack admin approved-app record JSON, with workspace id.
cloud	JSONL record in the AWS inventory dump shape (agent or lambda).
endpoint	Linux home-directory fragment with vendor config paths.
network	JSONL DNS log row with src_ip, query and ts.
runtime	osquery processes JSON array (name, path, cmdline, pid).

Fact-level precision, recall and F1 are primary. A positive case is detected if any planted fact comes back. Any mapped finding on a negative or near-miss is a false positive. Specificity, false-positive rate, balanced accuracy and Matthews correlation use that case table. Crashes and timeouts leave the denominator and are counted as errors. A 1,000-draw bootstrap over cases gives a 95% interval on fact F1.

Estate recall counts positives on unread surfaces as misses. The lexicon reference applies the published alias list to the artifact text, including paths. It does not read the answer key.

A Case index

450 cases. The quote that justifies each planted fact is in the case file. This index records the fact and the names a correct scanner must not emit.

Table 4. Case index.

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`cloud-001` Bedrock agent agent-000	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
`cloud-002` Bedrock agent agent-001	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-003` Bedrock agent agent-002	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-004` Bedrock agent agent-003	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
`cloud-005` Bedrock agent agent-004	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
`cloud-006` Bedrock agent agent-005	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
`cloud-007` Bedrock agent agent-006	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-008` Bedrock agent agent-007	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`cloud-009` Bedrock agent agent-008	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
`cloud-010` Bedrock agent agent-009	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
`cloud-011` Bedrock agent agent-010	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
`cloud-012` Bedrock agent agent-011	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-013` Bedrock agent agent-012	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-014` Bedrock agent agent-013	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
`cloud-015` Bedrock agent agent-014	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
`cloud-016` Bedrock agent agent-015	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
`cloud-017` Bedrock agent agent-016	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-018` Bedrock agent agent-017	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-019` Bedrock agent agent-018	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
`cloud-020` Bedrock agent agent-019	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
`cloud-021` Bedrock agent agent-020	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:anthropic	—
`cloud-022` Bedrock agent agent-021	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-023` Bedrock agent agent-022	positive	cloud_agent:bedrock-agent, provider:aws-bedrock	—
`cloud-024` Bedrock agent agent-023	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:mistral	—
`cloud-025` Bedrock agent agent-024	positive	cloud_agent:bedrock-agent, provider:aws-bedrock, provider:cohere	—
`cloud-026` Lambda billing-csv-25	negative	—	—
`cloud-027` Lambda billing-csv-26	negative	—	—
`cloud-028` Lambda billing-csv-27	negative	—	—
`cloud-029` Lambda billing-csv-28	negative	—	—
`cloud-030` Lambda billing-csv-29	negative	—	—
`cloud-031` Lambda billing-csv-30	negative	—	—
`cloud-032` Lambda billing-csv-31	negative	—	—
`cloud-033` Lambda billing-csv-32	negative	—	—
`cloud-034` Lambda billing-csv-33	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`cloud-035` Lambda billing-csv-34	negative	—	—
`cloud-036` Lambda billing-csv-35	negative	—	—
`cloud-037` Lambda billing-csv-36	negative	—	—
`cloud-038` Lambda billing-csv-37	negative	—	—
`cloud-039` Lambda billing-csv-38	negative	—	—
`cloud-040` Lambda billing-csv-39	negative	—	—
`cloud-041` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-042` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-043` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-044` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-045` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-046` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-047` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-048` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-049` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`cloud-050` Lambda that polls a game host	near miss	—	cloud_agent:bedrock-agent, provider:aws-bedrock
`code-001` Code signal openai	positive	provider:openai	—
`code-002` Code signal langchain	positive	framework:langchain	—
`code-003` Code signal langgraph	positive	framework:langgraph	—
`code-004` Code signal crewai	positive	framework:crewai	—
`code-005` Code signal autogen	positive	framework:autogen	—
`code-006` Code signal anthropic	positive	provider:anthropic	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`code-007` Code signal google-gemini	positive	provider:google-gemini	—
`code-008` Code signal mcp-github	positive	mcp:mcp-github	—
`code-009` Code signal claude-code	positive	agent:claude-code, mcp:mcp-filesystem	—
`code-010` Code signal llamaindex	positive	framework:llamaindex	—
`code-011` Code signal dspy	positive	framework:dspy	—
`code-012` Code signal pydantic-ai	positive	framework:pydantic-ai	—
`code-013` Code signal haystack	positive	framework:haystack	—
`code-014` Code signal smolagents	positive	framework:smolagents	—
`code-015` Code signal mistral	positive	provider:mistral	—
`code-016` Code signal groq	positive	provider:groq	—
`code-017` Code signal cohere	positive	provider:cohere	—
`code-018` Code signal ollama	positive	provider:ollama	—
`code-019` Code signal ollama	positive	local_model:ollama	—
`code-020` Code signal mcp-filesystem	positive	mcp:mcp-filesystem	—
`code-021` Code signal cursor	positive	agent:cursor	—
`code-022` Code signal openrouter	positive	provider:openrouter, provider:openai	—
`code-023` Code signal aws-bedrock	positive	provider:aws-bedrock, provider:anthropic	—
`code-024` Code signal semantic-kernel	positive	framework:semantic-kernel	—
`code-025` Code signal a2a-card	positive	a2a:a2a-card	—
`code-026` Ordinary flask service	negative	—	—
`code-027` Ordinary requests service	negative	—	—
`code-028` Ordinary numpy service	negative	—	—
`code-029` Ordinary pandas service	negative	—	—
`code-030` Ordinary fastapi service	negative	—	—
`code-031` Ordinary click service	negative	—	—
`code-032` Ordinary pyyaml service	negative	—	—
`code-033` Ordinary rich service	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`code-034` Ordinary httpx service	negative	—	—
`code-035` Ordinary pydantic service	negative	—	—
`code-036` Ordinary sqlalchemy service	negative	—	—
`code-037` Ordinary pytest service	negative	—	—
`code-038` Ordinary typer service	negative	—	—
`code-039` Ordinary uvicorn service	negative	—	—
`code-040` Ordinary jinja2 service	negative	—	—
`code-041` Minecraft Bedrock notes	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`code-042` HTTP agent-base dependency	near miss	—	agent:cursor, framework:autogen
`code-043` Prose mention of OpenAI	near miss	—	provider:openai
`code-044` CSS cursor property	near miss	—	agent:cursor
`code-045` Comment naming Claude Bernard	near miss	—	agent:claude-code, provider:anthropic
`code-046` Travel agent prose	near miss	—	agent:claude-code
`code-047` Glossary initialism	near miss	—	provider:openai
`code-048` Minecraft hostname	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`code-049` Express shop	near miss	—	framework:langchain
`code-050` Human on-call copilot	near miss	—	agent:github-copilot, saas_ai:microsoft-copilot
`endpoint-001` Endpoint cursor	positive	agent:cursor, mcp:mcp-github	—
`endpoint-002` Endpoint claude-code	positive	agent:claude-code, mcp:mcp-filesystem	—
`endpoint-003` Endpoint claude-desktop	positive	agent:claude-desktop, mcp:mcp-slack	—
`endpoint-004` Endpoint gemini-cli	positive	agent:gemini-cli, mcp:mcp-memory	—
`endpoint-005` Endpoint windsurf	positive	agent:windsurf, mcp:mcp-github	—
`endpoint-006` Endpoint codex-cli	positive	agent:codex-cli, mcp:mcp-github	—
`endpoint-007` Endpoint ollama	positive	local_model:ollama	—
`endpoint-008` Endpoint continue	positive	agent:continue, provider:openai	—
`endpoint-009` Endpoint github-copilot	positive	agent:github-copilot, mcp:mcp-github	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`endpoint-010` Endpoint openclaw	positive	agent:openclaw, provider:openai	—
`endpoint-011` Endpoint cursor	positive	agent:cursor, mcp:mcp-github	—
`endpoint-012` Endpoint claude-code	positive	agent:claude-code, mcp:mcp-filesystem	—
`endpoint-013` Endpoint claude-desktop	positive	agent:claude-desktop, mcp:mcp-slack	—
`endpoint-014` Endpoint gemini-cli	positive	agent:gemini-cli, mcp:mcp-memory	—
`endpoint-015` Endpoint windsurf	positive	agent:windsurf, mcp:mcp-github	—
`endpoint-016` Endpoint codex-cli	positive	agent:codex-cli, mcp:mcp-github	—
`endpoint-017` Endpoint ollama	positive	local_model:ollama	—
`endpoint-018` Endpoint continue	positive	agent:continue, provider:openai	—
`endpoint-019` Endpoint github-copilot	positive	agent:github-copilot, mcp:mcp-github	—
`endpoint-020` Endpoint openclaw	positive	agent:openclaw, provider:openai	—
`endpoint-021` Endpoint cursor	positive	agent:cursor, mcp:mcp-github	—
`endpoint-022` Endpoint claude-code	positive	agent:claude-code, mcp:mcp-filesystem	—
`endpoint-023` Endpoint claude-desktop	positive	agent:claude-desktop, mcp:mcp-slack	—
`endpoint-024` Endpoint gemini-cli	positive	agent:gemini-cli, mcp:mcp-memory	—
`endpoint-025` Endpoint windsurf	positive	agent:windsurf, mcp:mcp-github	—
`endpoint-026` Quiet home directory	negative	—	—
`endpoint-027` Quiet home directory	negative	—	—
`endpoint-028` Quiet home directory	negative	—	—
`endpoint-029` Quiet home directory	negative	—	—
`endpoint-030` Quiet home directory	negative	—	—
`endpoint-031` Quiet home directory	negative	—	—
`endpoint-032` Quiet home directory	negative	—	—
`endpoint-033` Quiet home directory	negative	—	—
`endpoint-034` Quiet home directory	negative	—	—
`endpoint-035` Quiet home directory	negative	—	—
`endpoint-036` Quiet home directory	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`endpoint-037` Quiet home directory	negative	—	—
`endpoint-038` Quiet home directory	negative	—	—
`endpoint-039` Quiet home directory	negative	—	—
`endpoint-040` Quiet home directory	negative	—	—
`endpoint-041` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-042` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-043` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-044` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-045` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-046` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-047` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-048` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-049` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`endpoint-050` Home directory with prose and CSS	near miss	—	agent:cursor, agent:claude-code
`gateway-001` Gateway call gpt-4o	positive	provider:openai	—
`gateway-002` Gateway call claude-3-5-sonnet	positive	provider:anthropic	—
`gateway-003` Gateway call gemini-1.5-pro	positive	provider:google-gemini	—
`gateway-004` Gateway call mistral-large	positive	provider:mistral	—
`gateway-005` Gateway call llama-3.1-70b	positive	provider:groq	—
`gateway-006` Gateway call command-r-plus	positive	provider:cohere	—
`gateway-007` Gateway call openai/gpt-4o	positive	provider:openrouter	—
`gateway-008` Gateway call gpt-4o	positive	provider:openai	—
`gateway-009` Gateway call claude-3-5-sonnet	positive	provider:anthropic	—
`gateway-010` Gateway call gemini-1.5-pro	positive	provider:google-gemini	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`gateway-011` Gateway call mistral-large	positive	provider:mistral	—
`gateway-012` Gateway call llama-3.1-70b	positive	provider:groq	—
`gateway-013` Gateway call command-r-plus	positive	provider:cohere	—
`gateway-014` Gateway call openai/gpt-4o	positive	provider:openrouter	—
`gateway-015` Gateway call gpt-4o	positive	provider:openai	—
`gateway-016` Gateway call claude-3-5-sonnet	positive	provider:anthropic	—
`gateway-017` Gateway call gemini-1.5-pro	positive	provider:google-gemini	—
`gateway-018` Gateway call mistral-large	positive	provider:mistral	—
`gateway-019` Gateway call llama-3.1-70b	positive	provider:groq	—
`gateway-020` Gateway call command-r-plus	positive	provider:cohere	—
`gateway-021` Gateway call openai/gpt-4o	positive	provider:openrouter	—
`gateway-022` Gateway call gpt-4o	positive	provider:openai	—
`gateway-023` Gateway call claude-3-5-sonnet	positive	provider:anthropic	—
`gateway-024` Gateway call gemini-1.5-pro	positive	provider:google-gemini	—
`gateway-025` Gateway call mistral-large	positive	provider:mistral	—
`gateway-026` Gateway call to GitHub REST	negative	—	—
`gateway-027` Gateway call to GitHub REST	negative	—	—
`gateway-028` Gateway call to GitHub REST	negative	—	—
`gateway-029` Gateway call to GitHub REST	negative	—	—
`gateway-030` Gateway call to GitHub REST	negative	—	—
`gateway-031` Gateway call to GitHub REST	negative	—	—
`gateway-032` Gateway call to GitHub REST	negative	—	—
`gateway-033` Gateway call to GitHub REST	negative	—	—
`gateway-034` Gateway call to GitHub REST	negative	—	—
`gateway-035` Gateway call to GitHub REST	negative	—	—
`gateway-036` Gateway call to GitHub REST	negative	—	—
`gateway-037` Gateway call to GitHub REST	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`gateway-038` Gateway call to GitHub REST	negative	—	—
`gateway-039` Gateway call to GitHub REST	negative	—	—
`gateway-040` Gateway call to GitHub REST	negative	—	—
`gateway-041` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-042` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-043` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-044` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-045` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-046` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-047` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-048` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-049` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`gateway-050` Gateway row for a game status host	near miss	—	provider:aws-bedrock, cloud_agent:bedrock-agent
`identity-001` Okta grant ChatGPT	positive	identity_grant:chatgpt	—
`identity-002` Okta grant Claude	positive	identity_grant:claude	—
`identity-003` Okta grant Gemini	positive	identity_grant:gemini	—
`identity-004` Okta grant GitHub Copilot	positive	identity_grant:github-copilot	—
`identity-005` Okta grant Notion AI	positive	identity_grant:notion-ai	—
`identity-006` Okta grant Microsoft Copilot	positive	identity_grant:microsoft-copilot	—
`identity-007` Okta grant Perplexity	positive	identity_grant:perplexity	—
`identity-008` Okta grant Cursor	positive	identity_grant:cursor	—
`identity-009` Okta grant Mistral	positive	identity_grant:mistral	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`identity-010` Okta grant Groq	positive	identity_grant:groq	—
`identity-011` Okta grant Cohere	positive	identity_grant:cohere	—
`identity-012` Okta grant Midjourney	positive	identity_grant:midjourney	—
`identity-013` Okta grant ElevenLabs	positive	identity_grant:elevenlabs	—
`identity-014` Okta grant Runway	positive	identity_grant:runway	—
`identity-015` Okta grant Character.AI	positive	identity_grant:character-ai	—
`identity-016` Okta grant Poe	positive	identity_grant:poe	—
`identity-017` Okta grant Phind	positive	identity_grant:phind	—
`identity-018` Okta grant Codeium	positive	identity_grant:codeium	—
`identity-019` Okta grant Tabnine	positive	identity_grant:tabnine	—
`identity-020` Okta grant Sourcegraph Cody	positive	identity_grant:cody	—
`identity-021` Okta grant Amazon Q	positive	identity_grant:amazon-q	—
`identity-022` Okta grant Jasper	positive	identity_grant:jasper	—
`identity-023` Okta grant Copy.ai	positive	identity_grant:copy-ai	—
`identity-024` Okta grant You.com	positive	identity_grant:you-com	—
`identity-025` Okta grant Hugging Face	positive	identity_grant:huggingface	—
`identity-026` Okta grant Workday	negative	—	—
`identity-027` Okta grant DocuSign	negative	—	—
`identity-028` Okta grant Zendesk	negative	—	—
`identity-029` Okta grant PagerDuty	negative	—	—
`identity-030` Okta grant Figma	negative	—	—
`identity-031` Okta grant Box	negative	—	—
`identity-032` Okta grant Dropbox	negative	—	—
`identity-033` Okta grant Datadog	negative	—	—
`identity-034` Okta grant ServiceNow ITSM	negative	—	—
`identity-035` Okta grant Jira	negative	—	—
`identity-036` Okta grant Okta Dashboard	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`identity-037` Okta grant Salesforce CRM	negative	—	—
`identity-038` Okta grant Zoom Meetings	negative	—	—
`identity-039` Okta grant Slack	negative	—	—
`identity-040` Okta grant GitHub	negative	—	—
`identity-041` Okta near-miss Claude Bernard Gallery	near miss	—	identity_grant:claude
`identity-042` Okta near-miss Cursor Manufacturing ERP	near miss	—	identity_grant:cursor
`identity-043` Okta near-miss Gemini Freight Lines	near miss	—	identity_grant:gemini
`identity-044` Okta near-miss Copilot Insurance Agency	near miss	—	identity_grant:github-copilot
`identity-045` Okta near-miss Bedrock Landscaping	near miss	—	cloud_agent:bedrock-agent
`identity-046` Okta near-miss Agent Provocateur HR	near miss	—	identity_grant:chatgpt
`identity-047` Okta near-miss Einstein Bros Catering	near miss	—	identity_grant:salesforce-einstein
`identity-048` Okta near-miss Open Air Travel	near miss	—	provider:openai
`identity-049` Okta near-miss Notion Template Club	near miss	—	identity_grant:notion-ai
`identity-050` Okta near-miss AI Book Club	near miss	—	identity_grant:slack-ai
`lowcode-001` n8n node @n8n/n8n-nodes-langchain.openAi	positive	lowcode:n8n-openai, provider:openai, framework:langchain	—
`lowcode-002` n8n node @n8n/n8n-nodes-langchain.anthropic	positive	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
`lowcode-003` n8n node @n8n/n8n-nodes-langchain.googleGemini	positive	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
`lowcode-004` n8n node @n8n/n8n-nodes-langchain.mistral	positive	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
`lowcode-005` n8n node @n8n/n8n-nodes-langchain.agent	positive	lowcode:n8n-agent, framework:langchain	—
`lowcode-006` n8n node @n8n/n8n-nodes-langchain.openAi	positive	lowcode:n8n-openai, provider:openai, framework:langchain	—
`lowcode-007` n8n node @n8n/n8n-nodes-langchain.anthropic	positive	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
`lowcode-008` n8n node @n8n/n8n-nodes-langchain.googleGemini	positive	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`lowcode-009` n8n node @n8n/n8n-nodes-langchain.mistral	positive	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
`lowcode-010` n8n node @n8n/n8n-nodes-langchain.agent	positive	lowcode:n8n-agent, framework:langchain	—
`lowcode-011` n8n node @n8n/n8n-nodes-langchain.openAi	positive	lowcode:n8n-openai, provider:openai, framework:langchain	—
`lowcode-012` n8n node @n8n/n8n-nodes-langchain.anthropic	positive	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
`lowcode-013` n8n node @n8n/n8n-nodes-langchain.googleGemini	positive	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
`lowcode-014` n8n node @n8n/n8n-nodes-langchain.mistral	positive	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
`lowcode-015` n8n node @n8n/n8n-nodes-langchain.agent	positive	lowcode:n8n-agent, framework:langchain	—
`lowcode-016` n8n node @n8n/n8n-nodes-langchain.openAi	positive	lowcode:n8n-openai, provider:openai, framework:langchain	—
`lowcode-017` n8n node @n8n/n8n-nodes-langchain.anthropic	positive	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
`lowcode-018` n8n node @n8n/n8n-nodes-langchain.googleGemini	positive	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
`lowcode-019` n8n node @n8n/n8n-nodes-langchain.mistral	positive	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
`lowcode-020` n8n node @n8n/n8n-nodes-langchain.agent	positive	lowcode:n8n-agent, framework:langchain	—
`lowcode-021` n8n node @n8n/n8n-nodes-langchain.openAi	positive	lowcode:n8n-openai, provider:openai, framework:langchain	—
`lowcode-022` n8n node @n8n/n8n-nodes-langchain.anthropic	positive	lowcode:n8n-anthropic, provider:anthropic, framework:langchain	—
`lowcode-023` n8n node @n8n/n8n-nodes-langchain.googleGemini	positive	lowcode:n8n-gemini, provider:google-gemini, framework:langchain	—
`lowcode-024` n8n node @n8n/n8n-nodes-langchain.mistral	positive	lowcode:n8n-mistral, provider:mistral, framework:langchain	—
`lowcode-025` n8n node @n8n/n8n-nodes-langchain.agent	positive	lowcode:n8n-agent, framework:langchain	—
`lowcode-026` n8n spreadsheet workflow	negative	—	—
`lowcode-027` n8n spreadsheet workflow	negative	—	—
`lowcode-028` n8n spreadsheet workflow	negative	—	—
`lowcode-029` n8n spreadsheet workflow	negative	—	—
`lowcode-030` n8n spreadsheet workflow	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`lowcode-031` n8n spreadsheet workflow	negative	—	—
`lowcode-032` n8n spreadsheet workflow	negative	—	—
`lowcode-033` n8n spreadsheet workflow	negative	—	—
`lowcode-034` n8n spreadsheet workflow	negative	—	—
`lowcode-035` n8n spreadsheet workflow	negative	—	—
`lowcode-036` n8n spreadsheet workflow	negative	—	—
`lowcode-037` n8n spreadsheet workflow	negative	—	—
`lowcode-038` n8n spreadsheet workflow	negative	—	—
`lowcode-039` n8n spreadsheet workflow	negative	—	—
`lowcode-040` n8n spreadsheet workflow	negative	—	—
`lowcode-041` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-042` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-043` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-044` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-045` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-046` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-047` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-048` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-049` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`lowcode-050` n8n webhook named AI ideas	near miss	—	lowcode:n8n-openai, provider:openai
`network-001` DNS query api.openai.com	positive	egress:openai	—
`network-002` DNS query api.anthropic.com	positive	egress:anthropic	—
`network-003` DNS query generativelanguage.googleapis.com	positive	egress:google-gemini	—
`network-004` DNS query api.mistral.ai	positive	egress:mistral	—
`network-005` DNS query api.groq.com	positive	egress:groq	—
`network-006` DNS query api.cohere.ai	positive	egress:cohere	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`network-007` DNS query openrouter.ai	positive	egress:openrouter	—
`network-008` DNS query api.openai.com	positive	egress:openai	—
`network-009` DNS query api.anthropic.com	positive	egress:anthropic	—
`network-010` DNS query generativelanguage.googleapis.com	positive	egress:google-gemini	—
`network-011` DNS query api.mistral.ai	positive	egress:mistral	—
`network-012` DNS query api.groq.com	positive	egress:groq	—
`network-013` DNS query api.cohere.ai	positive	egress:cohere	—
`network-014` DNS query openrouter.ai	positive	egress:openrouter	—
`network-015` DNS query api.openai.com	positive	egress:openai	—
`network-016` DNS query api.anthropic.com	positive	egress:anthropic	—
`network-017` DNS query generativelanguage.googleapis.com	positive	egress:google-gemini	—
`network-018` DNS query api.mistral.ai	positive	egress:mistral	—
`network-019` DNS query api.groq.com	positive	egress:groq	—
`network-020` DNS query api.cohere.ai	positive	egress:cohere	—
`network-021` DNS query openrouter.ai	positive	egress:openrouter	—
`network-022` DNS query api.openai.com	positive	egress:openai	—
`network-023` DNS query api.anthropic.com	positive	egress:anthropic	—
`network-024` DNS query generativelanguage.googleapis.com	positive	egress:google-gemini	—
`network-025` DNS query api.mistral.ai	positive	egress:mistral	—
`network-026` DNS query for Microsoft login	negative	—	—
`network-027` DNS query for Microsoft login	negative	—	—
`network-028` DNS query for Microsoft login	negative	—	—
`network-029` DNS query for Microsoft login	negative	—	—
`network-030` DNS query for Microsoft login	negative	—	—
`network-031` DNS query for Microsoft login	negative	—	—
`network-032` DNS query for Microsoft login	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`network-033` DNS query for Microsoft login	negative	—	—
`network-034` DNS query for Microsoft login	negative	—	—
`network-035` DNS query for Microsoft login	negative	—	—
`network-036` DNS query for Microsoft login	negative	—	—
`network-037` DNS query for Microsoft login	negative	—	—
`network-038` DNS query for Microsoft login	negative	—	—
`network-039` DNS query for Microsoft login	negative	—	—
`network-040` DNS query for Microsoft login	negative	—	—
`network-041` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-042` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-043` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-044` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-045` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-046` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-047` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-048` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-049` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`network-050` DNS query for a game host	near miss	—	egress:aws-bedrock, provider:aws-bedrock
`runtime-001` Process claude	positive	agent:claude-code	—
`runtime-002` Process /opt/Claude/claude	positive	agent:claude-desktop	—
`runtime-003` Process cursor .	positive	agent:cursor	—
`runtime-004` Process ollama serve	positive	local_model:ollama	—
`runtime-005` Process gemini	positive	agent:gemini-cli	—
`runtime-006` Process codex	positive	agent:codex-cli	—
`runtime-007` Process windsurf	positive	agent:windsurf	—
`runtime-008` Process openclaw	positive	agent:openclaw	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`runtime-009` Process claude	positive	agent:claude-code	—
`runtime-010` Process /opt/Claude/claude	positive	agent:claude-desktop	—
`runtime-011` Process cursor .	positive	agent:cursor	—
`runtime-012` Process ollama serve	positive	local_model:ollama	—
`runtime-013` Process gemini	positive	agent:gemini-cli	—
`runtime-014` Process codex	positive	agent:codex-cli	—
`runtime-015` Process windsurf	positive	agent:windsurf	—
`runtime-016` Process openclaw	positive	agent:openclaw	—
`runtime-017` Process claude	positive	agent:claude-code	—
`runtime-018` Process /opt/Claude/claude	positive	agent:claude-desktop	—
`runtime-019` Process cursor .	positive	agent:cursor	—
`runtime-020` Process ollama serve	positive	local_model:ollama	—
`runtime-021` Process gemini	positive	agent:gemini-cli	—
`runtime-022` Process codex	positive	agent:codex-cli	—
`runtime-023` Process windsurf	positive	agent:windsurf	—
`runtime-024` Process openclaw	positive	agent:openclaw	—
`runtime-025` Process claude	positive	agent:claude-code	—
`runtime-026` nginx worker	negative	—	—
`runtime-027` nginx worker	negative	—	—
`runtime-028` nginx worker	negative	—	—
`runtime-029` nginx worker	negative	—	—
`runtime-030` nginx worker	negative	—	—
`runtime-031` nginx worker	negative	—	—
`runtime-032` nginx worker	negative	—	—
`runtime-033` nginx worker	negative	—	—
`runtime-034` nginx worker	negative	—	—
`runtime-035` nginx worker	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`runtime-036` nginx worker	negative	—	—
`runtime-037` nginx worker	negative	—	—
`runtime-038` nginx worker	negative	—	—
`runtime-039` nginx worker	negative	—	—
`runtime-040` nginx worker	negative	—	—
`runtime-041` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-042` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-043` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-044` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-045` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-046` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-047` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-048` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-049` Unrelated cursor-blink process	near miss	—	agent:cursor
`runtime-050` Unrelated cursor-blink process	near miss	—	agent:cursor
`saas-001` Slack app ChatGPT	positive	saas_ai:chatgpt	—
`saas-002` Slack app Claude	positive	saas_ai:claude	—
`saas-003` Slack app Gemini	positive	saas_ai:gemini	—
`saas-004` Slack app GitHub Copilot	positive	saas_ai:github-copilot	—
`saas-005` Slack app Notion AI	positive	saas_ai:notion-ai	—
`saas-006` Slack app Microsoft Copilot	positive	saas_ai:microsoft-copilot	—
`saas-007` Slack app Perplexity	positive	saas_ai:perplexity	—
`saas-008` Slack app Cursor	positive	saas_ai:cursor	—
`saas-009` Slack app Mistral	positive	saas_ai:mistral	—
`saas-010` Slack app Groq	positive	saas_ai:groq	—
`saas-011` Slack app Cohere	positive	saas_ai:cohere	—
`saas-012` Slack app Midjourney	positive	saas_ai:midjourney	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`saas-013` Slack app ElevenLabs	positive	saas_ai:elevenlabs	—
`saas-014` Slack app Runway	positive	saas_ai:runway	—
`saas-015` Slack app Character.AI	positive	saas_ai:character-ai	—
`saas-016` Slack app Poe	positive	saas_ai:poe	—
`saas-017` Slack app Phind	positive	saas_ai:phind	—
`saas-018` Slack app Codeium	positive	saas_ai:codeium	—
`saas-019` Slack app Tabnine	positive	saas_ai:tabnine	—
`saas-020` Slack app Sourcegraph Cody	positive	saas_ai:cody	—
`saas-021` Slack app Amazon Q	positive	saas_ai:amazon-q	—
`saas-022` Slack app Jasper	positive	saas_ai:jasper	—
`saas-023` Slack app Copy.ai	positive	saas_ai:copy-ai	—
`saas-024` Slack app You.com	positive	saas_ai:you-com	—
`saas-025` Slack app Hugging Face	positive	saas_ai:huggingface	—
`saas-026` Slack app Workday	negative	—	—
`saas-027` Slack app DocuSign	negative	—	—
`saas-028` Slack app Zendesk	negative	—	—
`saas-029` Slack app PagerDuty	negative	—	—
`saas-030` Slack app Figma	negative	—	—
`saas-031` Slack app Box	negative	—	—
`saas-032` Slack app Dropbox	negative	—	—
`saas-033` Slack app Datadog	negative	—	—
`saas-034` Slack app ServiceNow ITSM	negative	—	—
`saas-035` Slack app Jira	negative	—	—
`saas-036` Slack app Okta Dashboard	negative	—	—
`saas-037` Slack app Salesforce CRM	negative	—	—
`saas-038` Slack app Zoom Meetings	negative	—	—
`saas-039` Slack app Slack	negative	—	—

CASE	POLARITY	PLANTED FACTS	MUST NOT EMIT
`saas-040` Slack app GitHub	negative	—	—
`saas-041` Slack near-miss Claude Bernard Gallery	near miss	—	saas_ai:claude
`saas-042` Slack near-miss Cursor Manufacturing ERP	near miss	—	saas_ai:cursor
`saas-043` Slack near-miss Gemini Freight Lines	near miss	—	saas_ai:gemini
`saas-044` Slack near-miss Copilot Insurance Agency	near miss	—	saas_ai:github-copilot
`saas-045` Slack near-miss Bedrock Landscaping	near miss	—	cloud_agent:bedrock-agent
`saas-046` Slack near-miss Agent Provocateur HR	near miss	—	saas_ai:chatgpt
`saas-047` Slack near-miss Einstein Bros Catering	near miss	—	saas_ai:salesforce-einstein
`saas-048` Slack near-miss Open Air Travel	near miss	—	provider:openai
`saas-049` Slack near-miss Notion Template Club	near miss	—	saas_ai:notion-ai
`saas-050` Slack near-miss AI Book Club	near miss	—	saas_ai:slack-ai