WebSocket Documentation

Endpoint: **wss://wsprc.royalassetindo.co.id**

1. Introduction

This document provides formal technical documentation for the WebSocket service available at wss://wsprc.royalassetindo.co.id. The WebSocket service enables secure real-time communication between client applications and the Royal Assetindo system.

2. Overview

The WebSocket service uses the WebSocket Secure (WSS) protocol, allowing full-duplex communication over a single, persistent TCP connection. This service is designed for real-time data delivery such as notifications, system messages, and live updates.

3. Connection Details

Connection parameters are described below:

- Protocol: WebSocket Secure (WSS)

- Endpoint URL: `wss://wsprc.royalassetindo.co.id`

- Port: 443 (default)

- Authentication: Not required

4. Authentication

This WebSocket endpoint does not require any form of authentication, token, or authorization header during the connection process. Clients may establish a connection directly to the endpoint.

5. Server Messages

The server may send messages to connected clients at any time. These messages typically represent real-time price with delay 5 sec.

Example response :


```
{
    "HKK50_BBJ": {
        "price_change": "-",
        "price": "26140",
        "sell": "26132",
        "buy": "26148",
        "oprice": "26139",
        "hprice": "26155",
        "lprice": "26121",
        "time": "16:58:26",
        "date_time": "2026-01-08 16:58:26"
    },
    "HKK5U_BBJ": {
        "price_change": "-",
        "price": "26140",
        "sell": "26132",
        "buy": "26148",
        "oprice": "26139",
        "hprice": "26155",
        "lprice": "26121",
        "time": "16:58:26",
        "date_time": "2026-01-08 16:58:26"
    },
      …
}
```


6. Client Example (JavaScript)

Example of connecting to the WebSocket using JavaScript in a web browser:

```
const ws = new WebSocket('wss://wsprc.royalassetindo.co.id');
ws.onopen = () => console.log('WebSocket connected');
ws.onmessage = (event) => console.log(event.data);
ws.onclose = () => console.log('WebSocket disconnected');
```

7. Security Considerations

Although authentication is not required, it is strongly recommended that clients use this WebSocket connection only over secure networks and using **Websocket Proxies**

8. Support

For further information or technical support related to this WebSocket service, please contact Royal Assetindo IT Support.

Royal Assetindo – IT Support

Email: itsupport@royalassetindo.co.id