
TECHNICAL REPORT

Data Cleaning, Preparation & Title Optimization

Project: Product Marketing Data Refinement

Tool Used: Microsoft Excel

Prepared by: Aisha Abdulkarim

HNG 14 Data Analytics Intern

April, 2026

1. Introduction

1.1 Dataset Overview

This report documents the complete data cleaning, preparation, and short title optimization process performed on a raw marketing product dataset. The dataset, referred to as the Product Data, was downloaded and reviewed as the starting point for this task.

The raw dataset contained 3,847 rows and 6 columns. The columns are described in the table below:

Column Name	Description	Data Type
PRODUCTID	Unique identifier for each product	Categorical
TITLE	Full product name/title	Categorical
BULLET_POINTS	Product features and highlights	Categorical
DESCRIPTION	Detailed product description	Categorical
PRODUCTTYPEID	Numeric category ID for product type	Categorical
ProductLength	Physical length measurement of the item	Quantitative (Numeric)

Only the ProductLength column is numerical/quantitative. All other columns are categorical in nature. All columns were stored in the "General" data format in Excel at the time of initial download.

1.2 Task Objectives

The primary objectives of this data cleaning and preparation task are as follows:

- Identify and resolve data quality issues including missing values, duplicate entries, and inconsistent formatting.
- Standardize data formats and column names for analytical consistency.
- Verify data accuracy by checking for anomalies such as negative or invalid values.
- Create a new feature, short_title, that produces a concise, SEO-optimized version of each product title limited to 30–50 characters.
- Prepare a clean, reliable dataset ready for further marketing analysis.

Microsoft Excel was the sole data analysis tool used throughout this task, as required by the project brief.

2. Initial Data Exploration

2.1 High-Level Review

An initial review of the dataset was conducted to understand its structure, identify key variables for cleaning, and detect any obvious quality issues before performing detailed transformations.

Key observations during the familiarization phase included:

- The dataset consists of 3,847 rows and 6 columns.
- Only ProductLength is numerical; all other columns contain text/categorical data.
- All columns were stored in the "General" format in Excel, requiring type conversion.
- A casing inconsistency was noted: all column names were in uppercase except ProductLength.
- BULLET_POINTS is the only column name with an underscore separator.

2.2 Descriptive Statistics

Descriptive statistics were computed for the quantitative variable (ProductLength) using Excel's Analysis ToolPak:

Statistic	Value
Total Records	3,847
Unique Products (PRODUCTID)	3,541
Mean (ProductLength)	1,150.53
Median (ProductLength)	640
Mode (ProductLength)	600
Standard Deviation (ProductLength)	2,665.90
Maximum (ProductLength)	96,000 (significant outlier)
Minimum (ProductLength)	1
Count (Non-null ProductLength)	3,669

The wide gap between the median (640) and the maximum (96,000) indicates a significant outlier in the ProductLength column. While this outlier was noted, it was retained in the cleaned dataset as it may be valid for its specific product category.

2.3 Data Quality Issues Identified

The following data quality issues were identified through high-level inspection and formula-based checks:

Quality Issue	Column Affected	Count / Details
Missing Values	DESCRIPTION	2,144 nulls (~55% of rows)
Missing Values	BULLET_POINTS	1,591 nulls (~41% of rows)
Missing Values	PRODUCTTYPEID	178 nulls (~4% of rows)
Missing Values	ProductLength	178 nulls (~4% of rows)
Duplicate Entries	PRODUCTID	306 instances of repeated IDs
Inconsistent Column Naming	All Columns	Mixed case; no snake_case standard
Inconsistent Data Types	All Columns	All stored as "General" in Excel

Note: The COUNTBLANK() function was used to count missing values, and a custom formula using COUNTIF() on an auxiliary column was used to detect duplicate PRODUCTID values.

3. Data Cleaning Process

The data cleaning process was carried out systematically in four stages: handling missing values, removing duplicates, standardizing data formats, and verifying data accuracy.

3.1 Handling Missing Values

3.1.1 BULLET_POINTS and DESCRIPTION (High Null Columns)

These two text columns had the highest proportions of missing data (41% and 55% respectively). Because deleting these rows would result in excessive data loss and the missing information could not be reliably imputed from other columns, a placeholder strategy was adopted:

- Missing values in BULLET_POINTS and DESCRIPTION were replaced with the text "Data Not Available" using Excel's IF() function.
- This approach preserves the rows for analysis while clearly signaling that text data is absent.

Formula applied (example for BULLET_POINTS column):

```
=IF(C2="", "Data Not Available", C2)
```

3.1.2 PRODUCTTYPEID and ProductLength (Sparse Row Removal)

An important pattern was identified: in every row where PRODUCTTYPEID is null, the ProductLength, BULLET_POINTS, and DESCRIPTION columns are also null — only PRODUCTID and TITLE are populated. These rows represent product records so incomplete that they are unusable for category-based analysis.

Decision: These 178 sparse rows (~4% of data) were deleted entirely, as retaining them would introduce unreliable records into the dataset.

3.2 Removing Duplicate Entries

Duplicates were identified based on the PRODUCTID column, which serves as the unique identifier for each product record. A helper column named Duplicate_Check was created using the following formula:

```
=IF(COUNTIF($A$2:A2, A2) > 1, "Extra Copy", "Unique")
```

A subsequent COUNTIF() aggregation confirmed 306 extra copies. After the 178 sparse rows were removed in Step 3.1.2, the duplicate check was re-run, yielding 128 remaining duplicate IDs. The first occurrence of each duplicate was retained, and all subsequent extra copies were deleted.

Result: The dataset was reduced from 3,847 rows (raw) to 3,649 rows (cleaned), ensuring each product ID is unique.

3.3 Standardizing Data Formats

3.3.1 Column Name Standardization

All column names were converted to snake_case to improve consistency and facilitate easier referencing during further analysis. The transformations applied were:

Original Column Name	Standardized Column Name	Change Applied
PRODUCTID	product_id	Lowercase; underscore added
TITLE	title	Lowercase
BULLET_POINTS	bullet_points	Lowercase
DESCRIPTION	description	Lowercase
PRODUCTTYPEID	product_type_id	Lowercase; underscore added
ProductLength	product_length	Lowercase; underscore added

3.3.2 Data Type Standardization

The following data type assignments were made to ensure proper handling in downstream analysis:

- product_id and product_type_id were converted to Text (String) type to prevent Excel from treating them as numeric variables in calculations.
- product_length was formatted as a Number, rounded to 2 decimal places. The column originally contained a mix of integers and decimals, which was normalized.

All columns were explicitly assigned appropriate data types, replacing the default "General" format.

3.4 Verifying Data Accuracy

A targeted accuracy check was performed on the numeric column (product_length) to detect any invalid or anomalous values:

- Negative values: None found. All product_length values are positive.
- Zero values: A small number of records showed 0, which may indicate a data entry issue for those specific products.
- Extreme outliers: The maximum value of 96,000 is significantly higher than the median of 640. This outlier was retained but flagged, as it may be valid for a specific large product type.

No other anomalies (e.g., invalid ratings or impossible category IDs) were detected in the remaining columns.

4. Creating the short_title Feature

4.1 Objective

A new column, short_title, was created to provide a concise, SEO-optimized version of each product's title. The goal was to:

- Retain essential product information (name, category, key attributes).
- Remove redundant promotional phrases.
- Limit the title to a maximum of 50 characters (targeting 30–50 characters per the project brief).

4.2 Methodology

Since the dataset contains over 3,000 rows, manual title editing was not feasible. An Excel formula was constructed to automate the title trimming process. The formula was placed in a new column immediately adjacent to the title column.

Formula applied:

```
=LEFT(TRIM(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(B2, "Set of ", ""),  
"includes ", ""), "features ", ""), "| ", "- "), "PCS", "")), 47) &  
IF(LEN(TRIM(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(B2, "Set of ", ""),  
"includes ", ""), "features ", ""), "| ", "- "), "PCS", "")))>47, "...", "")
```

4.3 How the Formula Works

The formula operates through four key stages:

- **SUBSTITUTE (5 layers):** Acts as a series of Find & Replace operations. It removes common marketing filler phrases—"Set of ", "includes ", "features"—and replaces the clunky pipe character (|) with a cleaner dash (-). The word "PCS" is also removed.
- **TRIM:** Removes any double spaces or leading/trailing spaces left behind after the substitutions.
- **LEFT(..., 47):** Truncates the cleaned title to a maximum of 47 characters.
- **IF(LEN(...)>47, "...", ""):** If the cleaned title was longer than 47 characters before truncation, an ellipsis ("...") is appended, bringing the total to a maximum of 50 characters.

4.4 Examples of Optimized Titles


Original Title	Generated short_title
Tulip Flowers Blackout Curtain for Door, Window & Room Eyelets & Tie Back Canvas Fabric Set of 2 PCS	Tulip Flowers Blackout Curtain for Door, Window &...
Marks & Spencer Girls' Pyjama Sets T86_2561C_Navy Mix_9-10Y	Marks & Spencer Girls' Pyjama Sets T86_2561C_Nav...
COLORFLOW Samsung M51 Back Cover Funky Rose Flower Designer Printed Hard CASE Bumper Back Cover for Samsung Galaxy M51	COLORFLOW Samsung M51 Back Cover - Funky Rose Flo...
Acid Rayne	Acid Rayne
Autopearl Chrome Door Handle Bowl for Baleno (Set of 4)	Autopearl Chrome Door Handle Bowl for Baleno (4)

For very short titles (e.g., "Acid Rayne"), the formula returns the title unchanged without adding an ellipsis, as it is already within the target length.

5. Clean Dataset Overview

5.1 Data Volume Refinement

The cleaning process resulted in a significant improvement in data quality and consistency. The table below summarizes the changes in dataset volume:



Status	Row Count	Change
Raw Dataset	3,847	—
After Removing Sparse Rows	3,669	–78 rows removed (nulls in PRODUCTTYPEID/ProductLength)
After Removing Duplicates	3,541	–128 duplicate IDs removed
Final Cleaned Dataset	3,649	Net: 198 rows removed from original

Note: The row counts reflect the sequence of operations. After sparse row removal, the duplicate check identified 128 remaining duplicates (down from the original 306), yielding 3,649 unique, clean records.

5.2 Data Quality & Integrity Scorecard

The following scorecard summarizes the before-and-after state of key data quality metrics:

Quality Metric	Pre-Cleaning State	Post-Cleaning State	Impact
Record Uniqueness	306 Duplicate IDs	0 Duplicates (100% Unique)	Eliminated data inflation
Completeness (Text)	4,000+ Null cells	Zero missing values	All gaps filled or pruned
Sparse Records	178 unusable rows	0 sparse rows	Removed unreliable records
Data Types	Mixed "General" format	Standardized (Text/Int)	Ensured formula stability
Column Naming	Inconsistent casing	Uniform snake_case	Improved analytical clarity
Negative Values	Not checked	None found	Confirmed data integrity

5.3 Final Column Structure

The cleaned dataset retains the original six columns (renamed to snake_case) and adds one new derived feature:

Column	Type	Description
product_id	Text	Unique product identifier (String, no math operations)
title	Text	Full original product title
short_title	Text	NEW: Concise 30–50 character SEO-optimized title
bullet_points	Text	Product features; "Data Not Available" where null
description	Text	Detailed description; "Data Not Available" where null
product_type_id	Text	Category ID (String, no math operations)
product_length	Number	Physical length measurement, rounded to 2 decimal places

6. Conclusion

This report has documented the complete data cleaning, preparation, and title optimization workflow applied to the marketing product dataset. The process transformed a raw, inconsistent dataset of 3,847 records into a clean, reliable, and analytically ready dataset of 3,649 unique records.

Key achievements of this task include:

- Identification and resolution of over 4,000 null values across four columns using context-appropriate strategies (placeholder text vs. row deletion).
- Removal of 306 duplicate product records to ensure a 100% unique dataset.
- Full standardization of column names to snake_case and data types to appropriate formats.
- Verification of data accuracy, confirming no negative or invalid numeric values.
- Implementation of an automated short_title feature using an Excel formula capable of handling 3,000+ rows, producing concise and SEO-friendly titles of up to 50 characters.

The cleaned dataset, including the new short_title column, is now ready for advanced marketing analysis and downstream tasks.