ASSIGNMENT 7

Sample Data Insertion

Event Ticketing and Venue Seating System

Name	Aishani Dutta
Registration Number	2511021240020
Course / Section	BCA SEM 3 2025
Date	23 October 2026

The sample represents a small ticketing setup with three venues and five events. Names, contact details and venues are fictional. Each demo venue has six seats, and all six are entered. The password_hash values are placeholders for this dataset, not usable login credentials.

Insertion order

Users and Venues are inserted first, followed by Seats and Events. Bookings are added before Booking_Seats and Payments. Run the inserts once after creating the tables and adding the venue triggers.

```
USE EventTicketingDB;
START TRANSACTION;
```

Users

```
INSERT INTO Users
    (user_id, name, phone, email, password_hash, created_at)
VALUES
(1, 'Ananya', '0000000001', 'ananya@example.com', 'demo_hash_01', '2026-09-01 09:00:00'),
(2, 'Riya', '0000000002', 'riya@example.com', 'demo_hash_02', '2026-09-01 09:00:00'),
(3, 'Soham', '0000000003', 'soham@example.com', 'demo_hash_03', '2026-09-01 09:00:00'),
(4, 'Ishaan', '0000000004', 'ishaan@example.com', 'demo_hash_04', '2026-09-01 09:00:00'),
(5, 'Mitali', '0000000005', 'mitali@example.com', 'demo_hash_05', '2026-09-01 09:00:00'),
(6, 'Tanya', '0000000006', 'tanya@example.com', 'demo_hash_06', '2026-09-01 09:00:00'),
(7, 'Nikhil', '0000000007', 'nikhil@example.com', 'demo_hash_07', '2026-09-01 09:00:00'),
(8, 'Pooja', '0000000008', 'pooja@example.com', 'demo_hash_08', '2026-09-01 09:00:00');
```

Eight users are registered. Nikhil and Pooja have no bookings yet.

Venues

```
INSERT INTO Venues
    (venue_id, name, address, city, total_capacity)
VALUES
(1, 'Lakeview Hall', '12 Lake Road', 'Bengaluru', 6),
(2, 'Riverside Theatre', '8 River Lane', 'Kolkata', 6),
(3, 'City Studio', '21 Station Road', 'Pune', 6);
```

The small capacities keep the entire seating plan visible in the sample.

Seats

```
INSERT INTO Seats
    (seat_id, venue_id, section, row_label, seat_number, seat_type)
VALUES
(1, 1, 'Main', 'A', '1', 'Premium'),
(2, 1, 'Main', 'A', '2', 'Premium'),
(3, 1, 'Main', 'A', '3', 'Premium'),
(4, 1, 'Main', 'B', '1', 'Regular'),
(5, 1, 'Main', 'B', '2', 'Regular'),
(6, 1, 'Main', 'B', '3', 'Regular'),
(7, 2, 'Main', 'A', '1', 'Premium'),
(8, 2, 'Main', 'A', '2', 'Premium'),
(9, 2, 'Main', 'A', '3', 'Premium'),
(10, 2, 'Main', 'B', '1', 'Regular'),
(11, 2, 'Main', 'B', '2', 'Regular'),
(12, 2, 'Main', 'B', '3', 'Regular'),
(13, 3, 'Main', 'A', '1', 'Premium'),
(14, 3, 'Main', 'A', '2', 'Premium'),
(15, 3, 'Main', 'A', '3', 'Premium'),
(16, 3, 'Main', 'B', '1', 'Regular'),
(17, 3, 'Main', 'B', '2', 'Regular'),
(18, 3, 'Main', 'B', '3', 'Regular');
```

Row A contains Premium seats and row B contains Regular seats.

Events

```
INSERT INTO Events
    (event_id, venue_id, title, category, event_date, start_time, description)
VALUES
(101, 1, 'Acoustic Evening', 'Concert', '2026-11-05', '18:00:00', 'An evening of acoustic music'),
(102, 2, 'The Last Letter', 'Theatre', '2026-11-07', '17:30:00', 'A student theatre performance'),
(103, 3, 'Design Meetup', 'Conference', '2026-11-08', '10:00:00', 'Design talks and discussion'),
(104, 1, 'Jazz Night', 'Concert', '2026-11-12', '19:00:00', 'A live jazz performance'),
(105, 2, 'Comedy Hour', 'Comedy', '2026-11-14', '18:30:00', 'An evening comedy show');
```

Two events use Lakeview Hall on different dates. This allows the same seat to be used for different shows.

Bookings

```
INSERT INTO Bookings
    (booking_id, user_id, event_id, booking_time, total_amount, booking_status)
VALUES
(201, 1, 101, '2026-10-10 10:00:00', 1000, 'Confirmed'),
(202, 2, 101, '2026-10-10 11:00:00', 300, 'Confirmed'),
(203, 3, 102, '2026-10-11 09:00:00', 800, 'Confirmed'),
(204, 4, 102, '2026-10-11 12:00:00', 250, 'Pending'),
(205, 1, 103, '2026-10-12 10:00:00', 600, 'Confirmed'),
(206, 5, 104, '2026-10-12 13:00:00', 1200, 'Confirmed'),
(207, 6, 104, '2026-10-13 10:00:00', 350, 'Pending'),
(208, 2, 103, '2026-10-13 11:00:00', 200, 'Confirmed'),
(209, 3, 104, '2026-10-14 09:00:00', 0, 'Cancelled'),
(210, 4, 101, '2026-10-14 12:00:00', 300, 'Confirmed');
```

Booking 209 was cancelled before payment and has no seat allocations. Its total is zero. Bookings 204 and 207 are still pending.

Booking_Seats

```
INSERT INTO Booking_Seats
    (booking_seat_id, booking_id, seat_id, event_id, price, ticket_code)
VALUES
(301, 201, 1, 101, 500, 'TKT-301'),
(302, 201, 2, 101, 500, 'TKT-302'),
(303, 202, 4, 101, 300, 'TKT-303'),
(304, 203, 7, 102, 400, 'TKT-304'),
(305, 203, 8, 102, 400, 'TKT-305'),
(306, 204, 10, 102, 250, 'TKT-306'),
(307, 205, 13, 103, 300, 'TKT-307'),
(308, 205, 14, 103, 300, 'TKT-308'),
(309, 206, 1, 104, 600, 'TKT-309'),
(310, 206, 2, 104, 600, 'TKT-310'),
(311, 207, 4, 104, 350, 'TKT-311'),
(312, 208, 16, 103, 200, 'TKT-312'),
(313, 210, 5, 101, 300, 'TKT-313');
```

Booking 201 includes seats 1 and 2. The same two seats are also used for event 104 under booking 206.

Payments

```
INSERT INTO Payments
    (payment_id, booking_id, amount, payment_method, payment_status, paid_at)
VALUES
(401, 201, 1000, 'UPI', 'Successful', '2026-10-10 10:02:00'),
(402, 202, 300, 'Card', 'Failed', NULL),
(403, 202, 300, 'UPI', 'Successful', '2026-10-10 11:05:00'),
(404, 203, 800, 'Card', 'Successful', '2026-10-11 09:02:00'),
(405, 204, 250, 'UPI', 'Pending', NULL),
(406, 205, 600, 'Net Banking', 'Successful', '2026-10-12 10:03:00'),
(407, 206, 1200, 'Card', 'Successful', '2026-10-12 13:02:00'),
(408, 207, 350, 'UPI', 'Failed', NULL),
(409, 208, 200, 'UPI', 'Successful', '2026-10-13 11:02:00'),
(410, 210, 300, 'Card', 'Successful', '2026-10-14 12:02:00');
```

Booking 202 has a failed Card attempt followed by a successful UPI payment. Failed and pending attempts have NULL paid_at values.

```
COMMIT;
```

Number of rows

```
SELECT 'Users' AS table_name, COUNT(*) AS rows_added FROM Users
UNION ALL SELECT 'Venues', COUNT(*) FROM Venues
UNION ALL SELECT 'Seats', COUNT(*) FROM Seats
UNION ALL SELECT 'Events', COUNT(*) FROM Events
UNION ALL SELECT 'Bookings', COUNT(*) FROM Bookings
UNION ALL SELECT 'Booking_Seats', COUNT(*) FROM Booking_Seats
UNION ALL SELECT 'Payments', COUNT(*) FROM Payments;
```

Output

table_name	rows_added
Users	8
Venues	3
Seats	18
Events	5
Bookings	10
Booking_Seats	13
Payments	10

The dataset contains 67 rows. Each small demo venue has all six seats recorded.

Check booking totals

```
SELECT b.booking_id
FROM Bookings b
LEFT JOIN Booking_Seats bs ON bs.booking_id = b.booking_id
GROUP BY b.booking_id, b.total_amount
HAVING b.total_amount <> COALESCE(SUM(bs.price), 0);
```

Output

Output: Empty set (0 rows).

No rows returned. Each booking total matches the sum of its current seat prices.

The inserts completed successfully with all constraints enabled. Successful payments add up to Rs. 4,400. Pending bookings hold two seat allocations until they are completed or released.

Query result screenshot

EventTicketingDB - Assignment 7

MySQL 8.0.46 | Saved execution results

Number of rows

```
SELECT 'Users' AS table_name, COUNT(*) AS rows_added FROM Users
UNION ALL SELECT 'Venues', COUNT(*) FROM Venues
UNION ALL SELECT 'Seats', COUNT(*) FROM Seats
UNION ALL SELECT 'Events', COUNT(*) FROM Events
UNION ALL SELECT 'Bookings', COUNT(*) FROM Bookings
UNION ALL SELECT 'Booking_Seats', COUNT(*) FROM Booking_Seats
UNION ALL SELECT 'Payments', COUNT(*) FROM Payments;
```

table_name	rows_added
Users	8
Venues	3
Seats	18
Events	5
Bookings	10
Booking_Seats	13
Payments	10

Saved MySQL results displayed in the browser.