CARELON GLOBAL SOLUTIONS · BITS

RTM Console Simulation Guide

How to run the console on your own floor data: fill in the Excel template, upload it, and watch the day replay through the rules engine.

Real-Time Monitoring & Escalation

FOR	COVERS	YOU WILL NEED	EDITION
Admin (WFM) · Managers	Floor data import and replay	Excel · a day of agent statuses	6 October 2026

PREPARED BY

Arielle Jimera

UI/UX Designer / Developer · BITS Automation Team


Contents

1	Quick start	2
2	How the simulation works	3
3	Filling in the template	4
4	Uploading and checking the file	7
5	How time works	8
6	Rules and escalation	9
7	Reading the result	11
8	Messages and their meaning	12
9	Limits	13
10	Frequently asked questions	13
11	Quick reference card	15

1 Quick start

The whole flow takes a few minutes. If you only read one section, read this one. Every step is explained in detail later in the guide.

1. Open **Dashboards** and click **Import floor data**. Only **Admin (WFM)** and **Manager** see this button.
2. Click **Download template**. You get `RTM_floor_data_template.xlsx`.
3. Fill in the **Roster** and **Agent Status** sheets with your own data (Section 3).
4. Drop the file on the dialog. The console checks it and shows a summary, or a list of what to fix (Section 4).
5. Click **Start replay**. The day plays back at 60 times normal speed (Section 5).
6. Review **Dashboards** and **Instance Ledger** (Section 7).
7. Click **Exit replay** in the top bar to return to the live floor.



The Import floor data dialog, before a file is chosen.

TRY IT FIRST

The template already contains a sample day for 8 agents in 2 teams. Download it and upload it straight back to see the whole flow before preparing real data.

2 How the simulation works

The console does not load a finished day. It re-enacts your day from the first row to the last, in fast-forward, and works out the escalations as it goes.

Two ways the console can run without a live feed

Mode	Where the data comes from	Use it for
Built-in simulator	Invented by the app: 199 made-up agents in 10 teams.	Demos and trying the screens. Development builds only.
Imported replay	An Excel file you fill in with a real or planned day.	Seeing what the console would have done on your floor. **This guide.**

Why it replays instead of loading

Your file records what agents **did**: "Joshua went into ACW at 10:14:05", "Joshua went Available at 10:17:40". It does not record what the console **should have done about it**. That part is worked out by the rules engine, and the engine only works by watching time pass.



The same path the live Gencloud feed will take. Only the first box changes.

What happens every simulated second

1. **The timers advance.** The engine keeps a shift clock and, for each agent, how long they have been in their current status.
2. **Events are applied.** Any status change, hold or queue update stamped at that second takes effect. A status change resets that agent's timer to zero.
3. **Every rule is checked.** For example, when Joshua's ACW timer reaches 120 seconds, the Extended ACW rule fires.

A rule firing is called a **call-out**. Each one counts a **strike** for that agent and that rule, and the strike number decides who is told (Section 6). Nudges, strikes, incidents and the ledger are all produced this way. None of them are in your file.

> **A FAITHFUL PREVIEW**
>
> This is exactly what the console will do with the live feed. The replay swaps the live feed for your recorded day and runs the clock faster, using the rules as they are currently set on the `Rules Engine` screen.

3 Filling in the template

The workbook has four data sheets. Two are required. The other two are optional, and each one switches on more of the console.

Sheet		What it switches on
Roster	REQUIRED	The agent grid, the Team Lead, Manager and Agent views, and My View.
Agent Status	REQUIRED	State timers, strikes, nudges, incidents, and the Short call and Transfer rate rules.
Holds	OPTIONAL	The Long hold rule.
Queue Intervals	OPTIONAL	The four queue tiles on the Console, and the Queue backlog, Service level and Abandon rate rules.

The workbook also has an **Instructions** sheet and a **Lists** sheet that feeds the Status dropdown. Leave both as they are.

> **KEEP THE STRUCTURE**
>
> Do not rename the sheets or change the header row. Column order does not matter, and extra columns are ignored, but the sheet names and header text are how the console finds your data.

Roster

One row per agent on shift. This sheet decides who appears on the grid and who can see whom.

Agent Name	Team	Team Lead	Manager	LOB	Adherence %
Amara Reyes	Team Alpha	Rina Velasco	Ava Santiago	PAP Intake	97
Joshua Lim	Team Alpha	Rina Velasco	Ava Santiago	PAP Intake	95
Katrina Uy	Team Bravo	Marco Tan	Ava Santiago	PAP Intake	96

Instructions | **Roster** | Agent Status | Holds | Queue Intervals | Lists

The Roster sheet (sample data).

Column		What to enter
Agent Name	REQUIRED	Must be unique, and must match the name used on the other sheets exactly, including spelling and spacing.
Team	REQUIRED	The agent's team. A team has exactly one team lead and one manager.
Team Lead	REQUIRED	Sets the Team Lead view: this person sees only this team.
Manager	REQUIRED	Sets the Manager view: this person sees every team listed under them.
LOB	OPTIONAL	Line of business, shown in the team filter. Defaults to the team name.
Adherence %	OPTIONAL	Adherence at the start of the day, 0 to 100. Left blank, the agent's adherence shows N/A.

Agent Status

One row every time an agent's status changes. A status lasts until that agent's next row. Rows do not need to be sorted; the console orders them by time.

Agent Name	Status	Start Time	Transferred
Joshua Lim	Available	2026-10-01 08:00:20	
Joshua Lim	On Call	2026-10-01 08:02:05	
Joshua Lim	ACW	2026-10-01 08:09:40	Y
Joshua Lim	Available	2026-10-01 08:13:15	

Instructions Roster **Agent Status** Holds Queue Intervals Lists

One agent's first few minutes. The call lasted 7 min 35 s and was transferred; the ACW that followed lasted 3 min 35 s, which breaches the 120-second rule.

Column		What to enter
Agent Name	REQUIRED	An agent from the Roster sheet.
Status	REQUIRED	Pick from the dropdown: **On Call, Available, ACW, Aux Break, Aux Personal, Outbound, Offline**. Genesys names such as "On Queue", "After Call Work", "Meal" and "Break" are recognised too.
Start Time	REQUIRED	When the status began, as a date and time, for example `2026-10-01 08:00:00`.
Transferred	OPTIONAL	**Y** on the row that ends a call (the first status after On Call) if that call was transferred.

HOW A CALL IS COUNTED

A call is counted when an agent **leaves On Call**. The time they spent in On Call is the call length. That feeds the call count, average handle time and the Short call rule.

Holds OPTIONAL

One row per hold: **Agent Name**, **Hold Start**, **Hold End**. A hold only counts while that agent is On Call.

Queue Intervals OPTIONAL

One row per interval for the floor as a whole. Each row's values stay in effect until the next row.

Column	What to enter
Interval Start	Start of the interval. Required if you use this sheet.
Calls Waiting	Calls in queue. A Genesys interval export does not include this; without it the Queue backlog rule cannot fire.
Service Level %	0 to 100, or 0 to 1 as Genesys exports it.
ASA (s)	Average speed of answer, in seconds.
Abandon %	0 to 100, or 0 to 1.

USING A GENESYS EXPORT


You can paste the all-queues **total** rows from a Genesys queue performance export straight into this sheet. Use the totals rows only, not the per-queue rows.

Before you upload


- [ ] **Every agent on Agent Status is on the Roster**, spelled the same way.
- [ ] **Each team has one team lead and one manager** on every row.
- [ ] **Everyone who was working at the start has a row at the start time.** Agents are Offline until their first row (Section 5).
- [ ] **Start Time cells hold a date and a time**, not text such as "morning".
- [ ] **The file covers one shift**, saved as `.xlsx` and under 10 MB.

4 Uploading and checking the file

The file is checked before anything starts. You always see the result of the check first, and nothing runs until you click Start replay.



A file that passed: summary in teal, warnings in amber.



A file with problems: every error is listed at once.

Result	What you see	What to do
Passed	A teal summary line: agents, teams, status changes, holds, queue intervals and the time range.	Check the numbers look right, then click Start replay.
Warnings	Amber lines under the summary.	Read them. The replay still runs, but something may not behave as you expect.
Errors	Red lines, with row numbers. Start replay stays disabled.	Fix the file in Excel and drop it again. All problems are listed together, so one round is usually enough.

Every message is explained in Section 8.

Uploading a raw Gencloud CSV instead

The same dialog accepts a Genesys agent-status export as `.csv`. It asks you to confirm which column is the agent, status and start time, and how each status maps to a console state. A CSV carries statuses only: teams get placeholder leaders, and there are no holds or queue numbers. Use the template when you want the role views and queue rules to be real.

5 How time works

Nothing about the start time is fixed. The replay takes its timing entirely from the Start Time column on the Agent Status sheet.



The replay runs from just before your first row to just after your last. The 10 minutes at the end give rules time to fire on the final status.

	How it is decided	Example
Start	30 seconds before the earliest status row.	First row at 06:30:00, so the replay starts at 06:29:30.
End	10 minutes after the last status row.	Last row at 17:05:00, so it ends at 17:15:00.
Shift clock	Shows the time of day from your file.	A row stamped 14:05:00 happens when the clock reads 14:05:00.
Speed	60 times normal: one real second plays one minute of the shift.	One hour of shift takes one minute.

How long a replay takes

Your file covers	Replay takes about
2 hours	2 minutes
4 hours	4 minutes
9 hours (08:00 to 17:00)	9 minutes
12 hours	12 minutes

AGENTS START OFFLINE

Every agent is Offline until their first status row. If the file starts at 08:00 and an agent's first row is at 09:00, they sit Offline for that hour and can trigger the Prolonged offline rule.

If people were already working when the file starts, give each of them a row at the start time.

Good to know

- **Times are used exactly as typed.** There is no timezone conversion. Whatever the cell says is what the clock shows.
- **One file is one shift.** A file spanning more than about a day and a half is rejected.
- **Night shifts that cross midnight work**, as long as the rows carry real dates. The clock keeps counting past 24:00, so 1:30 am on the second day reads 25:30:00.

- **Holds and Queue Intervals use the same clock.** A queue row stamped before the first status row simply applies from the start.
- **You do not have to watch.** Leave the tab open and come back; the result stays on screen after "Replay complete".

6 Rules and escalation

The replay uses the rules exactly as they are currently set on the Rules Engine screen. Change a threshold there and the next replay uses the new value.


The rules, with their default settings

Rule	Fires when	Default	Starts with	Needs sheet
Extended ACW	In ACW longer than	120 s	Agent	Agent Status
Unscheduled Aux	In Aux Personal longer than	300 s	Agent	Agent Status
Overbreak	In Aux Break longer than	900 s	Agent	Agent Status
Short call	A call released in under	30 s	Agent	Agent Status
Transfer rate	Transfers above, after 5 or more calls	25 %	Agent	Agent Status (Transferred)
Adherence breach	Adherence below	90 %	Agent	Roster
Long hold	On hold longer than	120 s	Agent	Holds
Prolonged offline	Offline mid-shift longer than	600 s	Team Lead	Agent Status
Long call	On Call longer than	900 s	Team Lead	Agent Status
Outbound call	In Outbound longer than	600 s	Team Lead	Agent Status
Queue backlog	Calls waiting above	8	Team Lead	Queue Intervals
Service level	Service level below	80 %	Team Lead	Queue Intervals
Abandon rate	Abandon above	5 %	Team Lead	Queue Intervals

A fourteenth rule, Gencloud not responding, watches the live feed itself and does not apply to a replay.

How escalation climbs

Strikes are counted per agent, per rule, for the shift. The same agent breaking the same rule again moves one step up the ladder:




- **Once per episode.** A timer rule fires once each time the agent enters that status and overstays. Staying longer does not add strikes. Leaving, coming back and overstaying again is a new strike.
- **One incident per agent per rule.** The third strike opens an incident numbered `INC-2026-NNNN`. Later strikes on the same rule raise that incident's count instead of opening another.
- **Rules that start with the Team Lead** skip the nudge: strikes 1 and 2 go to the Team Lead, strike 3 to Ops.
- **Adherence breach and Transfer rate fire once per shift** and do not repeat.
- **Queue rules are not about one agent.** They are logged against "Queue", fire once per breach, can fire again after the number recovers, and never open incidents.

> **ADHERENCE IS MODELLED, NOT IMPORTED**
>
> Adherence starts at the Roster value, falls slowly while an agent is in Aux Personal or Offline, and recovers slowly while On Call. Real adherence will come from NiceIEX once the live feed is connected.

7 Reading the result

While a replay runs, the top bar shows a purple "Data replay" pill and the shift clock runs through your day. Move between screens at any time; each one shows the day up to the point the replay has reached.

Screen	What it shows
Console	The agent grid with statuses and timers, cards glowing amber or red while in breach, and the trigger feed of the latest 40 call-outs.
Dashboards	Totals by stage, call-outs by rule and by agent, the investigation register and a team breakdown. **The best end-of-day summary.**
Instance Ledger	Every call-out in order. Can be exported to CSV.
Rules Engine	The thresholds the replay is using.
My View	Switch `View as` to Agent and pick someone to see the day from their side.



A call-out in the trigger feed: who, which rule, the strike number, and how far up the ladder it went.

What is different from a live floor

- **No pop-ups.** Nudges and call-out toasts are switched off during a replay so you are not flooded. They are still recorded in the trigger feed and the ledger.
- **Only you see it.** The replay belongs to your session. Everyone else keeps seeing the live floor, and so do you once you click `Exit replay`.
- **You can still act on it.** Acknowledging call-outs and working incidents works inside a replay, which is useful for training. It is all discarded when you exit.
- **Role views follow your file.** The people in the `View as` selector become the team leads, managers and agents from your Roster.
- **Queue tiles show your numbers**, or a dash if the file has no Queue Intervals sheet.

EXPORT BEFORE YOU EXIT

A replay is not saved. When you click `Exit replay` the results are gone. If you need to keep them, use `Export CSV` on the Instance Ledger and `Export incidents CSV` on Dashboards first.

8 Messages and their meaning

Errors must be fixed before the replay can run. Warnings are for your information; the replay still runs.

Errors

Message	What to do
Sheet "Roster" is missing. / Sheet "Agent Status" is missing.	Keep the sheet names from the template. Both sheets are required.
Sheet "…" is missing the "…" column.	Restore the header. Column order does not matter, but the header text does.
Roster: rows … need an agent name, team, team lead and manager.	Fill in the empty cells on those rows, or delete the rows.
Roster: agent names must be unique.	Two rows share a name. Make them different, for example by adding an initial.
Roster: a team has one team lead and one manager.	The same team appears with different leaders on different rows. Make them consistent.
Agent Status: these agents are not in the Roster sheet.	A name has no matching Roster row. Usually a spelling or spacing difference.
Agent Status: rows … have a start time that could not be read.	Enter a real date and time, such as `2026-10-01 08:00:00`.
Agent Status needs at least two status rows to build a timeline.	Add more rows. One row gives the replay nothing to play.
The file spans more than one day.	Split it into one file per shift.
This is not an Excel workbook.	Save the file as `.xlsx`. Older `.xls` files are not accepted.
The file is larger than 10 MB.	Remove unused sheets or split the day.

Warnings

Message	What it means
N agent(s) have no status rows and stay Offline.	They are on the Roster but never appear on Agent Status. They sit Offline all day and trigger Prolonged offline.
Status "..." is not a console state; treated as ...	A status name was not one of the seven, so the console picked the closest match. Anything it does not recognise becomes Aux Personal.
No queue intervals, so the queue tiles stay empty and queue rules are off.	Expected if you left the Queue Intervals sheet empty.
Queue Intervals: no "Calls Waiting" values.	The Queue backlog rule cannot fire. The other queue rules still work.
Holds: skipped rows ...	Those rows had an unknown agent, an unreadable time, or an end before the start.

9 Limits

- **It is a preview, not a record.** Results are held for your session only and are discarded when you exit the replay or the server restarts.
- **One shift per file**, up to 10 MB, in `.xlsx` format.
- **The speed is fixed at 60 times.** There is no pause, skip or instant mode yet.
- **Statuses come from your file, not from Gencloud.** The result is only as accurate as the rows you enter.
- **Adherence is estimated** from time in status, not imported per interval.
- **The built-in simulator** (the made-up floor) runs in development builds only. A production build with no live feed shows an empty floor until you import a file.

> **HANDLE REAL EXPORTS WITH CARE**
>
> Genesys exports contain internal queue names and identifiers. Keep working files on your own drive or the team's shared drive. Do not email them outside the team or add them to the code repository.

10 Frequently asked questions

Why does a nine-hour shift take nine minutes?

The console replays the day second by second at 60 times normal speed, so one hour of shift takes one minute. It has to walk through the day because escalations depend on how long each status lasted (Section 2).

Does every file start at 08:00?

No. The replay starts 30 seconds before your earliest status row, whatever time that is. 08:00 is only what the sample data uses.

Will other people see my replay?

No. It is private to your session. The live floor keeps running for everyone else.

Can I pause, skip ahead or change the speed?

Not yet. The speed is fixed at 60 times. You can leave the tab open and come back when it finishes.

Half my agents are showing as breaching Prolonged offline. Why?

They had no status row near the start of the file, so they were Offline until their first row. Add a row for each of them at the start time.

I changed a threshold. Do I need to upload again?

Yes. A threshold change applies from that moment on, so earlier parts of a running replay used the old value. Exit the replay and start it again for a clean result.

Can I use our real Genesys export directly?

An agent-status export can be uploaded as a CSV (Section 4). A queue performance export has no agents in it, so it can only fill the Queue Intervals sheet of the template.

The Team Lead and Manager names in "View as" changed. Is that right?

Yes. During a replay the selector lists the people from your Roster sheet, so you can check each person's view of the day.

Who do I contact if the upload keeps failing?

The BITS Automation Team. Send the file and the messages shown in the dialog.

11 Quick reference card

IMPORT

Dashboards → Import floor data → Download template → fill in → drop the file → **Start replay**.

REQUIRED SHEETS

Roster: agent, team, team lead, manager. **Agent Status**: agent, status, start time.

OPTIONAL SHEETS

Holds adds Long hold. **Queue Intervals** adds the queue tiles and three queue rules.

TIMING

Starts 30 s before the first row. Ends 10 min after the last. Runs at 60×: one hour takes one minute.

LADDER

Strike 1 nudge → strike 2 Team Lead → strike 3 Ops and an incident. Counted per agent, per rule.

FINISH

Export the ledger and incidents if you need them, then **Exit replay**. Nothing is saved.

What each sheet unlocks

	Roster	Agent Status	Holds	Queue Intervals
Agent grid and role views	✓	✓	—	—
ACW, aux, break, offline, long call, outbound	—	✓	—	—
Short call and Transfer rate	—	✓	—	—
Adherence breach	✓	✓	—	—
Long hold	—	—	✓	—
Queue tiles, backlog, service level, abandon	—	—	—	✓

Status names

Console state	Also recognised
On Call	On Queue, Interacting, Communicating, Talking, Inbound
Available	Idle, Ready
ACW	After Call Work, Wrap-up
Aux Break	Break, Meal, Lunch
Outbound	Any name containing "Outbound"
Offline	Logged out, Logout
Aux Personal	Anything else, for example Away, Meeting, Training

REMEMBER

- **Names must match exactly** between the Roster and the other sheets.
- **Give everyone a row at the start time**, or they begin the day Offline.
- **Read the warnings** before clicking Start replay.
- **Export before you exit.** A replay is not saved.