



Linux Fundamentals Part 1

Name: FIREWALL FAIRY

Date: 16 July, 2026

Room: Linux Fundamentals Part 1

Platform: TryHackMe

Linux Fundamentals Part 1

Embark on the journey of learning the fundamentals of Linux.
Learn to run some of the first essential commands on an interactive terminal.



<https://tryhackme.com/room/linuxfundamentalspart1>



Objective:

Learn basic Linux commands and navigate the Linux filesystem using the terminal.

Commands Practiced

1. Display Current User

```
whoami
```

Purpose: Displays the username of the current user.

2. Display Current Directory

```
pwd
```

Purpose: Shows the current working directory.

Example output:

```
/home/tryhackme
```

3. List Files and Folders

```
ls
```

Purpose: Lists files and directories.

Example output:

```
access.log  
folder1  
folder2  
folder3  
folder4
```

4. Change Directory

Move into a folder:

```
cd folder1
```

Go back:

```
cd ..
```

Move directly to another folder:

```
cd folder2
```

Purpose: Navigate through directories.

5. Display File Contents

```
cat access.log
```

Purpose: Prints the contents of a file.

6. Print Text

```
echo "Hello World"
```

Purpose: Displays text in the terminal.

7. Search for Files

```
find-name passwords.txt
```

Purpose: Finds files by name.

8. Search Text Inside Files

```
grep "THM" access.log
```

Search recursively:

```
grep -R "PRETTY_NAME" /etc/
```

Purpose: Searches for specific text.

9. Count Lines, Words, and Characters

```
wc access.log
```

Count only lines:

```
wc -l access.log
```

Purpose: Counts file contents.

10. Clear the Terminal

```
clear
```

Purpose: Clears the terminal screen.

Shell Operators

Operator

Runs a command in the background.

```
command &
```

Example output:

```
[1] 2122
```

Operator

Runs the second command only if the first command succeeds.

```
pwd &&ls
```

Example output:

```
/home/tryhackme  
access.log folder1 folder2 folder3 folder4
```

> Operator

Redirects output to a file and overwrites its contents.

```
echo"Hello" > welcome.txt
```

Contents of `welcome.txt` :

```
Hello
```

>> Operator

Appends output to an existing file.

```
echo"World" >> welcome.txt
```

Contents of `welcome.txt` :

```
Hello  
World
```

Commands Covered in This Room

```
whoami  
pwd
```

```
ls
cd
cat
echo
find
grep
wc
clear
&
&&
>
>>
```