



Aishu R 251001007-2025-IT ▾

A2**Started on** Tuesday, 4 August 2026, 8:58 AM**State** Finished**Completed on** Tuesday, 4 August 2026, 8:58 AM**Time taken** 46 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1; i<=n; i++)
        {
            for(int j=1; j<=n; j++)
            {
                printf("*");
                printf("*");
                break;
            }
        }
    }
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 void func(int n)
3 {
4     int count=0;
5     count=count+1;
6     if(n==1)
7     {
8         //printf("*");
9     }
10    else
11    {
12        for(int i=1; i<=n; i++)
13        {
14            count=count+2;
15            for(int j=1; j<=n; j++)
16            {
17                count=count+2;
18                //printf("*");
19                //printf("*");
20                break;
21                count=count+1;
22            }count=count+1;
23        }//count=count+1;
24    }
25    count=count+1;
26    printf("%d",count);
27 }
28 int main(){
```

```
29     int n;  
30     scanf("%d",&n);  
31     func(n);  
32     return 0;  
33  
34 }
```

	Input	Expected	Got	
✓	2	12	12	✓
✓	1000	5002	5002	✓
✓	143	717	717	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)