25

1- A
2- C
3- B
4- C
5- B
6- B
7- A
8- D
9- D
10- B
11- C
12- B
13- B
14- C
15- C
16- C
17- A
18- C
19- B
20- C

21. Supervised Learning is a technique that we used data that trained for training dataset and for testing dataset.

22. Comment on model M1 : model M1 gives 99% of accuracy for training dataset it means the number of accuracy of M1 model has high percentage of successful. Model M1 gives 30% of accuracy for testing dataset it means M1 model for testing is not enough to become a good model and need more time of training.

23. Regression analysis is a process of analysing set of data to enhance training dataset and testing data set ~~that~~ which used Linear Regression.

24. Elucidate any two challenges of Machine Learning.

- model training : as it using ~~AI~~ dataset for training so it needed us to train model to get more accuracy.

1/2

24. - Time Consumtion : to make a model tob come more accuracy and get successful it might take very long time and more effort.

25. List out any two major applications of data science :

1. Stock price prediction
2. Number of Orders prediction

26. Distinguish between terms : structured and semi-structured data :

structured	semi-structured
- data well organized	- data is not well organized
- Json, Excel, Spreedsheat	- Audio, music
- convinience for developer to use for building application	- for developer it needs time and effort if consider to use semi-structured ~~dtt~~ data.
- in a specific format that allow us to use for any purpose	- it may take time if want to use it as training dataset.
- easy to manage for training purposes	

27. ~~We find out Out~~

32. Name few hyperparameters of machine learning algorithms

~~1. Learning-q α~~ 1. Learning. q

~~2. Momentum - q~~ 2. Momentum ~~α~~ q

27. We find out outlier in the data by using virtualization technique and calculate the distance.

28. Data pre-processing is the way of converting raw data ~~a~~ into useful data for utilizing purposes.

33. Gradient descent is an unsupervived learning for prediction data.

31. K in K-means algorithm is class.

29. Data normalization is required in K-NN because it has big data and need to minimize.