

1. D ✓

2. C ✓

3. B ✗

4. A ✗

5. B ✓

6. B ✗

7. B ✗

8. D ✗

9. D ✗

10. D ✗

11. B ✓

12. C ✓

13. B ✓

14. C ✓

15. B ✓

16. C ✓

17. B ✓

18. C ✓

19. B ✓

20. C ✗

21. Supervised learning is a machine learning algorithm which we give labeled data as input and expect output as prediction we want.

26. Distinguish between structured and semi-structured data.
- structured data are the well organized data such as csv file, excel file.

- semi-structured data are the data which are half organized such as json, html file.

28. Data pre-processing is the process for removing incomplete, incorrect and inaccurate data and replacing missing values.

25 list out any 2 major applications of data science:

- Financial sector
- Transportation sector.

34. Comment on the performance of the classifiers.

- P1 : Good classification. The distance between gutters is large and no data between gutters

- P2 : Bad classification. There are data between gutters.

- P3 : Bad classification. The distance between gutters is small.

27. We find out an outlier in the data by using outlier detection technique such as z-score and IQR.

30. Continuous attributes are discretized by converting to interval form. Example : 1, 5, 9, 10, 11, 12, 19, 20

→ 1 - 10, 11 - 20.

22. Comment on Model M1:

This model doesn't have high accuracy, so it needs better training dataset. ~~The training dataset~~ or more than one training dataset.

24. Elucidate any 2 challenges of Machine Learning:

- Hard to find dataset to work on. (Dataset are expensive and confidential).

- Required large data to train in order to get accuracy.

31. k in k -means algorithm is the pre-defined cluster.

29. Data normalization is required in k -NN because after data is normalized it is easy to give k point, so it will not over fitting or underfitting.

23. Regression analysis is the method used to analysis the output of regression.

32. Name few hyperparameters of machine learning algorithm

33. gradient descent is.

35. Radial Basis function kernel works by using margin vector to calculate distance margin point and hyperplane.

