

21, Supervised Learning is one of machine learning technique ~~that~~ let the model train with label data.

22, Model M1 is Overfitting because this model give higher accuracy only on train data but fail in test data.

23, Regression analysis is an analyze of regression problem which is the continuous value.

24, Elucidate 2 challenge of machine learning:

- Large amount of data: this will cost more even time and space^{memory}
- Unclean data: dirty data will make accuracy low or fail to predict output.

25, two major application of data science:

- Self-driving car.
- Stock price prediction.

26, Structured data : is a well organize data such as CSV file.

Unstructured data is an unorganize data such as Json file.

27, We can find out the outlier in the data by calculating the Standard deviation which if the data that has 3 times of standard deviation is out or less than that compare from mean, it count as outliers.

28, Data pre-processing is a step of data analyze that are include cleaning data, handling missing value, transform data, and splitting data.

29, The reason that normalization is required in K-NN is because K-NN is a lazy algorithm that will use to store the train data and it will take more time to train if it not transforming.

30, Continuous attributes are discretized by grouping it into groups.

31, K in k-mean algorithm is the number of cluster in the algorithm.

32, Name few hyperparameter of machine learning algorithm are: max_leaf, max_node, K,


33, Gradient descent is a method that use to find the best outcome of classification problem.

34, The first one is good performance.

The second one is bad performance.

The third one is normal performance.

35, Radial Basis Function Kernel work in SVM: is work to find the best fit that can separate the Classifier.



14,

B

12,

C

13,

B

14,

C

15,

B

16,

B

17,

B

18,

C

19,

B

20,

C