

Solution

- 1/. D. All of the mentioned
- 2/. C. Zero
- 3/. A. Hamming Distance
- 4/. C. Both A + B
- 5/. ~~D. Linear regression~~ A : ~~Decision tree~~
- 6/. ~~A. Vote~~ B : ~~Bagging~~
- 7/. ~~A. zero~~ B : ~~one~~
- 8/. ~~B. Pie chart~~ D : ~~Scatter plot~~
- 9/. ~~A. Lines~~ D : ~~point~~
- 10/. B. Mean
- 11/. B. a real Number
- 12/. C. Feature Selection
- 13/. B. Regression
- 14/. C. time series
- 15/. B. Logistic regression
- 16/. C. parameter of the ML algorithm (model variable)
- 17/. ~~A. True~~

18/. ~~D. Non-diagonal element~~

19/. A. TP / (TP + FN)

20/. ~~C. Margin points~~ B

21/. Supervised Learning is the machine Learning that we training with Labelled dataset and ~~Print~~ the output base on dataset that have been trained.

23/. Regression analysis: is the algorithm that analyze the ~~relationship~~ relationship of Variable or element.

28/. Data pre-processing is the process that we use to clean the dataset to make sure dataset doesn't have null value in any column and transform data to a form that can understood by computer.

29/. Because, we want to scaling the huge data to small data, so we can cover the smaller ~~rang~~ rank.

31/. K in k-means algorithm is the number of cluster that we used to categories the data.

34/. Comment on the performance of the classifiers:

1. The first classifiers: is a better classifiers but not perfect yet, ~~because~~ because the Line is nearly ~~fit~~ to the data points. so it can effect to accuracy.

2. The ~~seco~~ second classifiers: is the bad one

because, ~~the~~ some data point is in the support vectors " " algorithm can't classifere data properly. (2)

34.1 Continuous

3. The 3rd classifier is the perfect performance in of this 3 classifiers.

Because, the support vectors can classify data properly and the space between line and data is better. This algorithm can have more accuracy in these classifiers.

30/. The continuous attributes are discretized is:

- Represented by number

~~27/. To find the outlier in data set:~~

- ~~- Check the classifier the dataset.~~
- ~~- check the long distance value~~

25/. List out any two major application of data Science:

1. Health care sector: use to analyze the diseases of patient.

2. Ecommerce application

use to analyze the user interest and etc.

271. To find an outliers in the data

- use statistic method : to measure data

- distance based method: use distance ~~mat~~ metrics

- density based method: Identify data point that
6 Low density in ~~regio~~ region.

- CLuster based method: Identify data point
belong to data not in any cluster