

I.

- | | |
|---------|---------|
| 1. D ✓ | 11. B ✓ |
| 2. A ✗ | 12. C ✓ |
| 3. B ✗ | 13. B ✓ |
| 4. C ✓ | 14. C ✓ |
| 5. B ✓ | 15. B ✓ |
| 6. D ✗ | 16. C ✓ |
| 7. A ✓ | 17. B ✓ |
| 8. C ✓ | 18. C ✓ |
| 9. D ✗ | 19. B ✓ |
| 10. B ✓ | 20. B ✓ |

II.

21. supervised learning is a model for prediction base on table of data of the input (feature) and the output (target)

25. 2 major application of data science

- Image reconization
- neural launnage proccessing

II

27. we can find outlier of data sets by using some technique such as ~~2~~ score or plot it into graph.

29. data normalization required in K-NN because it's process to transfer ~~2~~ data into a smaller ~~ran~~ range.

22. by seeing the result of ML we can say that this model is not relizable and not accuracy in real-time data, since it is get high accuracy only with the train data, but get very low accuracy with testing data.

26. distinguish between the terms.

+ structured data

- well structure data format in row and column
- understandable
- ~~easy~~ to take time

+ ~~2~~ semi-structured data

- some parts are structure and some parts are not
- ~~un-categories data~~ data in the row and column but som in json

~~2~~ 28. data pre-processing is a process to cleaning our data set.

24. Elucidate any two challenges of machine learning

- the accuracy difference expirement in algorithm

~~2~~ difficulty to find a suitable data sets.

II

23. regression analysis is a supervised learning use to predict the ~~several~~ Continuous values.

34 Comment on the performance of the classifiers.

the first and the ~~third~~ third classifiers, we can clearly see that SVM was completely split the data into 2 class ~~but~~ without data remaining but the second classifiers, we see that we lost 1 data type of each class when we split it out.

