

21, Supervised Learning is machine ~~lear~~ Learning that need to take lable data. they are take variable ~~feature~~ as the input and return as the target.

22, on model M1, we got 99% accuracy for training dataset but with testing data it provide only 30% so ~~to~~ it's mean this model is accuracy for training and for testing dataset is may have null value or any outlier data.

23, Regression analysis is the way to analyis the predict outcome of resute after we made Regression.

25, two major application of data science

- Face recognition
- Language recognition

26, Structured data is the data that have well-structur or well Formate. on the other hand the semi-structured is the data that not well-struct yet, it's still have other Formate exist on data.

27, in other to Find outlier in data: we have serveral methods but one approche to Find outlier is to use cross-validation.

28, Data Pre-Processing : is the Process to Validate data to make sure that data Before Processing is clean, organize, doesn't have null value and well formate in other to traine into model.

29, why data normalization is required in K-NN, Because in K-NN is the Machine Learning to find the near close of difference class with the distance, while the normalization is the way to find the output as 0 or 1 so that we can use ~~normalization~~ K-NN to support normalization to find the output.

24, two challenges of machine learning

- Follow the Pattern or Follow rule and we ~~are~~ need to test the output value with the actual value if the our actual value is big and large it's consume a lot of cost and ~~less~~ resource.

2 - One machine learning algorithm is support only special problem if we face different issue we need to use another algorithm.

30, continuous attributes ~~are~~ discretized by using the step time so that we can have continuous attributes.

31, K in K-means algorithm is the number of ~~time~~ that we find the mean values in K-means.

- 1, A ~~X~~
- 2, D ~~X~~
- 3, A 
- 4, C 
- 5, ~~E~~
- 6, B ~~X~~
- 7, B ~~X~~
- 8, C 
- 9, C ~~X~~
- 10, B 

- 11, B 
- 12, C 
- 13, B 
- 14, C 
- 15, D ~~X~~
- 16, C 
- 17, A ~~X~~
- 18, C 
- 19, B 
- 20, C ~~X~~



