

1. → D
2. → A
3. → D
4. → A
5. → B
6. → B
7. → B
8. → C
9. → A
10. → B
11. → B
12. → C
13. → B
14. → C
15. → B
16. → C
17. → A
18. → C
19. → B
20. → D

21.	Supervised Learning is a type of machine learning that using label data to predict the output.	
26.	+ Struc Structured data is a data that a machine can easily understand. Mostly it's in a spreadsheet form. + Semi-structured data is a data that a machine and human can both understand. Mostly it's in XML, HTML form.	
27.	In order to find an outlier in the data we need to set a range of data, so if any data lies an abnormal distance from that range. It will be outlier.	
28.	Data pre-processing is a method which take raw data and transform it into a meaningful data so that machine can understand. and analyze.	
29.	Data normalization is required in k-NN because we need to scale huge data so that it can be presented in a smaller range.	
31.	k in k-mean algorithm represent the number number of clusters or subgroups.	
		(2)

34.

①. In the first graph:

- + good classification
- + good distance between the lines

②. In the second graph:

- + bad classification
- + good distance between the lines

③. In the third graph:

- + good classification
- + bad distance between the lines.

22.

Model M1 give only 30% accuracy for testing dataset, It's a really low accuracy so it's a bad model.

25.

2 major applications of data science;

- + predict the stock price
- + health checking system

24.

2 Challenges of Machine Learning:

- + Collecting the dataset that are correct
- + Data pre-processing

23.

Regression analysis ~~is~~ is a method to evaluate the performance as metrics such as: R-squared, mean absolute error and root mean square error.

