

MCQ

1. D

2. B

3. D

4. B

5. A

6. B

7. B

8. A

9. C

10. B

11. B

12. C

13. B

14. C

15. B

16. C

17. A

18. D

19. A

20. B

Answer all questions

21. Supervised Learning is has a label, relationship and dependencies between prediction targets of input and output.
27. Find out an outlier in the data
- + trimming/removing outlier
 - + quantile based on flooring and capping
 - + mean/median imputation
28. Data pre-processing is process that first we collecting data, cleaning, modeling and implement.
29. Data normalization is required in K-NN because its can scaling that data so that it can represent in the smaller range and it can test fast.
31. K in k-means algorithm is represent the number of variable in group and should choose from 1 to 10.
23. Regression analysis is an analysis on continuous values.
34. Comment on the performance of the classifiers.
- + first SVM classifier: the two ^{line} is a little bit closer to the variable but the gap between the line is good.
 - + second SVM classifier: it is not good because the variable has inside the gap of the two line.
 - + third SVM classifier: the gap from the two line to the variable is good but the two line is too close to each other.

22. Comment on model M1.

A model M1 give 99% of accuracy for training but give 30% of accuracy for testing so it's mean the testing dataset is not accurate enough eventhough training get the highest percentage.

24. Elucidate any two challenges of ML.

- + Some distance is not accurate
- + Slow

25. List out any two major applications of data science.

- + Finance
- + Infrastructure

26. Distinguish between Structured and Semi-Structured data

- + Structured data is high level
- + Semi-structured data is low level

30. Continuous attributes are discretized by converted float or String to Integer.

33. Gradient descent is a multiple descent.

32. Name few hyperparameters of ML

- Converted variable
- check null value
- train
- test

29. Comment on model M1

A model M1 give set of occurred for training but give set of occurred for testing as it's mean the testing dataset is not enough to train the model. The model is overfitted to the training data and it's not able to generalize to the testing data.

29. Evaluate and give challenges of ML

- Some difference in data
- Some difference in data

30. List out the major applications of data science

- Finance
- Infrastructure

31. Difference between structured and unstructured data

- Structured data is high level
- Unstructured data is low level

32. Continuous attributes are characterized by numerical values

33. Gradient descent is a multiple descent

- Counted variable
- Check with value
- Test