Polygon Coloring with Conditional UNet

Aishwarya K P

August 5, 2025

1 Problem Statement

This project implements a **Conditional UNet** to fill a polygon outline image with a specified color. The model takes two inputs:

- 1. Polygon outline image (e.g., triangle, square, octagon)
- 2. Color name (e.g., red, blue, yellow)

Output: An RGB image of the same polygon filled with the given color.

2 Dataset

The dataset consists of paired inputs (polygon + color) and outputs (colored polygon).

Folder structure:

```
dataset/
training/
inputs/  # Polygon outline images
outputs/  # Corresponding colored polygons
data.json  # Mapping polygon image + color → output image
validation/
inputs/
outputs/
data.json
```

Note: Dataset JSON key "colour" (British spelling) was handled in preprocessing.

3 Model Architecture

• Base model: UNet

• Conditioning:

- One-hot encode color
- Pass through a Linear layer to produce a 64-dimensional embedding
- Expand embedding to a $(64 \times H \times W)$ tensor and concatenate with polygon image along the channel dimension

• UNet Encoder-Decoder:

- Downsampling path: 3 convolutional blocks with MaxPooling

- Bottleneck: 512 channels

- Upsampling path: transposed convolutions with skip connections

• Output: 3-channel RGB image with sigmoid activation

4 Hyperparameters

Parameter	Value
Image Size	128×128
Batch Size	8
Learning Rate	1×10^{-4}
Epochs	30
Loss Function	L1 Loss

5 Training Details

• Framework: PyTorch

• Experiment Tracking: Weights & Biases

• GPU Used: None (CPU Training on local machine)

W&B run link: https://wandb.ai/kpaishwarya001-ayna/polygon-coloring

5.1 Training and Validation Loss Curves




Figure 1: Training and Validation Loss Curves from W&B

6 Example Predictions

Below are sample results from the trained model. Each example shows the input polygon (top row) and the predicted colored polygon (bottom row).




Figure 2: Example Predictions

7 Challenges & Fixes

- Dataset key mismatch: The JSON file used "colour" instead of "color" \rightarrow fixed in dataset loader.
- Shape mismatches: Ensured train and validation datasets share the same n_colors .
- Color conditioning issues: Fixed embedding expansion to match UNet input dimensions.

8 Key Learnings

- Implementing Conditional UNet from scratch in PyTorch
- Handling multi-input models (image + categorical input)
- Using W&B for experiment tracking
- Debugging shape mismatches and aligning dataset mappings