# Rajalakshmi Engineering College

Name: Aishwarya R1

Email: 241501011@rajalakshmi.edu.in

Roll no: 241501011

Phone: null Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 3\_COD\_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 0

Section 1: Coding

### 1. Problem Statement

Sharon is developing a programming challenge for a coding competition.

The challenge revolves around implementing a character-based stack data structure using an array.

Sharon's project involves a stack that can perform the following operations:

Push a Character: Users can push a character onto the stack.Pop a Character: Users can pop a character from the stack, removing and displaying the top character.Display Stack: Users can view the current elements in the stack.Exit: Users can exit the stack operations application.

Write a program to help Sharon to implement a program that performs the given operations.

**Input Format** 

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the character to be pushed onto the stack.

Choice 2: Pop the character from the stack.

Choice 3: Display the characters in the stack.

Choice 4: Exit the program.

#### **Output Format**

The output displays messages according to the choice and the status of the stack:

- 1. If the choice is 1, push the given character to the stack and display the pushed character having the prefix "Pushed: ".
- 2. If the choice is 2, undo the character from the stack and display the character that is popped having the prefix "Popped: ".
- 3. If the choice is 2, and if the stack is empty without any characters, print "Stack is empty. Nothing to pop."
- 4. If the choice is 3, print the elements in the stack having the prefix "Stack elements: ".
- 5. If the choice is 3, and there are no characters in the stack, print "Stack is empty."
- 6. If the choice is 4, exit the program.
- 7. If any other choice is entered, print "Invalid choice"

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 2

4

Output: Stack is empty. Nothing to pop.

#### Answer

\_

Status: Skipped

24,150,1017

Marks : 0/10

24,150,101,1