Rajalakshmi Engineering College

Name: Aishwarya R

Email: 241501011@rajalakshmi.edu.in

Roll no: 241501011

Phone: null Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 2_CY

Attempt : 1 Total Mark : 40 Marks Obtained : 40

Section 1: Coding

1. Problem Statement

Max is fascinated by prime numbers and the Fibonacci sequence. He wants to combine these two interests by creating a program that outputs the first n prime numbers within the Fibonacci sequence.

Your task is to help Max by writing a program that prints the first n prime numbers in the Fibonacci sequence using a while loop along with the break statement to achieve the desired functionality.

Input Format

The input consists of an integer n, representing the number of prime Fibonacci numbers to generate.

Output Format

The output displays space-separated first n prime numbers found in the Fibonacci sequence.

Refer to the sample output for the formatting specifications.

```
Sample Test Case
Input: 5
Output: 2 3 5 13 89
Answer
# You are using Python
n=int(input())
def isprime(num):
  if num<2:
     return False
  for i in range(2,int(num**0.5)+1):
     if(num%i==0):
       return False
  return True
def fib(n):
   a,b=0,1
  fiblist=∏
  while(len(fiblist)<n):
     c=a+b
     if isprime(c):
       fiblist.append(c)
     a,b=b,c
  for i in fiblist:
     print(i,end=" ")
fib(n)
Status: Correct
```

Marks : 10/10

2. Problem Statement

Gabriel is working on a wildlife research project where he needs to compute various metrics for different animals based on their characteristics. Each animal type requires a different calculation: a deer's distance traveled, a bear's weight based on footprint size, or a bird's altitude based on its flying pattern.

Conditions:

For Deer (Mode 'D' or 'd'): Distance = speed of sound * time taken, where the speed of sound in air is 343 meters per second. For Bear (Mode 'B' or 'b'): Weight = footprint size * average weight, where the average weight per Write a program to help Gabriel analyze the characteristics of animals based on the given inputs. flying pattern * distance covered (in meters).

Input Format

The first line of input consists of a character, representing the type of animal 'D/ d' for deer, 'B/b' for bear, and 'F/f' for bird.

If the choice is 'D' or 'd':

The second line of input consists of a floating-point value T, representing the time taken from the deer's location to the observer.

If the choice is 'B' or 'b':

The second line of input consists of a floating-point value S, representing the size of the bear's footprint in square inches.

If the choice is 'F' or 'f':

- 1. The second line of input consists of a floating-point value P, representing the bird's flying pattern.
- 2. The third line consists of a floating-point value D, representing the distance covered by the bird in meters.

Output Format

The output prints one of the following:

If the choice is 'D' or 'd':

The output prints "Distance: X m" where X is a floating point value rounded off to two decimal places, representing the calculated distance traveled by the sound wave in meters.

If the choice is 'B' or 'b':

The output prints "Weight: Y lb" where Y is a floating point value rounded off to two decimal places, representing the estimated weight of the bear in pounds.

If the choice is 'F' or 'f':

The output prints "Altitude: Z m" where Z is a floating point value rounded off to two decimal places, representing the calculated altitude of the bird's flight in meters.

If the given choice is invalid, print "Invalid".

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: d
2.5
```

Output: Distance: 857.50 m

Answer

```
# You are using Python letter=input()
```

```
if(letter in ['D','d']):
   t=float(input())
   distance=343*t
   print(f"Distance: {distance: .2f} m")
```

elif(letter in ['b','B']):

```
s=float(input())
weight=s*5.0
print(f"Weight: {weight: .2f} lb")

elif(letter in ['F','f']):
    p=float(input())
    d=float(input())
    altitude=p*d
    print(f"Altitude: {altitude: .2f} m")

else:
    print("Invalid")

Status: Correct

Marks: 10/10
```

3. Problem Statement

Alex is practicing programming and is curious about prime and non-prime digits. He wants to write a program that calculates the sum of the non-prime digits in a given integer using loops.

Help Alex to complete his task.

```
Example:
```

Input:

845

output:

12

Explanation:

Digits: 8 (non-prime), 4 (non-prime), 5 (prime)

The sum of Non-Prime Digits: 8 + 4 = 12

Output: 12

04750101

Input Format

The input consists of a single integer X.

Output Format

The output prints an integer representing the sum of non-prime digits in X.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 845

```
Output: 12
Answer
   # You are using Python
   x=int(input())
   def isprime(num):
      if num<2:
        return False
      for i in range (2,int(num**0.5)+1):
        if(num%i==0):
          return False
      return True
    summ=0
   for digit in str(x):
      if not isprime(int(digit)):
        summ+=int(digit)
   print(summ)
```

Status: Correct Marks: 10/10

4. Problem Statement

Students are allowed to work on our computer center machines only after entering the correct secret code. If the code is correct, the message

Write a program to allow the student to work only if he/she enters the correct secret code.

Note: Here, secret code means the last three digits should be divisible by the first digit of the number.

Input Format

The input consists of an integer n, which represents the secret code.

Output Format

The output displays either "Logged In" or "Incorrect code" based on the given condition.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 2345

Output: Incorrect code

Answer

```
# You are using Python
n=int(input())
   lastdigits=n%1000
    temp=str(n)
   first=int(temp[0])
   if(lastdigits%first==0):
      print("Logged In")
    else:
      print("Incorrect code")
```

Status: Correct Marks: 10/10