

Transform Logic and Script Design

Project Design Phase | Import Data Using Transform Maps

1. Transform Map Properties

Property	Value
Name	Import Users Map
Source table	u_import_users
Target table	User [sys_user]
Run business rules	Off during bulk load (enable only if required)
Enforce mandatory fields	Yes
Copy empty fields	No (do not overwrite existing values with blanks)
Order	100
Active	True

2. Processing Order

Step	Stage	Purpose
1	onStart script	Set up counters or lookup caches
2	Coalesce check	Find existing record using unique key
3	onBefore script	Validate row, skip or adjust values
4	Field maps	Write values to target fields
5	Insert or update	Save record to target table
6	onAfter script	Follow-up actions (e.g. add roles or groups)
7	onComplete script	Summary logging after the run

3. Coalesce Design

- Primary coalesce field: **email** (stable and unique per user).
- If a row matches an existing record, it is updated.
- If no match is found, a new record is inserted.
- Rows with an empty coalesce field are ignored.

4. onBefore Script (validation)

Script

```
if (source.u_email.nil()) {  
    ignore = true;  
    log.warn('Skipped: missing email');  
}  
source.u_email = source.u_email.toString().trim().toLowerCase();
```

5. Field Map Script (status to active)

Script

```
answer = (source.u_status.toString().toLowerCase() == 'active');
```

6. Reference Lookup Design

Target field	Lookup table	Match on	If not found
department	cmn_department	name	Leave blank, log warning
manager	sys_user	email	Leave blank, log warning

7. Error Handling Rules

Condition	Action
Missing coalesce value	Ignore row
Missing required field	Ignore row, log reason
Reference not found	Insert row without reference, log warning
Script exception	Row marked Error, import continues