Evaluation report · run of 27 October 2026


Compliance Assistant · run of 2026-10-27 · build `6fc8bad`

Overview

The assistant finds the right law and never misses dangerously; where it falls short it puts the right finding one severity step too high or too low.

INJECTIONS AND PERSONAL DATA CAUGHT	HIGH-RISK AI FLAG RIGHT	DANGEROUS MISSES	FAITHFULNESS, MEAN	ONE FULL RUN
100 %	**20 of 20**	**0**	**0.873 · 0.851**	**$0.96**
14 of 14 planted inputs, none of the clean ones flagged	full assessments	expected Do not build, got Proceed	quick answers · full assessments (target 0.80)	model cost on the gateway, all seven sets

Where the seven sets sit · the path of a request through the app, with the set that evaluates each part; the badge colour says how that set is scored, as in the list below



THE TEST DATA

- **E1 · E2** 45 inputs: 10 questions, 17 feature descriptions, 4 off-topic messages, 7 prompt injections, 7 with personal data
- **E7** 4 assessments with one planted fault each
- **E3 · E4** 20 plain-English queries with the provisions that must come back; every grade the loop made
- **E5** 15 short questions, one per provision
- **E6** 20 feature descriptions over eight areas, with the expected verdict, flags and findings; eight confusable pairs

The test data is synthetic: written with an AI assistant in the voice of a product manager, checked by the author, who is not a compliance professional, and reviewed in two rounds by a second AI model acting as the domain expert. A human expert's review is pending, so the expected answers are a careful draft, not a certified reference.

HOW THE NUMBERS ARE PRODUCED

- **Exact rules against the test data**
  E1 E2 E7 E3 E4, and the verdict, flags and citations of E5 E6
- **An AI judge with a rubric**
  faithfulness (E5, E6) and the key findings (E6)

A human check
five E6 cases scored blind to check the judge

Key findings and faithfulness are judged by Claude Haiku 5.5 (Anthropic), a family of models not used anywhere in the app, so the judge never marks its own work.

COST OF ONE FULL RUN · $0.96 ON THE GATEWAY



E1 · E2 · $0.02 E7 · $0.01 E3 · E4 · $0.10 E5 · $0.07 E6 · $0.76

Full assessments take 76 s per case on average.

WHAT THIS RUN DOES NOT SHOW

- One run per case, 20 cases, 15 questions: the numbers locate failure modes, they do not give confidence intervals; a second run would move the verdict count by one or two (A-003 varied 4 to 5 of 5 across four rehearsal runs).
- The test data was reviewed by an AI model acting as the domain expert (two rounds); the human expert's review is pending, and the DPIA (A-007, A-009) and Art. 9 severity (A-012, A-017) expectations are the ones most likely to move.
- The reviser (E9) and the memory's effect on later assessments are not measured here; pytest and the demo cover the mechanics. The model-dependence run on Mistral Large 4 was not made.

WHAT FOLLOWS

- Nothing in the app was changed in response to these numbers, by the rule set before the run.
- A short severity-calibration passage in the worker prompt, one example per severity written from the rubric's definitions rather than from these cases, tested on a fresh set.
- Corpus side: the chunking of AI Act Art. 5.
- Round 3 with the human expert: the unsure rows, the two disagreements, and the contested expectations (A-007, A-009 DPIA; A-012, A-017 Art. 9; A-010 Art. 22 on an automated hold).

Legal domains

Legal domains · nine areas of the two regulations, chosen as the situations a fintech product team brings to a DPO; every test case belongs to one



Confusable pairs · situations that sound alike but where the law answers differently, written in pairs to check that the assistant tells them apart rather than pattern-matching on words.

In the full assessments · 5 of 8 both right

Two feature descriptions that sound alike; the assistant should give each its own verdict and flags.

CASE	EXPECTED	ITS TWIN	EXPECTED	E6 RESULT
A-002 a transfer the organisation's facts do not cover	**safeguards** Art. 46	A-003 a transfer the facts do cover	**Covered** Art. 45	both right ✓
A-003 fully automatic credit decisions	**Blocker** Art. 22	A-004 an analyst takes every decision	**Covered**	both right ✓
A-005 a chatbot that decides nothing	**tell users** Art. 50	A-006 the same chatbot deciding refunds	**Blocker** Art. 22	both right ✓
A-007 profiling to pick promotions	**conditions** Art. 21, DPIA	A-019 the customer's own spending page	**Proceed**	A-007 × DPIA missed A-019 × conditions
A-008 a vendor on our instructions	**Proceed** Art. 28	A-009 the vendor trains on the data	**Do not build** Art. 6(4)	A-008 × conditions A-009 × conditions, DPIA missed
A-010 fraud detection on transactions	**not high-risk** Annex III 5(b)	A-011 the same model for overdraft limits	**high-risk** FRIA	both right ✓
A-012 a one-to-one selfie check	**conditions** Art. 9 consent	A-016 face-matching every visitor	**Do not build** Art. 9	A-012 × Do not build
A-013 CV screening that auto-rejects	**Blocker** Art. 22	A-014 a recruiter reads and decides	**Covered**	both right ✓

In the direct answers · retrieval 5 of 5 · answers 3 of 5

Two provisions often mixed up; the search should find the right one (E3) and the quick answer cite it (E5).

PROVISION	ITS TWIN	E3	E5
automated decisions Art. 22	legitimate interests Art. 6(1)(f)	✓	✓
appropriate safeguards Art. 46	an adequacy decision Art. 45	✓	×
high-risk AI Annex III	a prohibited practice Art. 5	✓	×
a DPIA Art. 35	prior consultation Art. 36	✓	✓
erasure Art. 17	restriction Art. 18	✓	✓

In routing · 3 of 3

Two inputs with similar words that must take different paths (E1).

INPUT	ITS TWIN	E1
reads like a feature → quick	a feature as a question → full	✓
asks about the register → quick	asks to check the register → full	✓
an injection as a question → reject	the honest version → full	✓

Guardrails · E1 E2 E7

E1 Router

TESTS Is the first decision right? A short question goes to the quick path, a feature description to the full path, an off-topic or hostile input is rejected.

DATA 45 inputs written as a product manager would: 10 questions, 17 feature descriptions, 4 off-topic messages, 7 prompt injections, 7 with personal data; some pairs read alike but must route differently.

ROUTED RIGHT

44 of 45

97.8 %

FALLBACK DECIDED

0 of 45


the classifier answered every time

MISROUTED

1

R-042, see below

Expected route against the route given · the diagonal is right; a red edge marks a miss




The one misrouted input: R-042, an input with personal data: sent to reject instead of full, after the screen flagged it as injection, where it should have been assessed with the personal data redacted.

E2 Input screening

TESTS Does the screen in front of the models catch what must not reach them: prompt injections, off-topic requests, personal data (which it redacts)?

DATA 45 inputs from E1: 7 injections, 7 with personal data (with the number of items to redact), 4 off-topic, 27 clean ones that must not be flagged.

What the screen did with the 45 inputs · each outcome with its count; a tick when every input of that kind was handled right



E7 Output guardrail

TESTS Does the guardrail behind the agent catch a faulty assessment before anyone sees it?

DATA 4 assessments with one planted fault each, run through the guardrail alone; deterministic, so a miss is a bug rather than a model result.

PLANTED FAULT

Unknown citation

citation GDPR Art. 99(9) added to finding 1

expected: regenerate

regenerated ✓

PLANTED FAULT

Personal name and contact details

personal data appended to finding 1

expected: redact 2 items

2 items redacted ✓

PLANTED FAULT

Broken structure

severity of finding 1 set to 'Critical' (as a dict: the schema rejects it)

expected: regenerate

regenerated ✓

PLANTED FAULT

Status message instead of an assessment

a status reply instead of the assessment

expected: regenerate

regenerated ✓

Retrieval · E3 E4

E3 Retrieval

TESTS Whether the search tool finds the right provisions for a plain-English query, and what the agentic loop (grade the passages, rewrite the query, search again) adds over a single search.

DATA 20 queries over nine areas of the two regulations, each with the provisions that must be among the five passages returned; every query is run twice, with the loop and with one ungraded search.

RECALL WITH THE LOOP

19 of 20

the must-retrieve provision among the five passages · target ≥ 0.85 met

SINGLE SEARCH

16 of 20


the same queries, one search and no grader

SEARCHES PER QUERY

1.45

29 searches, 9 rewrites

Recall@5, with and without the loop · the must-retrieve provision among the five passages returned



The agentic loop raised retrieval recall from **80 %** to **95 %**, an improvement of **19 %**.

The 4 queries a single search missed · what the loop did with each

Q-005 · GDPR Art. 45

recovered

D2 · Data sharing and transfers

found at the second search, after 1 rewrite

Q-006 · GDPR Art. 6

recovered

D2 · Data sharing and transfers

found at the second search, after 1 rewrite

Q-008 · AI Act Art. 5

recovered

D4 · AI that is not high-risk

found at the second search, after 1 rewrite; the grader still said not enough and searched again

Q-014 · AI Act Art. 5

missed

D6 · Special-category data

2 searches without it; the grader accepted the last set

E4 Grader

TESTS Whether the grader that decides 'enough, stop searching' is right: it should say sufficient when a must-retrieve provision is among the passages and not otherwise.

DATA Every grade the loop made during E3 (29), compared with the truth of whether a must-retrieve provision was present, together with the confidence the grader gave each one.

PRECISION OF ‘ENOUGH’

0.94

17 of the 18 times it said enough, the right provision was there; the wrong ‘enough’ is the Q-014 miss

RECALL OF ‘ENOUGH’

0.71


the right provision was there 24 times; it said enough 17 times and asked for an unneeded extra search 7 times

UNNEEDED EXTRA SEARCHES

7 of 29

a wrong ‘not enough’ costs one more search, not the answer

The grader’s decisions · 29 grades: rows are the truth, columns what it said; a red edge marks a wrong call



The grader was between 0.88 and 1 confident in all 29 grades, so the floor of 0.6 below which the loop ignores an ‘enough’ never came into play; raising it to 0.9 would only have added rewrites and would not have caught the wrong ‘enough’ (confidence 0.97).

End to end · E5 E6

E5 Quick answers

TESTS The quick path end to end: a short question, one retrieval, a three-sentence answer that must cite the right article, invent nothing, and stay within the passages it was given.

DATA 15 questions, one per provision, over the same areas as retrieval; the questions that route quick are scored on what they cite, on invented labels, and on faithfulness judged statement by statement.

ON THE QUICK PATH	CITED THE RIGHT ARTICLE	FAITHFULNESS	INVENTED CITATIONS	WITHIN THREE SENTENCES
15 of 15	**13 of 15**	**0.87**	**0**	**15 of 15**
every question answered without the full path	target ≥ 0.80 met · missed K-004: GDPR Art. 46, K-008: AI Act Art. 5	mean over 15 answers · target ≥ 0.80 met	every cited label exists in the corpus	the length rule of the quick path

The 15 questions · what each cited and how faithful the answer was

K-001 ✓ GDPR Art. 22 0.83	K-002 ✓ GDPR Art. 6 1.00	K-003 ✓ GDPR Art. 4 1.00	K-004 × GDPR Art. 46 0.80	K-005 ✓ GDPR Art. 45 0.75
K-007 ✓ AI Act Annex III 0.60	K-008 × AI Act Art. 5 1.00	K-009 ✓ AI Act Art. 26 0.93	K-010 ✓ AI Act Art. 50 0.75	K-013 ✓ GDPR Art. 9 0.83
K-015 ✓ GDPR Art. 35 1.00	K-016 ✓ GDPR Art. 36 1.00	K-017 ✓ GDPR Art. 17 1.00	K-018 ✓ GDPR Art. 18 0.60	K-020 ✓ GDPR Art. 7 1.00

each question: the provision it must cite, ✓ cited or × not, and its faithfulness score

E6 Full assessments

TESTS The full path end to end: a feature description, the agent's assessment at the DPO's pause, scored on the verdict, the two flags, the citations, the key findings a reviewer expects (by a judge model with a rubric), and faithfulness to the passages and organisation facts it read.

DATA 20 feature descriptions over eight areas with expected answers reviewed in two rounds (an AI model acting as the domain expert; the human expert pending), eight confusable pairs among them; five cases were also scored by hand to check the judge.

THE VERDICT

The verdict is the assessment's bottom line, one of three: **Proceed** (nothing stands in the way), **Proceed with conditions** (obligations to fulfil before launch) or **Do not build as described** (the design is unlawful as it stands). It is right when it equals the one the reviewer expected; a dangerous miss is a Do not build answered with Proceed.

VERDICT RIGHT

13 of 20


target ≥ 0.80 not met

DANGEROUS MISSES

0

expected Do not build, got Proceed · target 0 met

Expected verdict against the verdict given · the diagonal is right; a red edge marks a miss



THE TWO FLAGS
RISK LEVEL RIGHT

High-risk AI flag 20 of 20

7 cases expected the flag, none missed · 13 did not, none wrongly set

DPIA required flag 18 of 20

14 cases expected the flag, 2 missed · 6 did not, none wrongly set

flag expected and set · no flag expected, none set · wrong

CITATIONS AND KEY FINDINGS

One key finding has three parts

Blocker automated declines must offer human review and a way to challenge the outcome (GDPR Art. 22(3))

the point	the obligation or risk it names, in any wording
the severity	Blocker: unlawful as described, stop and redesign · Required: an obligation to fulfil before launch · Covered: already handled
the citation	the provision, at the level the expected finding asks for (the article, or the paragraph where the article is an umbrella of unrelated rules)

The judge compares it with the finding a reviewer expects

- **matched** · the same point, the right provision and the same severity
- **partial** · the same point and severity, but the provision is missing, at the wrong level or a different article
- **missed** · the point is absent, or it is there with the wrong severity (counted separately as *severity miscalibrated*)

Findings the reviewer did not expect are extras: wrong when they misstate the law or demand what the facts say is done, otherwise merely extra and not counted.

CITED THE REQUIRED ARTICLES

37 of 39

target ≥ 0.80 met · missed A-007: GDPR Art. 22, A-010: AI Act Annex III

KEY FINDINGS MATCHED

59 of 81

target ≥ 0.75 not met (0.73)

WRONG EXTRA FINDINGS

2

A-001, A-010: a finding the law or the facts rule out

RED LINES CROSSED

0


a recommendation the rubric forbids

The 81 expected findings · as the judge scored them




over 20 cases · 7 of the 12 missed make the right point with the wrong severity, 5 are absent

Severity of the miscalibrated findings · right point and provision, wrong label: expected (rows) against given (columns)



Key findings per case · matched · partial · missed, of the findings expected for that case



CHECKS ON THE SCORING

FAITHFULNESS OF THE FINDINGS

0.85

mean over 20 · target ≥ 0.80 met

CONFUSABLE PAIRS BOTH RIGHT

5 of 8

see Legal domains

JUDGE AGREES WITH A HUMAN

13 of 15

findings scored by both · 4 unsure left out · target ≥ 0.85 met

ONE ASSESSMENT

76 s · $0.04

mean per case on the gateway, judge included

The target was written as 17 of 20 on the assumption of 20 scorable rows; with 4 unsure rows left out, 13 of 15 is 0.87 against 0.85. In both disagreements the judge was the more generous reader, so 0.73 matched is if anything slightly generous; the judge was strict in one systematic way, counting a point made only in the summary as absent (A-007 KF1). The unsure rows and the disagreements go to the human expert in round 3.

▾ **Per case** · the 20 assessments one by one

ID	DOMAIN	EXPECTED	GIVEN	RISK	HIGH-RISK AI	DPIA	KEY FINDINGS M / P / X	WRONG EXTRAS	FAITHFUL	SEARCHES	S	$
A-001	D7	Proceed	Conditions	low	no	no	2 / 0 / 0 of 2	1	1	4	35	0.007
A-002	D2	Conditions	Conditions	high ·	no	no	3 / 0 / 0 of 3		0.833	9	73	0.018
A-003	D1	Do not build	Do not build	high	yes	yes	6 / 0 / 0 of 6		0.926	11	80	0.019
A-004	D1	Conditions	Conditions	high	yes	yes	4 / 1 / 0 of 5		0.897	10	62	0.018
A-005	D4	Conditions	Conditions	low	no	no	2 / 1 / 0 of 3		0.818	7	54	0.012
A-006	D4	Do not build	Do not build	high ·	no	yes	3 / 1 / 0 of 4		0.786	8	103	0.013
A-007	D1	Conditions	Conditions	medium	no	no (exp. yes)	2 / 0 / 2 of 4		0.889	8	70	0.014
A-008	D2	Proceed	Conditions	medium ·	no	no	2 / 0 / 0 of 2		0.722	5	48	0.011
A-009	D2	Do not build	Conditions	high	no	no (exp. yes)	2 / 0 / 2 of 4 (1 sev.)		0.667	8	56	0.013
A-010	D3	Conditions	Conditions	high ·	no	yes	3 / 1 / 1 of 5 (1 sev.)	1	0.917	7	51	0.015
A-011	D3	Conditions	Conditions	high	yes	yes	6 / 0 / 1 of 7		0.9	13	59	0.023
A-012	D3	Conditions	Do not build	high ·	no	yes	2 / 1 / 1 of 4 (1 sev.)		0.667	8	77	0.018

ID	DOMAIN	EXPECTED	GIVEN	RISK	HIGH-RISK AI	DPIA	KEY FINDINGS M / P / X	WRONG EXTRAS	FAITHFUL	SEARCHES	S	$
A-013	D5	Do not build	Do not build	high	yes	yes	4 / 0 / 0 of 4		0.96	9	83	0.018
A-014	D5	Conditions	Conditions	high	yes	yes	3 / 0 / 1 of 4 (1 sev.)		0.941	12	107	0.025
A-015	D5	Conditions	Conditions	high	yes	yes	4 / 1 / 0 of 5		0.909	8	90	0.016
A-016	D6	Do not build	Do not build	high	yes	yes	3 / 0 / 1 of 4 (1 sev.)		0.9	12	126	0.018
A-017	D6	Conditions	Do not build	high ·	no	yes	1 / 1 / 2 of 4 (1 sev.)		0.941	9	111	0.015
A-018	D6	Do not build	Do not build	high	no	yes	3 / 1 / 0 of 4		0.75	5	74	0.012
A-019	D7	Proceed	Conditions	medium ·	no	no	2 / 0 / 1 of 3 (1 sev.)		0.762	8	90	0.016
A-020	D8	Do not build	Conditions	high	no	no	2 / 2 / 0 of 4		0.833	7	65	0.012

Shaded rows: a verdict other than the expected one. A dot after the risk level: not the expected level. Domains: D1 automated decisions, D2 data sharing and transfers, D3 high-risk AI, D4 AI that is not high-risk, D5 HR and hiring, D6 special-category data, D7 plainly low-risk, D8 rights and retention.

What fell short

Two of the ten targets were not met, both in the full assessments: verdict accuracy (13 of 20 against 0.80) and key findings matched (59 of 81 against 0.75). Two DPIA flags were also missed. The failure modes below explain them; the first one accounts for most of the gap.

Targets not met · the targets fixed before the run that the result stayed under; the bar is the result, the mark the target

E6 verdict accuracy — 13 of 20 · ≥ 0.80



0.65 against ≥ 0.80 — 15 points short

A-001 (Proceed → Conditions); A-008 (Proceed → Conditions); A-009 (Do not build → Conditions); A-012 (Conditions → Do not build); A-017 (Conditions → Do not build); A-019 (Proceed → Conditions); A-020 (Do not build → Conditions)

E6 key findings matched · partial · missed

59 · 10 · 12 of 81 · ≥ 0.75



0.73 against ≥ 0.75 — 2 points short

FAILURE MODES, ONE EXAMPLE EACH

Severity one step off

All seven wrong verdicts are one step from the expected one, never two and never in the dangerous direction; 7 of the 12 missed findings make the right point with the right provision and only the wrong label.

> A-001, a recently-viewed strip inside the customer's own account, expected Proceed: "Required: document a lawful basis for recording and displaying viewed products … assess and document the balance before launch (GDPR Art. 6(1), Rec. 47)".

ACCEPTABLE Acceptable: the DPO can move a finding one step at the pause, and no verdict was two steps off or in the dangerous direction.

A-001 · A-008 · A-019 · A-009 · A-012 · A-017 · A-020

Special-category data as a Blocker where a consent route exists

Selfie verification with a video-call alternative (A-012) and a doctor's note for a payment holiday (A-017) expected a Required Art. 9(2)(a) finding and got a Blocker: the assistant treats a consent the description does not yet establish as a design fault rather than a condition. A reasonable DPO could read it either way; these rows go to the human expert.

> A-012, finding 1: "Blocker: do not run it unless customers give valid, informed, specific and freely given explicit consent (GDPR Art. 9(1), 9(2))".

EXISTING SOLUTION Resolved by the human in the loop: the DPO decides whether the consent route exists and lowers the finding to Required.

A-012 · A-017

The verdict field milder than the text

A-009 and A-020 expected Do not build and got Proceed with conditions, yet both summaries open with a stop. The findings carry the substance; the structured verdict lags the prose.

> A-020 summary: "Do not implement an unconditional, immediate wipe: erasure rights do not override personal-data retention required by law"; verdict field: Proceed with conditions.

EXISTING SOLUTION Caught by the DPO, who reads the summary beside the verdict field and sets the verdict at the pause; a guardrail rule could catch it earlier.

A-009 · A-020

Umbrella article where the paragraph was asked

Most of the ten partial findings cite "GDPR Art. 5" for minimisation or storage limitation where 5(1)(c) or 5(1)(e) was expected, or state the fraud carve-out and "not high-risk" without the Annex III citation. The worker's rule "cite the most specific label the tools returned" did not reach these.

> A-017, findings 3 and 4: minimum proof, retention and erasure, both cited as "GDPR Art. 5".

ACCEPTABLE Harmless to the DPO, who sees the point and the article; it costs the partial score only.

A-005 · A-006 · A-010 · A-012 · A-017 · A-018 · A-020

AI Act Art. 5 is the corpus's weak spot

Missed by the single pass in E3 twice, by the loop once, and by both E5 questions that needed it: the article's chunks are long and the recitals that paraphrase it (Rec. 30, Rec. 31) outrank it. A corpus-side fix (shorter chunks, a heading that names the practices) belongs to the embedding and chunking study after the capstone.

> K-008, social scoring: answered correctly from Rec. 31, without the Art. 5 chunk.

PROPOSED FIX A corpus fix: shorter chunks for Art. 5 with a heading that names the practices, so the article outranks the recitals that paraphrase it.

`Q-008 · Q-014 · K-004 · K-008`

Definitions

DEFINITIONS

route accuracy: Inputs the router sent the expected way (quick, full or reject), as decided by the app: the classifier, the fallback and the confidence floor.

fallback decided: Inputs where the classifier did not answer and a fallback decided the route.

injections detected: Planted prompt injections the screen flagged.

personal data detected and redacted: Inputs with personal data the screen flagged and redacted.

off-topic detected: Off-topic inputs the screen flagged.

clean inputs wrongly flagged: Clean inputs wrongly flagged as injection or off-topic.

redaction counts exact: Inputs with personal data where the number of redacted items equals the number planted.

planted faults caught: Planted faults on which the guardrail took the expected action (regenerate, or redact).

must-retrieve recall@5, with the loop: Share of must-retrieve provisions found among the five passages the agentic loop returned.

must-retrieve recall@5, single search: The same share for one ungraded search: the baseline the loop is compared with.

what the loop adds: What the loop adds: the difference between the two recalls, absolute and relative.

searches per query · rewrites: Searches the loop made per query on average, and query rewrites in all.

nice-to-retrieve recall@5: Share of nice-to-retrieve provisions found; reported, not scored.

precision of 'sufficient': When the grader said 'sufficient', how often a must-retrieve provision really was among the passages.

recall of 'sufficient': When a must-retrieve provision was among the passages, how often the grader said 'sufficient'; a miss costs a rewrite, not a wrong answer.

answered on the quick path: Questions the router sent down the quick path; only those are scored below.

must-cite recall: Share of expected provisions the answer cites, at article level, after the guardrail verified the labels.

invented citations: Labels in the answer that do not exist in the corpus, counted before the guardrail marks them.

faithfulness, mean: Share of the answer's checkable statements that the retrieved passages (and the organisation facts read) support, judged statement by statement after splitting the text; recommendations and restatements of the input are left out.

within three sentences: Answers within the three sentences the quick path is asked for.

cases assessed: Cases that reached the DPO's pause with an assessment.

verdict accuracy: Cases whose verdict (Do not build as described, Proceed with conditions, Proceed) equals the expected one.

dangerous misses: Cases expected 'Do not build as described' that got 'Proceed': the one error a DPO cannot see from the card alone.

risk level accuracy: Cases whose risk level (low, medium, high) equals the expected one; reported, not scored.

high-risk AI flag: missed · wrongly set: The high-risk AI flag: missed among the cases expected true, and wrongly set among the cases expected false.

DPIA flag: missed · wrongly set: The DPIA flag: missed among the cases expected true, and wrongly set among the cases expected false.

must-cite recall: Share of expected provisions among the assessment's verified citations, at article level.

key findings matched · partial · missed: Expected key findings the judge found in the assessment: matched (same point, the expected provision at the asked level or an accepted alternative, the exact severity), partial (same point and severity, provision missing or at the wrong level), missed (point absent, or the severity wrong).

of the missed: wrong severity only: Of the missed findings, those with the right point and provision and only the wrong severity.

wrong extras: Findings beyond the expected ones that are legally wrong: a provision cited for something it does not say, an obligation the facts say is already met, a false escalation. Correct extra points are not counted.

red lines crossed: Red lines no assessment may cross: an invented provision, a claim that something is already recorded, a personal name.

faithfulness of the findings, mean: As for quick answers, over the findings' text, against the passages the agent retrieved and the organisation facts it read.

confusable pairs both right: Confusable pairs (two situations that sound alike but have different answers) where both cases got the verdict and the flags right.

judge agrees with a human reader: The judge's verdicts against a careful non-expert reader's, on five cases scored blind with the same rubric; rows the reader marked unsure are left out.