Reusable Delivery

A practical guide for AI-assisted work

Turn a new request or work already underway into a story someone else can pick up. A story records the outcome, what success looks like, the next action and the evidence behind each result.

Choose	Plan	Verify	Hand off
New work or existing work	Story, outcome and small tasks	Checks and review evidence	Links, owner and next action

What your team gains

A clear place to look	Keep the story, decisions and evidence together so the next person can find the current answer.
A clear next action	Give each task one executor and a result they can check before passing it on.
A traceable handoff	See what was checked, what passed and what still needs a decision.

Start with one link. Open the Reusable Delivery guide. The guide will direct you to the right template.

Start in one chat

Paste this prompt into the AI chat that holds the work, or start a new chat and add a short brief.

```
Use https://github.com/aispanda/Reusable-Delivery/blob/main/DELIVERY.md
for the work in this chat.
```

Choose the route

New work

You have an outcome or brief. Define what success looks like and create the first story.

Existing work

You already have a story, decisions, code or test evidence. Move the work forward with that history intact.



1. **Provide the starting point**

   Say who needs the outcome and what should change. Share the brief or authorized links to the original story, decisions and evidence.

2. **Confirm the destination and scope**

   Give the target GitHub repo and folder if you know them. Say whether the task is to draft, migrate or carry on with authorized delivery work.

3. **Use one guide version**

   The selected guide contains the template and execution rules. Record its exact GitHub commit so the next executor can use the same version.

You can open a route directly when you know which one applies. The chat needs access to the guide and any source material it relies on.

Create a new story

Describe who needs what, why it matters and how someone will verify it. Write the story in GitHub using the copyable template in the selected guide.

Example story
As a buyer, I want to download my order summary so I can share it with my purchasing team.

Write observable acceptance criteria

AC-01. The download shows the selected order number, date and total for a buyer who can view that order.
AC-02. If access is denied, the request returns no order data.

Give each task one executor

Bounded task	Example executor	Evidence to record
Implement the download	AI writer. Example: GPT-6.1 Sol at medium reasoning.	Change revision and writer check results.
Check both criteria	Automation. Repository test command in CI.	Allowed and denied cases, tested revision and result.
Review the change	Independent human reviewer.	Findings, repair decisions and any recheck.
Accept the outcome	Accountable human, when required.	Decision and evidence supporting it.

For the next task, name its inputs, expected output, completion check and when to stop. Record the exact model and reasoning for AI assignments. Then run one task, check the result and record what should happen next.

Move existing work

Begin with the original story and its evidence. Keep agreed criteria, decisions and completed work visible so the next person can continue from the right place.

1. **Inventory the latest sources**

   Read the current story, comments and relevant design, code, decisions and test evidence. Note which version or source supports each important claim.

2. **Preserve the original**

   Before an authorized ClickUp replacement, keep a verbatim copy of the current description in an approved location. Store restricted originals and private values where authorized users can retrieve them.

3. **Compare the draft with the source**

   Keep criterion IDs and wording. Record any sanitization or open conflict. Carry forward valid results and reopen the checks affected by changes.

4. **Verify the handoff**

   Read back the published GitHub story and check that intended readers can open the links and retrieve required restricted context. Refresh ClickUp and reconcile any intervening edits before an authorized update.

A small source map can fit inside the story

Original	Where it goes	What to record
Agreed criteria	GitHub story	Preserved IDs and wording.
Past test result	Evidence link and tested revision	Scope that result actually covered.
Client-specific values	Approved restricted storage	Who can retrieve the source and how.

If ClickUp writeback or source access is pending, record the gap and keep the original source authoritative. Link a separate story for new scope unless an extension is authorized.

Check the work before handoff

Plan how you will check the outcome before implementation begins. The story coordinator chooses the checks and reviewers based on the criteria, risk and repository rules.

1. **Run repeatable checks**

   For code work, use the same repository command locally and in CI. Check relevant success and failure paths. For documentation, verify the sources, criteria and links.

2. **Have a fresh reviewer look for gaps**

   For material changes, assign a fresh human or approved AI reviewer after writer checks. Ask them to look for missing cases, confusing code and incorrect assumptions. Fix confirmed issues and rerun affected checks.

3. **Record the human decision**

   When acceptance or release approval is required, the accountable person records their decision with the evidence. Keep open policy questions with the person who can decide them.

Record what ran. Keep the command or check, the revision tested, the environment, the result and an evidence link. Mark unrun checks as NOT RUN.

What this looked like in the shipment pilot

The same check ran locally and in GitHub Actions. It passed 22 offline tests on each of two Python versions. A separate run showed that CI reported a deliberately failing test. These checks used simulated shipment data.

Code quality checklist · Pilot evidence · AI Spanda QA report

Hand off work so it can continue

Once the GitHub story is published and checked, connect it to ClickUp and leave a clear next action.

GitHub holds the delivery record

Keep the story, acceptance criteria, task checklist, decisions and evidence together. Link detailed designs or debugging notes where they help.

ClickUp tracks the work

Keep the title, optional story sentence, GitHub folder link and story link. Use ClickUp fields for ownership, dates and status.

Leave the next person three things

1. **The current story and revision**

   Share the story link and the exact guide or artifact revision the person should use.

2. **The result and its limits**

   Show what passed and what is still open. Check what you publish for sensitive details. Use placeholders in public GitHub and keep private originals and their mapping in approved restricted storage.

3. **The next eligible task**

   Name the executor, what they need and what they should deliver. Record the condition for resuming a blocked task.

If you are handing off reusable code, include setup, environment inputs, the test command and verified installation evidence for the supported setup. Keep credentials in the approved environment.

Open Reusable Delivery on GitHub · Guide revision used for this PDF