








PO.ZC35004
QTY. 2 SET
DUE.25/03/22
K.S.ENG
URGENT

UNCONTROLLED
6 Jan'17
Engineering
Department
Precision Mechanical Assembly Div.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	TPMA-71-035-01 Rev.NR	BASE	1
2	TPMA-71-035-02 Rev.NR	STAND	4
3	CB4-10	HEXAGON SOCKET HEAD CAP SCREWS M4x0.7 DEPTH 10	16

BLANK/INSERT TIP No. | MAKER.

REV.	ECN. NO.	DATE	DESCRIPTION	NAME

UNLESS SPECIFIED C0.2 or R0.2
FREE BURR & DENT

GENERAL TOLERANCE		Surface
LESS THAN 0.5	±0.05	0.8S
0.5 - 6	±0.1	6S
OVER 6 - 30	±0.2	25S
OVER 30 - 120	±0.3	100S
OVER 120	±0.5	UNCUT
ANGLE	±1°	

FOR MACHINE: -
MATERIAL: AS DETAIL
HEAT TREATMENT: -
SURFACE COATING: -

DESIGN FOR PART No.: -
REFER DRAWING No.: -
SCALE: 1:5 | SHEET: 1 / 1 | UNIT : mm.

PREPARED	CHECKED	APPROVED
PREECHA	Maisiri	D. Sato

DATE 5 JAN '2017


3rd. ANGLE


Minebea
Precision Mechanical Assembly Division

DRAWING NAME: BASE FOR PACKING
DRAWING NO.: TPMA-71-035-XX
REV.: NR

SIZE A4

Pt=25





UNCONTROLLED
6 Jan'17
Engineering Department
Precision Mechanical Assembly Div.

NOTE: 1. Ⓒ VALUE WILL BE ATTATCH IN INSPECTION DATA FROM SUPPLIER.
2. GENERAL TOLERANCE ±0.2 mm.
3. NO BURR , NO SHARP EDGE.

REV.	ECN. NO.	DATE	DESCRIPTION	NAME

BLANK/INSERT TIP No. | MAKER.

UNLESS SPECIFIED C0.2 or R0.2
FREE BURR & DENT

GENERAL TOLERANCE		Surface
LESS THAN 0.5	±0.05	0.8S
0.5 - 6	±0.1	6S
OVER 6 - 30	±0.2	25S
OVER 30 - 120	±0.3	100S
OVER 120	±0.5	UNCUT
ANGLE	±1°	

FOR MACHINE: -
MATERIAL: ACRYLIC t=8
HEAT TREATMENT: -
SURFACE COATING: -


DESIGN FOR PART No.: -
REFER DRAWING No.: -
SCALE: 1:10 | SHEET: 1 / 1 | UNIT : mm.
PREPARED: PREECHA | CHECKED: Maisiri | APPROVED: D. Sato
DATE 5 JAN '2017


3rd. ANGLE

Minebea
Precision Mechanical Assembly Division

DRAWING NAME: BASE
DRAWING NO.: TPMA-71-035-01
REV.: NR

SIZE A4





UNCONTROLLED
12 Jan'17
Engineering
Department
Precision Mechanical Assembly Div.

NOTE : Ⓒ VALUE WILL BE ATTATCH IN INSPECTION DATA FROM SUPPLIER.

BLANK/INSERT TIP No.	MAKER.

REV.	ECN. NO.	DATE	DESCRIPTION	NAME

UNLESS SPECIFIED C0.2 or R0.2 FREE BURR & DENT		Surface
GENERAL TOLERANCE		0.8S
LESS THAN 0.5	±0.05	6S
0.5 - 6	±0.1	25S
OVER 6 - 30	±0.2	100S
OVER 30 - 120	±0.3	UNCUT
OVER 120	±0.5	
ANGLE	±1°	

FOR MACHINE: -

MATERIAL: ~~SUS304-1-2~~ ACRYLIC t=10 (marisiri 12/1/17)

HEAT TREATMENT: -

SURFACE COATING: -

DESIGN FOR PART No.: -

REFER DRAWING No.: -

SCALE: 1:5 | SHEET: 1 / 1 | UNIT : mm.

PREPARED	CHECKED	APPROVED
PREECHA	Marisiri	D.Sato

DATE 5 JAN '2017

3rd. ANGLE

Minebea
Precision Mechanical Assembly Division

DRAWING NAME: STAND

DRAWING NO.: TPMA-71-035-02

REV.: NR

SIZE A4