Quotation

ATTA-SA-FM-16 Rev.00

TO : **NMB - MINEBEA THAI LTD. (Purchase center)**
ATTN MS. CHIRAPORN
MR. H.YAGUCHI
CC : MR. KRIENGSAK / DIRECTOR & PURCHASING CENTER MANAGER

DATE: 24/Apr/26
QUOTATION NO : MT2605

FROM company,address: **Alps Tool (Thailand) Co.,Ltd. (Branch 00002)**
144 Moo 1 Tambol Banlen
Amphur Bang Pa-In Ayutthaya
13160 Thailand
SECT: Sales Department
NAME : Mr.KAZUHIRO SUDO
TITLE : Sales Manager
SIGNATURE :

CONDITIONS :

TERM OF PAYMENT	: 15 DAYS AFTER THE END OF DELIVERY MONTH
PLACE OF DELIVERY	: MINEBEA GROUP OF COMPANY FACTORY
PAYMENT CURRENCY	: BAHT(WHICH APPLIED EXCHANGE RATES FROM CIF PRICE IN YEN)
	About Decimal point, If it is greater than or equal 5 rounded up, If it is less than 5 rounded down.
VALIDITY START	: APRIL, 2021...DELIVERY
DELIVERY TERM	: IF HAVE STOCK IN THAILAND, 3 WORKING DAYS AFTER YOUR CONFIRMED ORDER.
	IF HAVE STOCK IN JAPAN, 14 WORKING DAYS AFTER YOUR CONFIRMED ORDER.
	IF NO STOCK, WITHIN 45 DAYS AFTER YOUR CONFIRMED ORDER.
	FOR THE SPECIAL PARTS, REPLY AND CONFIRM ORDER CASE BY CASE.
REMARK :	: PLEASE IDENTIFY THE Type & Specification, Description IN THE P/O
	If Alps Tool's Product Name aren't similar to NMB Thai's BOI NAME in the table below,
	Please pay Import Duty base on the Custom Notification under DDU Price.

PRICE LIST ON May 2026 DELIVERY

EXCHANGE RATES :	April	May	DIFF%
	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
1	○	**AR8-0.5**	**AR Collet**	3,910	808	812	0.48
2	○	**AR8-1.0**	**AR Collet**	3,910	808	812	0.48
3	○	**AR8-1.5**	**AR Collet**	3,910	808	812	0.48
4	○	**AR8-2.0**	**AR Collet**	3,910	808	812	0.48
5	○	**AR8-2.5**	**AR Collet**	3,910	808	812	0.48
6	○	**AR8-3.0**	**AR Collet**	3,170	655	658	0.48
7	○	**AR8-3.5**	**AR Collet**	3,170	655	658	0.48
8	○	**AR8-4.0**	**AR Collet**	3,170	655	658	0.48
9	○	**AR8-4.5**	**AR Collet**	3,170	655	658	0.48
10	○	**AR8-5.0**	**AR Collet**	3,170	655	658	0.48
11	○	**AR8-0.5-AA**	**AR Collet**	5,450	1,126	1,131	0.48
12	○	**AR8-1.0-AA**	**AR Collet**	5,450	1,126	1,131	0.48
13	○	**AR8-1.5-AA**	**AR Collet**	5,450	1,126	1,131	0.48
14	○	**AR8-2.0-AA**	**AR Collet**	5,450	1,126	1,131	0.48
15	○	**AR8-2.5-AA**	**AR Collet**	5,450	1,126	1,131	0.48
16	○	**AR8-3.0-AA**	**AR Collet**	4,710	973	978	0.48
17	○	**AR8-3.5-AA**	**AR Collet**	4,710	973	978	0.48
18	○	**AR8-4.0-AA**	**AR Collet**	4,710	973	978	0.48
19	○	**AR8-4.5-AA**	**AR Collet**	4,710	973	978	0.48
20	○	**AR8-5.0-AA**	**AR Collet**	4,710	973	978	0.48
21	○	**AR8-3.0-AAS**	**AR Collet**	6,900	1,426	1,432	0.48
22	○	**AR11-1.0**	**AR Collet**	3,470	717	720	0.48
23	○	**AR11-1.5**	**AR Collet**	3,470	717	720	0.48
24	○	**AR11-2.0**	**AR Collet**	3,470	717	720	0.48
25	○	**AR11-2.5**	**AR Collet**	3,470	717	720	0.48
26	○	**AR11-3.0**	**AR Collet**	2,780	574	577	0.48
27	○	**AR11-3.175**	**AR Collet**	2,780	574	577	0.48
28	○	**AR11-3.5**	**AR Collet**	2,780	574	577	0.48

PRICE LIST ON May 2026 DELIVERY

	April	May	DIFF%
EXCHANGE RATES :	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
29	○	**AR11-4.0**	**AR Collet**	2,780	574	577	0.48
30	○	**AR11-4.5**	**AR Collet**	2,780	574	577	0.48
31	○	**AR11-5.0**	**AR Collet**	2,780	574	577	0.48
32	○	**AR11-5.5**	**AR Collet**	2,780	574	577	0.48
33	○	**AR11-6.0**	**AR Collet**	2,780	574	577	0.48
34	○	**AR11-6.5**	**AR Collet**	2,780	574	577	0.48
35	○	**AR11-7.0**	**AR Collet**	2,780	574	577	0.48
36	○	**AR11-1.0-AA**	**AR Collet**	5,090	1,052	1,057	0.48
37	○	**AR11-1.5-AA**	**AR Collet**	5,090	1,052	1,057	0.48
38	○	**AR11-2.0-AA**	**AR Collet**	5,090	1,052	1,057	0.48
39	○	**AR11-2.5-AA**	**AR Collet**	5,090	1,052	1,057	0.48
40	○	**AR11-3.0-AA**	**AR Collet**	4,400	909	913	0.48
41	○	**AR11-3.175-AA**	**AR Collet**	4,400	909	913	0.48
42	○	**AR11-3.5-AA**	**AR Collet**	4,400	909	913	0.48
43	○	**AR11-4.0-AA**	**AR Collet**	4,400	909	913	0.48
44	○	**AR11-4.5-AA**	**AR Collet**	4,400	909	913	0.48
45	○	**AR11-5.0-AA**	**AR Collet**	4,400	909	913	0.48
46	○	**AR11-5.5-AA**	**AR Collet**	4,400	909	913	0.48
47	○	**AR11-6.0-AA**	**AR Collet**	4,400	909	913	0.48
48	○	**AR11-6.5-AA**	**AR Collet**	4,400	909	913	0.48
49	○	**AR11-7.0-AA**	**AR Collet**	4,400	909	913	0.48
50	○	**AR11-1.0-AAA**	**AR Collet**	7,500	1,550	1,557	0.48
51	○	**AR11-1.5-AAA**	**AR Collet**	7,500	1,550	1,557	0.48
52	○	**AR11-2.0-AAA**	**AR Collet**	7,500	1,550	1,557	0.48
53	○	**AR11-2.5-AAA**	**AR Collet**	7,500	1,550	1,557	0.48
54	○	**AR11-3.0-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
55	○	**AR11-3.175-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
56	○	**AR11-3.5-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
57	○	**AR11-4.0-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
58	○	**AR11-4.5-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
59	○	**AR11-5.0-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
60	○	**AR11-5.5-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
61	○	**AR11-6.0-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
62	○	**AR11-6.5-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
63	○	**AR11-7.0-AAA**	**AR Collet**	6,200	1,281	1,287	0.48
64	○	**AR11OH-3.0**	**Coolant Collet**	4,430	915	920	0.48
65	○	**AR11OH-4.0**	**Coolant Collet**	4,430	915	920	0.48
66	○	**AR11OH-4.5**	**Coolant Collet**	4,430	915	920	0.48
67	○	**AR11OH-5.0**	**Coolant Collet**	4,430	915	920	0.48
68	○	**AR11OH-5.5**	**Coolant Collet**	4,430	915	920	0.48
69	○	**AR11OH-6.0**	**Coolant Collet**	4,430	915	920	0.48
70	○	**AR11OH-6.5**	**Coolant Collet**	4,430	915	920	0.48
71	○	**AR11OH-7.0**	**Coolant Collet**	4,430	915	920	0.48
72	○	**AR16-1.0**	**AR Collet**	3,470	717	720	0.48
73	○	**AR16-1.5**	**AR Collet**	3,470	717	720	0.48
74	○	**AR16-2.0**	**AR Collet**	3,470	717	720	0.48
75	○	**AR16-2.5**	**AR Collet**	3,470	717	720	0.48
76	○	**AR16-3.0**	**AR Collet**	2,780	574	577	0.48
77	○	**AR16-3.175**	**AR Collet**	2,780	574	577	0.48
78	○	**AR16-3.5**	**AR Collet**	2,780	574	577	0.48
79	○	**AR16-4.0**	**AR Collet**	2,780	574	577	0.48
80	○	**AR16-4.5**	**AR Collet**	2,780	574	577	0.48
81	○	**AR16-5.0**	**AR Collet**	2,780	574	577	0.48
82	○	**AR16-6.0**	**AR Collet**	2,780	574	577	0.48
83	○	**AR16-7.0**	**AR Collet**	2,780	574	577	0.48
84	○	**AR16-8.0**	**AR Collet**	2,780	574	577	0.48
85	○	**AR16-9.0**	**AR Collet**	2,780	574	577	0.48
86	○	**AR16-10.0**	**AR Collet**	2,780	574	577	0.48
87	○	**AR16-1.0-AA**	**AR Collet**	5,090	1,052	1,057	0.48
88	○	**AR16-1.5-AA**	**AR Collet**	5,090	1,052	1,057	0.48

PRICE LIST ON May 2026 DELIVERY

	April	May	DIFF%
EXCHANGE RATES :	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
89	○	**AR16-2.0-AA**	**AR Collet**	5,090	1,052	1,057	0.48
90	○	**AR16-2.5-AA**	**AR Collet**	5,090	1,052	1,057	0.48
91	○	**AR16-3.0-AA**	**AR Collet**	4,400	909	913	0.48
92	○	**AR16-3.175-AA**	**AR Collet**	4,400	909	913	0.48
93	○	**AR16-3.5-AA**	**AR Collet**	4,400	909	913	0.48
94	○	**AR16-4.0-AA**	**AR Collet**	4,400	909	913	0.48
95	○	**AR16-4.5-AA**	**AR Collet**	4,400	909	913	0.48
96	○	**AR16-5.0-AA**	**AR Collet**	4,400	909	913	0.48
97	○	**AR16-6.0-AA**	**AR Collet**	4,400	909	913	0.48
98	○	**AR16-7.0-AA**	**AR Collet**	4,400	909	913	0.48
99	○	**AR16-8.0-AA**	**AR Collet**	4,400	909	913	0.48
100	○	**AR16-9.0-AA**	**AR Collet**	4,400	909	913	0.48
101	○	**AR16-10.0-AA**	**AR Collet**	4,400	909	913	0.48
102	○	**AR16-1.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
103	○	**AR16-2.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
104	○	**AR16-2.5-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
105	○	**AR16-3.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
106	○	**AR16-4.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
107	○	**AR16-5.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
108	○	**AR16-6.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
109	○	**AR16-7.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
110	○	**AR16-8.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
111	○	**AR16-9.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
112	○	**AR16-10.0-AAA**	**AR Collet**	6,540	1,351	1,358	0.48
113	○	**AR16OH-3.0**	**Coolant Collet**	4,210	870	874	0.48
114	○	**AR16OH-4.0**	**Coolant Collet**	4,210	870	874	0.48
115	○	**AR16OH-4.5**	**Coolant Collet**	4,210	870	874	0.48
116	○	**AR16OH-5.0**	**Coolant Collet**	4,210	870	874	0.48
117	○	**AR16OH-5.5**	**Coolant Collet**	4,210	870	874	0.48
118	○	**AR16OH-6.0**	**Coolant Collet**	4,210	870	874	0.48
119	○	**AR16OH-6.5**	**Coolant Collet**	4,210	870	874	0.48
120	○	**AR16OH-7.0**	**Coolant Collet**	4,210	870	874	0.48
121	○	**AR16OH-7.5**	**Coolant Collet**	4,210	870	874	0.48
122	○	**AR16OH-8.0**	**Coolant Collet**	4,210	870	874	0.48
123	○	**AR16OH-8.5**	**Coolant Collet**	4,210	870	874	0.48
124	○	**AR16OH-9.0**	**Coolant Collet**	4,210	870	874	0.48
125	○	**AR16OH-9.5**	**Coolant Collet**	4,210	870	874	0.48
126	○	**AR16OH-10.0**	**Coolant Collet**	4,210	870	874	0.48
127	○	**AR20-1.0**	**AR Collet**	3,690	762	766	0.48
128	○	**AR20-1.5**	**AR Collet**	3,690	762	766	0.48
129	○	**AR20-2.0**	**AR Collet**	3,690	762	766	0.48
130	○	**AR20-2.5**	**AR Collet**	3,690	762	766	0.48
131	○	**AR20-3.0**	**AR Collet**	2,950	609	612	0.48
132	○	**AR20-3.175**	**AR Collet**	2,950	609	612	0.48
133	○	**AR20-3.5**	**AR Collet**	2,950	609	612	0.48
134	○	**AR20-4.0**	**AR Collet**	2,950	609	612	0.48
135	○	**AR20-4.5**	**AR Collet**	2,950	609	612	0.48
136	○	**AR20-5.0**	**AR Collet**	2,950	609	612	0.48
137	○	**AR20-6.0**	**AR Collet**	2,950	609	612	0.48
138	○	**AR20-7.0**	**AR Collet**	2,950	609	612	0.48
139	○	**AR20-8.0**	**AR Collet**	2,950	609	612	0.48
140	○	**AR20-9.0**	**AR Collet**	2,950	609	612	0.48
141	○	**AR20-10.0**	**AR Collet**	2,950	609	612	0.48
142	○	**AR20-11.0**	**AR Collet**	2,950	609	612	0.48
143	○	**AR20-12.0**	**AR Collet**	2,950	609	612	0.48
144	○	**AR20-13.0**	**AR Collet**	2,950	609	612	0.48
145	○	**AR20-1.0-AA**	**AR Collet**	5,940	1,227	1,233	0.48
146	○	**AR20-1.5-AA**	**AR Collet**	5,940	1,227	1,233	0.48
147	○	**AR20-2.0-AA**	**AR Collet**	5,940	1,227	1,233	0.48
148	○	**AR20-2.5-AA**	**AR Collet**	5,940	1,227	1,233	0.48

PRICE LIST ON May 2026 DELIVERY

EXCHANGE RATES :	April	May	DIFF%
	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
149	○	**AR20-3.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
150	○	**AR20-3.175-AA**	**AR Collet**	5,120	1,058	1,063	0.48
151	○	**AR20-3.5-AA**	**AR Collet**	5,120	1,058	1,063	0.48
152	○	**AR20-4.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
153	○	**AR20-4.5-AA**	**AR Collet**	5,120	1,058	1,063	0.48
154	○	**AR20-5.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
155	○	**AR20-6.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
156	○	**AR20-7.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
157	○	**AR20-8.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
158	○	**AR20-9.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
159	○	**AR20-10.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
160	○	**AR20-11.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
161	○	**AR20-12.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
162	○	**AR20-13.0-AA**	**AR Collet**	5,120	1,058	1,063	0.48
163	○	**AR20OH-3.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
164	○	**AR20OH-4.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
165	○	**AR20OH-4.5**	**Coolant Collet**	9,000	1,859	1,868	0.48
166	○	**AR20OH-5.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
167	○	**AR20OH-5.5**	**Coolant Collet**	5,400	1,116	1,121	0.48
168	○	**AR20OH-6.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
169	○	**AR20OH-6.5**	**Coolant Collet**	5,400	1,116	1,121	0.48
170	○	**AR20OH-7.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
171	○	**AR20OH-7.5**	**Coolant Collet**	5,400	1,116	1,121	0.48
172	○	**AR20OH-8.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
173	○	**AR20OH-8.5**	**Coolant Collet**	5,400	1,116	1,121	0.48
174	○	**AR20OH-9.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
175	○	**AR20OH-9.5**	**Coolant Collet**	5,400	1,116	1,121	0.48
176	○	**AR20OH-10.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
177	○	**AR20OH-11.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
178	○	**AR20OH-11.5**	**Coolant Collet**	5,400	1,116	1,121	0.48
179	○	**AR20OH-12.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
180	○	**AR20OH-12.5**	**Coolant Collet**	5,400	1,116	1,121	0.48
181	○	**AR20OH-13.0**	**Coolant Collet**	5,400	1,116	1,121	0.48
182	○	**AR20OH-5.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
183	○	**AR20OH-6.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
184	○	**AR20OH-7.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
185	○	**AR20OH-8.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
186	○	**AR20OH-9.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
187	○	**AR20OH-10.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
188	○	**AR20OH-11.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
189	○	**AR20OH-12.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
190	○	**AR20OH-13.0-AA**	**Coolant Collet**	8,590	1,775	1,783	0.48
191	○	**AR25-1.0**	**AR Collet**	3,990	824	828	0.48
192	○	**AR25-1.5**	**AR Collet**	3,990	824	828	0.48
193	○	**AR25-2.0**	**AR Collet**	3,990	824	828	0.48
194	○	**AR25-2.5**	**AR Collet**	3,990	824	828	0.48
195	○	**AR25-3.0**	**AR Collet**	3,190	659	662	0.48
196	○	**AR25-3.5**	**AR Collet**	3,190	659	662	0.48
197	○	**AR25-4.0**	**AR Collet**	3,190	659	662	0.48
198	○	**AR25-4.5**	**AR Collet**	3,190	659	662	0.48
199	○	**AR25-5.0**	**AR Collet**	3,190	659	662	0.48
200	○	**AR25-6.0**	**AR Collet**	3,190	659	662	0.48
201	○	**AR25-7.0**	**AR Collet**	3,190	659	662	0.48
202	○	**AR25-8.0**	**AR Collet**	3,190	659	662	0.48
203	○	**AR25-9.0**	**AR Collet**	3,190	659	662	0.48
204	○	**AR25-10.0**	**AR Collet**	3,190	659	662	0.48
205	○	**AR25-11.0**	**AR Collet**	3,190	659	662	0.48
206	○	**AR25-12.0**	**AR Collet**	3,190	659	662	0.48
207	○	**AR25-13.0**	**AR Collet**	3,190	659	662	0.48
208	○	**AR25-14.0**	**AR Collet**	3,190	659	662	0.48

PRICE LIST ON May 2026 DELIVERY

EXCHANGE RATES :	April 0.2066	May 0.2076	DIFF% 0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
209	○	**AR25-15.0**	**AR Collet**	3,190	659	662	0.48
210	○	**AR25-16.0**	**AR Collet**	3,190	659	662	0.48
211	○	**AR25-1.0-AA**	**AR Collet**	5,500	1,136	1,142	0.48
212	○	**AR25-1.5-AA**	**AR Collet**	5,500	1,136	1,142	0.48
213	○	**AR25-2.0-AA**	**AR Collet**	5,500	1,136	1,142	0.48
214	○	**AR25-2.5-AA**	**AR Collet**	5,500	1,136	1,142	0.48
215	○	**AR25-3.0-AA**	**AR Collet**	4,680	967	972	0.48
216	○	**AR25-3.5-AA**	**AR Collet**	4,680	967	972	0.48
217	○	**AR25-4.0-AA**	**AR Collet**	4,680	967	972	0.48
218	○	**AR25-4.5-AA**	**AR Collet**	4,680	967	972	0.48
219	○	**AR25-5.0-AA**	**AR Collet**	4,680	967	972	0.48
220	○	**AR25-6.0-AA**	**AR Collet**	4,680	967	972	0.48
221	○	**AR25-7.0-AA**	**AR Collet**	4,680	967	972	0.48
222	○	**AR25-8.0-AA**	**AR Collet**	4,680	967	972	0.48
223	○	**AR25-9.0-AA**	**AR Collet**	4,680	967	972	0.48
224	○	**AR25-10.0-AA**	**AR Collet**	4,680	967	972	0.48
225	○	**AR25-11.0-AA**	**AR Collet**	4,680	967	972	0.48
226	○	**AR25-12.0-AA**	**AR Collet**	4,680	967	972	0.48
227	○	**AR25-13.0-AA**	**AR Collet**	4,680	967	972	0.48
228	○	**AR25-14.0-AA**	**AR Collet**	4,680	967	972	0.48
229	○	**AR25-15.0-AA**	**AR Collet**	4,680	967	972	0.48
230	○	**AR25-16.0-AA**	**AR Collet**	4,680	967	972	0.48
231	○	**AR25OH-6.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
232	○	**AR25OH-6.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
233	○	**AR25OH-7.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
234	○	**AR25OH-7.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
235	○	**AR25OH-8.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
236	○	**AR25OH-8.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
237	○	**AR25OH-9.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
238	○	**AR25OH-9.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
239	○	**AR25OH-10.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
240	○	**AR25OH-10.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
241	○	**AR25OH-11.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
242	○	**AR25OH-11.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
243	○	**AR25OH-12.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
244	○	**AR25OH-12.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
245	○	**AR25OH-13.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
246	○	**AR25OH-13.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
247	○	**AR25OH-14.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
248	○	**AR25OH-14.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
249	○	**AR25OH-15.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
250	○	**AR25OH-15.5**	**Coolant Collet**	5,530	1,142	1,148	0.48
251	○	**AR25OH-16.0**	**Coolant Collet**	5,530	1,142	1,148	0.48
252	○	**AR32-2.5**	**AR Collet**	4,350	899	903	0.48
253	○	**AR32-3.0**	**AR Collet**	3,470	717	720	0.48
254	○	**AR32-3.5**	**AR Collet**	3,470	717	720	0.48
255	○	**AR32-4.0**	**AR Collet**	3,470	717	720	0.48
256	○	**AR32-4.5**	**AR Collet**	3,470	717	720	0.48
257	○	**AR32-5.0**	**AR Collet**	3,470	717	720	0.48
258	○	**AR32-6.0**	**AR Collet**	3,470	717	720	0.48
259	○	**AR32-7.0**	**AR Collet**	3,470	717	720	0.48
260	○	**AR32-8.0**	**AR Collet**	3,470	717	720	0.48
261	○	**AR32-9.0**	**AR Collet**	3,470	717	720	0.48
262	○	**AR32-10.0**	**AR Collet**	3,470	717	720	0.48
263	○	**AR32-11.0**	**AR Collet**	3,470	717	720	0.48
264	○	**AR32-12.0**	**AR Collet**	3,470	717	720	0.48
265	○	**AR32-13.0**	**AR Collet**	3,470	717	720	0.48
266	○	**AR32-14.0**	**AR Collet**	3,470	717	720	0.48
267	○	**AR32-15.0**	**AR Collet**	3,470	717	720	0.48
268	○	**AR32-16.0**	**AR Collet**	3,470	717	720	0.48

PRICE LIST ON May 2026 DELIVERY

	April	May	DIFF%
EXCHANGE RATES :	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
269	○	**AR32-17.0**	**AR Collet**	3,470	717	720	0.48
270	○	**AR32-18.0**	**AR Collet**	3,470	717	720	0.48
271	○	**AR32-19.0**	**AR Collet**	3,470	717	720	0.48
272	○	**AR32-20.0**	**AR Collet**	3,470	717	720	0.48
273	○	**AR32-2.5-AA**	**AR Collet**	5,860	1,211	1,217	0.48
274	○	**AR32-3.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
275	○	**AR32-3.5-AA**	**AR Collet**	5,010	1,035	1,040	0.48
276	○	**AR32-4.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
277	○	**AR32-4.5-AA**	**AR Collet**	5,010	1,035	1,040	0.48
278	○	**AR32-5.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
279	○	**AR32-6.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
280	○	**AR32-7.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
281	○	**AR32-8.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
282	○	**AR32-9.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
283	○	**AR32-10.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
284	○	**AR32-11.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
285	○	**AR32-12.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
286	○	**AR32-13.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
287	○	**AR32-14.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
288	○	**AR32-15.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
289	○	**AR32-16.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
290	○	**AR32-17.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
291	○	**AR32-18.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
292	○	**AR32-19.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
293	○	**AR32-20.0-AA**	**AR Collet**	5,010	1,035	1,040	0.48
294	○	**AR32OH-8.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
295	○	**AR32OH-8.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
296	○	**AR32OH-9.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
297	○	**AR32OH-9.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
298	○	**AR32OH-10.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
299	○	**AR32OH-10.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
300	○	**AR32OH-11.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
301	○	**AR32OH-11.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
302	○	**AR32OH-12.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
303	○	**AR32OH-12.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
304	○	**AR32OH-13.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
305	○	**AR32OH-13.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
306	○	**AR32OH-14.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
307	○	**AR32OH-14.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
308	○	**AR32OH-15.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
309	○	**AR32OH-15.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
310	○	**AR32OH-16.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
311	○	**AR32OH-16.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
312	○	**AR32OH-17.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
313	○	**AR32OH-17.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
314	○	**AR32OH-18.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
315	○	**AR32OH-18.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
316	○	**AR32OH-19.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
317	○	**AR32OH-19.5**	**Coolant Collet**	6,410	1,324	1,331	0.48
318	○	**AR32OH-20.0**	**Coolant Collet**	6,410	1,324	1,331	0.48
319	○	**AR40-4.0**	**AR Collet**	4,600	950	955	0.48
320	○	**AR40-4.5**	**AR Collet**	4,600	950	955	0.48
321	○	**AR40-5.0**	**AR Collet**	4,600	950	955	0.48
322	○	**AR40-6.0**	**AR Collet**	4,600	950	955	0.48
323	○	**AR40-7.0**	**AR Collet**	4,600	950	955	0.48
324	○	**AR40-8.0**	**AR Collet**	4,600	950	955	0.48
325	○	**AR40-9.0**	**AR Collet**	4,600	950	955	0.48
326	○	**AR40-10.0**	**AR Collet**	4,600	950	955	0.48
327	○	**AR40-11.0**	**AR Collet**	4,600	950	955	0.48
328	○	**AR40-12.0**	**AR Collet**	4,600	950	955	0.48

PRICE LIST ON May 2026 DELIVERY

EXCHANGE RATES :	April	May	DIFF%
	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
329	○	**AR40-13.0**	**AR Collet**	4,600	950	955	0.48
330	○	**AR40-14.0**	**AR Collet**	4,600	950	955	0.48
331	○	**AR40-15.0**	**AR Collet**	4,600	950	955	0.48
332	○	**AR40-16.0**	**AR Collet**	4,600	950	955	0.48
333	○	**AR40-17.0**	**AR Collet**	4,600	950	955	0.48
334	○	**AR40-18.0**	**AR Collet**	4,600	950	955	0.48
335	○	**AR40-19.0**	**AR Collet**	4,600	950	955	0.48
336	○	**AR40-20.0**	**AR Collet**	4,600	950	955	0.48
337	○	**AR40-21.0**	**AR Collet**	4,600	950	955	0.48
338	○	**AR40-22.0**	**AR Collet**	4,600	950	955	0.48
339	○	**AR40-23.0**	**AR Collet**	4,600	950	955	0.48
340	○	**AR40-24.0**	**AR Collet**	4,600	950	955	0.48
341	○	**AR40-25.0**	**AR Collet**	4,600	950	955	0.48
342	○	**AR40-26.0**	**AR Collet**	4,600	950	955	0.48
343	○	**AR11-1.0-AAH**	**AR Collet**	6,800	1,405	1,412	0.48
344	○	**AR11-1.5-AAH**	**AR Collet**	6,800	1,405	1,412	0.48
345	○	**AR11-2.0-AAH**	**AR Collet**	6,800	1,405	1,412	0.48
346	○	**AR11-2.5-AAH**	**AR Collet**	6,800	1,405	1,412	0.48
347	○	**AR11-3.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
348	○	**AR11-4.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
349	○	**AR11-5.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
350	○	**AR11-6.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
351	○	**AR11-7.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
352	○	**AR11C-2.5-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
353	○	**AR11C-3.0-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
354	○	**AR11C-3.5-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
355	○	**AR11C-4.0-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
356	○	**AR11C-4.5-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
357	○	**AR11C-5.0-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
358	○	**AR11C-5.5-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
359	○	**AR11C-6.0-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
360	○	**AR11C-6.5-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
361	○	**AR11C-7.0-AAH**	**Coolant Collet**	8,800	1,818	1,827	0.48
362	○	**AR16-1.0-AAH**	**AR Collet**	6,800	1,405	1,412	0.48
363	○	**AR16-1.5-AAH**	**AR Collet**	6,800	1,405	1,412	0.48
364	○	**AR16-2.0-AAH**	**AR Collet**	6,800	1,405	1,412	0.48
365	○	**AR16-2.5-AAH**	**AR Collet**	6,800	1,405	1,412	0.48
366	○	**AR16-3.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
367	○	**AR16-3.5-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
368	○	**AR16-4.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
369	○	**AR16-4.5-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
370	○	**AR16-5.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
371	○	**AR16-6.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
372	○	**AR16-7.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
373	○	**AR16-8.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
374	○	**AR16-9.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
375	○	**AR16-10.0-AAH**	**AR Collet**	5,970	1,233	1,239	0.48
376	○	**AR16C-2.5-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
377	○	**AR16C-3.0-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
378	○	**AR16C-3.5-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
379	○	**AR16C-4.0-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
380	○	**AR16C-4.5-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
381	○	**AR16C-5.0-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
382	○	**AR16C-5.5-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
383	○	**AR16C-6.0-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
384	○	**AR16C-6.5-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
385	○	**AR16C-7.0-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
386	○	**AR16C-7.5-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
387	○	**AR16C-8.0-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
388	○	**AR16C-8.5-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48

PRICE LIST ON May 2026 DELIVERY

	April	May	DIFF%
EXCHANGE RATES :	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
389	○	**AR16C-9.0-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
390	○	**AR16C-9.5-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
391	○	**AR16C-10.0-AAH**	**Coolant Collet**	9,300	1,921	1,931	0.48
392	○	**AR16C-3.0-AA**	**Coolant Collet**	11,177	2,309	2,320	0.48
393	○	**AR16C-4.0-AA**	**Coolant Collet**	11,177	2,309	2,320	0.48
394	○	**AR16C-5.0-AA**	**Coolant Collet**	11,177	2,309	2,320	0.48
395	○	**AR16C-6.0-AA**	**Coolant Collet**	11,177	2,309	2,320	0.48
396	○	**AR16C-7.0-AA**	**Coolant Collet**	10,827	2,237	2,248	0.48
397	○	**AR16C-8.0-AA**	**Coolant Collet**	10,827	2,237	2,248	0.48
398	○	**AR16C-9.0-AA**	**Coolant Collet**	10,827	2,237	2,248	0.48
399	○	**AR16C-10.0-AA**	**Coolant Collet**	10,827	2,237	2,248	0.48
400	○	**AR16C-10.0**	**Coolant Collet**	7,800	1,611	1,619	0.48
401	○	**AR20C-5.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
402	○	**AR20C-6.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
403	○	**AR20C-7.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
404	○	**AR20C-8.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
405	○	**AR20C-9.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
406	○	**AR20C-10.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
407	○	**AR20C-11.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
408	○	**AR20C-12.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
409	○	**AR20C-13.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
410	○	**AR25C-6.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
411	○	**AR25C-7.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
412	○	**AR25C-8.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
413	○	**AR25C-9.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
414	○	**AR25C-10.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
415	○	**AR25C-11.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
416	○	**AR25C-12.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
417	○	**AR25C-13.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
418	○	**AR25C-14.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
419	○	**AR25C-15.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
420	○	**AR25C-16.0**	**Coolant Collet**	9,000	1,859	1,868	0.48
421	○	**AR20CY-6.0**	**Coolant Collet**	8,400	1,735	1,744	0.48
422	○	**AR20C-5.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
423	○	**AR20C-6.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
424	○	**AR20C-7.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
425	○	**AR20C-8.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
426	○	**AR20C-9.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
427	○	**AR20C-10.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
428	○	**AR20C-11.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
429	○	**AR20C-12.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
430	○	**AR20C-13.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
431	○	**AR25C-6.0-AA**	**Coolant Collet**	11,100	2,293	2,304	0.48
432	○	**NA11**	**NA Nut**	3,520	727	731	0.48
433	○	**NA11S**	**NA Nut**	3,440	711	714	0.48
434	○	**NA11M**	**NA Nut**	5,850	1,209	1,214	0.48
435	○	**NA16**	**NA Nut**	4,620	954	959	0.48
436	○	**NA16S**	**NA Nut**	4,490	928	932	0.48
437	○	**NA16M**	**NA Nut**	4,410	911	916	0.48
438	○	**NA20**	**NA Nut**	4,050	837	841	0.48
439	○	**NA20S**	**NA Nut**	4,840	1,000	1,005	0.48
440	○	**NA20M**	**NA Nut**	6,825	1,410	1,417	0.48
441	○	**NA25**	**NA Nut**	5,170	1,068	1,073	0.48
442	○	**NA25S**	**NA Nut**	5,060	1,045	1,050	0.48
443	○	**NA25S-H36**	**NA Nut**	14,000	2,892	2,906	0.48
444	○	**NA32**	**NA Nut**	4,710	973	978	0.48
445	○	**NA32S**	**NA Nut**	9,750	2,014	2,024	0.48
446	○	**NA8S**	**NA Nut**	4,650	961	965	0.48
447	○	**NA8M**	**NA Nut**	4,930	1,019	1,023	0.48
448	○	**NA16S-P1.25**	**NA Nut**	4,790	990	994	0.48

PRICE LIST ON May 2026 DELIVERY

EXCHANGE RATES :	April	May	DIFF%
	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
449	○	**AE-8M**	**Wrench**	3,575	739	742	0.48
450	○	**AE-11M**	**Wrench**	2,860	591	594	0.48
451	○	**AE-16M**	**Wrench**	2,990	618	621	0.48
452	○	**FK-3**	**Wrench**	650	134	135	0.48
453	○	**FK-6**	**Wrench**	845	175	175	0.48
454	○	**FK-8**	**Wrench**	1,040	215	216	0.48
455	○	**SP-25**	**Wrench**	2,100	434	436	0.48
456	○	**TSH-11**	**Wrench**	5,850	1,209	1,214	0.48
457	○	**TS-11S**	**Wrench**	6,825	1,410	1,417	0.48
458	○	**4000C1258**	**Collet**	4,540	938	943	0.48
459	○	**4000C1343**	**Collet**	39,930	8,250	8,289	0.48
460	○	**4000C1386**	**Collet**	36,960	7,636	7,673	0.48
461	○	**4000F1300**	**Pusher**	12,520	2,587	2,599	0.48
462	○	**4000F1342**	**Pusher**	15,730	3,250	3,266	0.48
463	○	**4000F1387**	**Pusher**	15,510	3,204	3,220	0.48
464	○	**4501-01-0*** **	**Collet**	25,060	5,177	5,202	0.48
465	○	**4501-01-1*** **	**Collet**	28,630	5,915	5,944	0.48
466	○	**4501-01-2*** **	**Collet**	25,280	5,223	5,248	0.48
467	○	**4501-01-3*** **	**Collet**	30,780	6,359	6,390	0.48
468	○	**4501-01-A*** **	**Collet**	25,520	5,272	5,298	0.48
469	○	**4501-01-B*** **	**Collet**	25,170	5,200	5,225	0.48
470	○	**5000C4892-02L**	**Chucking Sleeve**	15,510	3,204	3,220	0.48
471	○	**5000C4892-02S**	**Chucking Sleeve**	12,870	2,659	2,672	0.48
472	○	**BT30-ECH10-60**	**Collet Holder**	15,900	3,285	3,301	0.48
473	○	**SSH20-BSH4-70**	**Boring Sleeve Holder**	10,000	2,066	2,076	0.48
474	○	**SSH20-BSH5-70**	**Boring Sleeve Holder**	10,000	2,066	2,076	0.48
475		**SSH3/4-BSH10-70**	**Boring Sleeve Holder**	10,000	2,066	2,076	0.48
476	○	**SSH1-ECH10S-50**	**Collet Holder**	13,100	2,706	2,720	0.48
477	○	**SSH1-ECH10S-70**	**Collet Holder**	10,400	2,149	2,159	0.48
478	○	**SSH1-ECH10S-105**	**Collet Holder**	10,620	2,194	2,205	0.48
479	○	**SSH1-ECH13S-50**	**Collet Holder**	10,400	2,149	2,159	0.48
480	○	**SSH1-ECH13S-70**	**Collet Holder**	10,620	2,194	2,205	0.48
481	○	**SSH1-ECH16S-50**	**Collet Holder**	11,050	2,283	2,294	0.48
482	○	**SSH1-ECH10WM-70**	**Collet Holder**	20,800	4,297	4,318	0.48
483	○	**SSH1-ECH7WS-82**	**Collet Holder**	22,660	4,682	4,704	0.48
484	○	**SSH1-ECH7WS-100**	**Collet Holder**	23,850	4,927	4,951	0.48
485	○	**SSH1-ECH10WS-53**	**Collet Holder**	22,000	4,545	4,567	0.48
486	○	**SSH1-ECH10WS-65**	**Collet Holder**	22,100	4,566	4,588	0.48
487	○	**SSH1-ECH10WS-70S**	**Collet Holder**	21,740	4,491	4,513	0.48
488	○	**SSH1-ECH10WS-100S**	**Collet Holder**	24,560	5,074	5,099	0.48
489	○	**SSH3/4-ECH7S-40**	**Collet Holder**	7,760	1,603	1,611	0.48
490	○	**SSH3/4-ECH7S-50**	**Collet Holder**	11,580	2,392	2,404	0.48
491	○	**SSH3/4-ECH7S-60**	**Collet Holder**	11,800	2,438	2,450	0.48
492	○	**SSH3/4-ECH7S-70**	**Collet Holder**	8,060	1,665	1,673	0.48
493	○	**SSH3/4-ECH7S-105**	**Collet Holder**	8,340	1,723	1,731	0.48
494	○	**SSH3/4-ECH7S-120**	**Collet Holder**	8,640	1,785	1,794	0.48
495	○	**SSH3/4-ECH7S-140S**	**Collet Holder**	16,940	3,500	3,517	0.48
496	○	**SSH3/4-ECH10S-35**	**Collet Holder**	11,690	2,415	2,427	0.48
497	○	**SSH3/4-ECH10S-40**	**Collet Holder**	8,060	1,665	1,673	0.48
498	○	**SSH3/4-ECH10S-70**	**Collet Holder**	8,340	1,723	1,731	0.48
499	○	**SSH3/4-ECH10-105**	**Collet Holder**	8,910	1,841	1,850	0.48
500	○	**SSH3/4-ECH10S-105**	**Collet Holder**	8,640	1,785	1,794	0.48
501	○	**SSH3/4-ECH10S-120**	**Collet Holder**	8,910	1,841	1,850	0.48
502	○	**SSH3/4-ECH10S-140S**	**Collet Holder**	17,880	3,694	3,712	0.48
503	○	**SSH3/4-ECH13S-40**	**Collet Holder**	9,750	2,014	2,024	0.48
504	○	**SSH3/4-ECH10MS-70S**	**Collet Holder**	21,600	4,463	4,484	0.48
505	○	**SSH3/4-ECH13MS-105S**	**Collet Holder**	26,240	5,421	5,447	0.48
506	○	**SSH12-ECH5S-70**	**Collet Holder**	9,000	1,859	1,868	0.48
507	○	**SSH12-ECH5MS-70**	**Collet Holder**	9,300	1,921	1,931	0.48
508	○	**SSH16-ECH5S-70**	**Collet Holder**	8,910	1,841	1,850	0.48

PRICE LIST ON May 2026 DELIVERY

EXCHANGE RATES :	April	May	DIFF%
	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
509	○	**SSH16-ECH7-32**	**Collet Holder**	8,775	1,813	1,822	0.48
510	○	**SSH16-ECH7-70**	**Collet Holder**	8,060	1,665	1,673	0.48
511	○	**SSH16-ECH7S-70**	**Collet Holder**	8,775	1,813	1,822	0.48
512	○	**SSH16-ECH7S-14S**	**Collet Holder**	11,090	2,291	2,302	0.48
513	○	**SSH16-ECH10S-35**	**Collet Holder**	7,760	1,603	1,611	0.48
514	○	**SSH20-ECH7S-40**	**Collet Holder**	7,760	1,603	1,611	0.48
515	○	**SSH20-ECH7-70**	**Collet Holder**	8,090	1,671	1,679	0.48
516	○	**SSH20-ECH7S-70**	**Collet Holder**	8,060	1,665	1,673	0.48
517	○	**SSH20-ECH7S-105**	**Collet Holder**	9,425	1,947	1,957	0.48
518	○	**SSH20-ECH7WS-53**	**Collet Holder**	18,850	3,894	3,913	0.48
519	○	**SSH20-ECH10-70**	**Collet Holder**	8,340	1,723	1,731	0.48
520	○	**SSH20-ECH10S-70**	**Collet Holder**	8,340	1,723	1,731	0.48
521	○	**SSH20-ECH13-70**	**Collet Holder**	9,220	1,905	1,914	0.48
522	○	**SSH22-ECH10MS-38**	**Collet Holder**	10,400	2,149	2,159	0.48
523	○	**SSH22-ECH10MS-70**	**Collet Holder**	10,595	2,189	2,200	0.48
524	○	**SSH22-ECH10MS-80**	**Collet Holder**	10,725	2,216	2,227	0.48
525	○	**SSH25-ECH7-70S**	**Collet Holder**	13,120	2,711	2,724	0.48
526	○	**SSH25-ECH10S-50**	**Collet Holder**	10,075	2,081	2,092	0.48
527	○	**SSH25-ECH10-70**	**Collet Holder**	9,490	1,961	1,970	0.48
528	○	**SSH25-ECH10S-70**	**Collet Holder**	10,400	2,149	2,159	0.48
529	○	**SSH25-ECH13SOH-50**	**Collet Holder**	14,000	2,892	2,906	0.48
530	○	**SSH25-ECH13S-70**	**Collet Holder**	10,725	2,216	2,227	0.48
531	○	**SSH25-ECH16-70**	**Collet Holder**	11,375	2,350	2,361	0.48
532	○	**SSH32-ECH13S-60**	**Collet Holder**	10,725	2,216	2,227	0.48
533	○	**SSH32-ECH13-80**	**Collet Holder**	10,070	2,080	2,091	0.48
534	○	**SSH32-ECH16-80**	**Collet Holder**	10,340	2,136	2,147	0.48
535	○	**SSH32-ECH16S-60**	**Collet Holder**	11,050	2,283	2,294	0.48
536	○	**SSH32-ECH20-80**	**Collet Holder**	10,650	2,200	2,211	0.48
537	○	**SSH35-ECH10S-55**	**Collet Holder**	15,870	3,279	3,295	0.48
538	○	**SSH35-ECH13S-55**	**Collet Holder**	16,450	3,399	3,415	0.48
539	○	**SSH35-ECH16S-55**	**Collet Holder**	16,810	3,473	3,490	0.48
540	○	**SSH35-ECH16S-120S**	**Collet Holder**	32,000	6,611	6,643	0.48
541	○	**SSH35-ECH20S-120S**	**Collet Holder**	35,000	7,231	7,266	0.48
542	○	**SSH40-ECH20-80**	**Collet Holder**	11,100	2,293	2,304	0.48
543	○	**SSH40-ECH20-110**	**Collet Holder**	10,920	2,256	2,267	0.48
544	○	**SSH5/8-ECH7S-35S**	**Collet Holder**	13,120	2,711	2,724	0.48
545	○	**SSH5/8-ECH7S-70**	**Collet Holder**	7,760	1,603	1,611	0.48
546	○	**SSH5/8-ECH7S-90S**	**Collet Holder**	27,420	5,665	5,692	0.48
547	○	**SSH5/8-ECH7S-105**	**Collet Holder**	15,020	3,103	3,118	0.48
548	○	**SSH5/8-ECH7S-120**	**Collet Holder**	15,600	3,223	3,239	0.48
549	○	**SSH3/4-ECH7WS-33**	**Collet Holder**	16,090	3,324	3,340	0.48
550	○	**SSH3/4-ECH7WS-38**	**Collet Holder**	20,270	4,188	4,208	0.48
551	○	**SSH3/4-ECH7WS-53**	**Collet Holder**	16,670	3,444	3,461	0.48
552	○	**SSH3/4-ECH7WS-70**	**Collet Holder**	23,270	4,808	4,831	0.48
553	○	**SSH3/4-ECH7WS-70S**	**Collet Holder**	23,270	4,808	4,831	0.48
554	○	**SSH3/4-ECH7WS-75S**	**Collet Holder**	23,270	4,808	4,831	0.48
555	○	**SSH16-ECH7WS-30S**	**Collet Holder**	31,000	6,405	6,436	0.48
556	○	**SSH1-ECH16OH-70**	**Coolant Collet Holder**	16,000	3,306	3,322	0.48
557	○	**SSH16-ECH7SOH-30S**	**Coolant Collet Holder**	23,850	4,927	4,951	0.48
558	○	**SSH20-ECH10SOH-70**	**Coolant Collet Holder**	13,370	2,762	2,776	0.48
559	○	**SSH25-ECH10SOH-50**	**Coolant Collet Holder**	10,180	2,103	2,113	0.48
560	○	**SSH25-ECH10SOH-115**	**Coolant Collet Holder**	12,670	2,618	2,630	0.48
561	○	**SSH25-ECH16OH-70**	**Coolant Collet Holder**	15,925	3,290	3,306	0.48
562	○	**SSH32-ECH20OH-75**	**Coolant Collet Holder**	16,575	3,424	3,441	0.48
563	○	**SSH35-ECH16SOH-120S**	**Coolant Collet Holder**	34,000	7,024	7,058	0.48
564	○	**SSH3/4-ECH7SOH-70S**	**Coolant Collet Holder**	29,810	6,159	6,189	0.48
565	○	**SSH3/4-ECH10OH-105**	**Coolant Collet Holder**	14,950	3,089	3,104	0.48
566	○	**SSH5/8-ECH7SOH-70**	**Coolant Collet Holder** (Minimum Order 3 Pcs.)	29,400	6,074	6,103	0.48
567	○	**SST3/4-ECH7S-46**	**Tap Holder**	15,820	3,268	3,284	0.48
568	○	**SST3/4-ECH7S-70**	**Tap Holder**	16,090	3,324	3,340	0.48

PRICE LIST ON May 2026 DELIVERY

EXCHANGE RATES :	April	May	DIFF%
	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
569	○	**SST3/4-ECH7S-105**	**Tap Holder**	16,670	3,444	3,461	0.48
570	○	**SST1-ECH7WS-100**	**Tap Holder**	25,060	5,177	5,202	0.48
571	○	**SST1-ECH10-70**	**Tap Holder**	17,400	3,595	3,612	0.48
572	○	**SST16-ECH5S-70S**	**Tap Holder**	42,930	8,869	8,912	0.48
573	○	**SST16-ECH7-32**	**Tap Holder**	17,550	3,626	3,643	0.48
574	○	**SST20-ECH7-40**	**Tap Holder**	15,820	3,268	3,284	0.48
575	○	**SST20-ECH7-70**	**Tap Holder**	15,930	3,291	3,307	0.48
576	○	**SST20-ECH7S-46S**	**Tap Holder**	16,090	3,324	3,340	0.48
577	○	**SST20-ECH7S-70**	**Tap Holder**	18,200	3,760	3,778	0.48
578	○	**SST25-ECH7-55T**	**Tap Holder**	22,660	4,682	4,704	0.48
579	○	**SST32-ECT16-80**	**Tap Holder**	22,990	4,750	4,773	0.48
580	○	**SST5/8-ECH7S-70S**	**Tap Holder**	23,850	4,927	4,951	0.48
581	○	**SST5/8-ECH7S-105S**	**Tap Holder**	27,000	5,578	5,605	0.48
582	○	**SST5/8-ECH7S-120S**	**Tap Holder**	27,600	5,702	5,730	0.48
583	○	**SAH20-ECH7-70**	**Collet Holder**	21,450	4,432	4,453	0.48
584	○	**SAH20-ECH10-70**	**Collet Holder**	19,250	3,977	3,996	0.48
585	○	**SAH22-ECH10-70S**	**Collet Holder**	53,660	11,086	11,140	0.48
586	○	**SAH22-ECH10-90NA**	**Collet Holder**	56,400	11,652	11,709	0.48
587	○	**SAH25-ECH10-70**	**Collet Holder**	19,560	4,041	4,061	0.48
588	○	**SAH25-ECH16-70**	**Collet Holder**	22,750	4,700	4,723	0.48
589	○	**SAH25-ECH13S-90NA**	**Collet Holder**	59,600	12,313	12,373	0.48
590	○	**SAH32-ECH13-70**	**Collet Holder**	22,750	4,700	4,723	0.48
591	○	**SBH20-ECH7M-70**	**Collet Holder**	27,950	5,774	5,802	0.48
592	○	**SBH20-ECH10-70**	**Collet Holder**	28,600	5,909	5,937	0.48
593	○	**SBH25-ECH10-70**	**Collet Holder**	27,000	5,578	5,605	0.48
594	○	**SBH25-ECH16-70**	**Collet Holder**	27,010	5,580	5,607	0.48
595	○	**SBH3/4-ECH7M-70**	**Collet Holder**	27,950	5,774	5,802	0.48
596	○	**SBH3/4-ECH7M-120S**	**Collet Holder**	41,720	8,619	8,661	0.48
597	○	**STH3/4-ECH7WS-38**	**Reamer Holder**	39,360	8,132	8,171	0.48
598	○	**SSR3/4-ECH7WS-38S**	**Reamer Holder**	45,300	9,359	9,404	0.48
599	○	**SVH25-ECH13-70**	**Cutting Tool Holder**	58,060	11,995	12,053	0.48
600	○	**SS8-ECH5S-35**	**Collet Holder**	8,400	1,735	1,744	0.48
601	○	**SS16-ECH7-70**	**Collet Holder**	9,430	1,948	1,958	0.48
602	○	**SS20-ECH7-70**	**Collet Holder**	8,420	1,740	1,748	0.48
603	○	**SS25-ECH16-70**	**Collet Holder**	10,840	2,240	2,250	0.48
604	○	**SS32-ECH20-80**	**Collet Holder**	12,025	2,484	2,496	0.48
605	○	**37082-06-0100**	**Plate Holder**	22,660	4,682	4,704	0.48
606	○	**37082-23-0070**	**Facing Tool Holder**	22,660	4,682	4,704	0.48
607	○	**TGM-21-246**	**Tapping Shaft**	31,600	6,529	6,560	0.48
608	○	**TGM-21-381**	**Drill Shaft**	34,570	7,142	7,177	0.48
609	○	**HT47082-16-G013**	**Drill Holder**	20,270	4,188	4,208	0.48
610	○	**HT47082-16-G014**	**Nut**	5,370	1,109	1,115	0.48
611	○	**HT47082-16-G018**	**Drill Holder**	20,270	4,188	4,208	0.48
612	○	**HT47082-16-G019**	**Drill Holder**	26,710	5,518	5,545	0.48
613	○	**NM101-12500**	**Micro Head**	20,000	4,132	4,152	0.48
614	○	**NM110-11000**	**Combination Holder**	107,280	22,164	22,271	0.48
615	○	**MT106-22000**	**Cutting Tool Holder**	176,420	36,448	36,625	0.48
616	○	**MT106-23000**	**Cutting Tool Holder**	169,840	35,089	35,259	0.48
617	○	**MT106-24000**	**Chamfering Holder**	332,070	68,606	68,938	0.48
618	○	**NM101-13000**	**Cutting Tool Holder**	90,230	18,642	18,732	0.48
619	○	**NM101-15000**	**Dovetail Tool Holder**	95,370	19,703	19,799	0.48
620	○	**NM101-22000**	**Dovetail Tool Holder**	333,720	68,947	69,280	0.48
621	○	**NM101-27000**	**Recessing Holder**	417,150	86,183	86,600	0.48
622	○	**NM101-28000**	**Dovetail Tool Holder**	345,650	71,411	71,757	0.48
623	○	**NM101-31000**	**Dovetail Holder**	70,000	14,462	14,532	0.48
624	○	**NM101-33000**	**Recessing Holder**	97,740	20,193	20,291	0.48
625	○	**NM101-34000**	**Cut-off Slide Base**	70,320	14,528	14,598	0.48
626	○	**NM101-36000**	**Cutting Tool Holder**	92,980	19,210	19,303	0.48
627	○	**NM102-14030**	**Bolt**	8,500	1,756	1,765	0.48
628	○	**NM102-15000**	**Dovetail Tool Holder**	92,980	19,210	19,303	0.48

PRICE LIST ON May 2026 DELIVERY

	April	May	DIFF%
EXCHANGE RATES :	0.2066	0.2076	0.48

Delivery from Free Zone , Term DDU (NON BOI)

No.	Standard Part	Type & Specification	Description (NMB-Thai's BOI Name)	Unit Price			
				JPY	April THB	May THB	DIFF (%)
629	○	**NM103-10000**	**Facing Tool Holder**	106,100	21,920	22,026	0.48
630	○	**NM103-12000**	**Forming Holder**	77,470	16,005	16,083	0.48
631	○	**NM103-15000**	**Revolving Spindle**	188,320	38,907	39,095	0.48
632	○	**NM103-17000**	**Revolving Spindle**	184,750	38,169	38,354	0.48
633	○	**NM103-18000**	**Cutting Tool Holder**	96,800	19,999	20,096	0.48
634	○	**NM103-19001**	**Tool Group Holder**	359,700	74,314	74,674	0.48
635	○	**NM103-20000**	**Sleeve Holder**	35,780	7,392	7,428	0.48
636	○	**NM103-22000**	**Cutting Tool Holder**	104,890	21,670	21,775	0.48
637	○	**NM103-23000**	**Cutting Tool Holder**	81,050	16,745	16,826	0.48
638	○	**NM103-26000**	**Cutting Tool Holder**	112,890	23,323	23,436	0.48
639	○	**NM103-27000**	**Cutting Tool Holder**	98,950	20,443	20,542	0.48
640	○	**NM103-30000**	**Recessing Holder**	429,090	88,650	89,079	0.48
641	○	**NM103-31000**	**Cutting Tool Holder**	97,380	20,119	20,216	0.48
642	○	**NM103-39000**	**Cutting Tool Holder**	22,060	4,558	4,580	0.48
643	○	**NM104-11000**	**Facing Tool Holder**	151,750	31,352	31,503	0.48
644	○	**NM104-12000**	**Cutting Tool Holder**	92,510	19,113	19,205	0.48
645	○	**NM104-13000**	**Facing Tool Holder**	140,000	28,924	29,064	0.48
646	○	**NM104-14000**	**Facing Tool Holder**	140,000	28,924	29,064	0.48
647	○	**NM104-20000**	**Facing Tool Holder**	184,030	38,021	38,205	0.48
648	○	**NM104-22000**	**Recessing Holder**	452,900	93,569	94,022	0.48
649	○	**NM104-23000**	**Facing Tool Holder**	126,340	26,102	26,228	0.48
650	○	**NM105-12000-POS2**	**Recessing Holder**	506,550	104,653	105,160	0.48
651	○	**NM105-12000-POS3**	**Recessing Holder**	458,870	94,803	95,261	0.48
652	○	**NM105-12000-POS5**	**Recessing Holder**	458,870	94,803	95,261	0.48
653	○	**NM106-12000**	**Cutting Tool Holder**	142,430	29,426	29,568	0.48
654	○	**NM106-14000**	**Dovetail Tool Holder**	91,660	18,937	19,029	0.48
655	○	**NM106-15000**	**Setting Gage**	23,850	4,927	4,951	0.48
656	○	**NM107-11000**	**Clamp Holder**	186,000	38,428	38,614	0.48
657	○	**NM109-01000**	**Drill Holder**	29,810	6,159	6,189	0.48
658	○	**NM111-05000**	**Boring Sleeve**	25,770	5,324	5,350	0.48
659	○	**NM113-11000**	**Recessing Holder**	107,280	22,164	22,271	0.48
660	○	**NM115-01000**	**Reamer Holder**	64,380	13,301	13,365	0.48
661	○	**NM115-01001**	**Reamer Holder**	64,130	13,249	13,313	0.48
662	○	**NM118-10000**	**Cutting Tool Holder**	141,600	29,255	29,396	0.48
663	○	**NM119-01000**	**Collet Type Cutter Arbor**	48,160	9,950	9,998	0.48
664	○	**NM997-00160**	**Revolving Spindle**	53,660	11,086	11,140	0.48
665	○	**NM997-00170**	**Drill Spindle**	42,930	8,869	8,912	0.48
666	○	**NM997-00180**	**Reamer Spindle**	61,990	12,807	12,869	0.48
667	○	**NM997-00220**	**Spindle Shaft**	31,000	6,405	6,436	0.48
668	○	**NM997-00250**	**Drill Holder**	26,240	5,421	5,447	0.48