


Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:6	SHEET 1 / 2	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 1 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-1

REV. 1

TAG	X LOC	Y LOC	SIZE
A1	15	325	∅ 5 THRU M6x1.0 - 6H THRU
A2	134.50	132.70	
A3	204.50	132.70	
A4	355	686.70	
A5	395	686.70	
A6	415	592.20	
A7	415	562.20	
A8	416	154.20	
A9	416	124.20	
A10	422.88	299.99	
A11	431	649.70	
A12	431	504.70	
A13	431	169.70	
A14	431	24.70	
A15	435	592.20	
A16	435	562.20	
A17	435	429.70	
A18	435	294.70	
A19	436	154.20	
A20	436	124.20	
A21	465	429.70	
A22	465	294.70	
A23	469	649.70	
A24	469	504.70	
A25	469	169.70	
A26	469	24.70	
A27	553.50	56.70	
A28	553.50	16.70	
A29	607.50	319.20	
A30	642.50	319.20	
A31	677.50	319.20	
A32	743.50	244.70	
A33	743.50	224.70	
A34	751	56.70	
A35	751	16.70	
A36	773.50	244.70	
A37	773.50	224.70	
A38	881.30	650.60	
A39	881.30	538.60	

TAG	X LOC	Y LOC	SIZE
A40	881.30	438.60	∅ 5 THRU M6x1.0 - 6H THRU
A41	881.30	338.60	
A42	881.30	238.60	
A43	881.30	138.60	
A44	881.30	38.60	
A45	939.30	650.60	
A46	985.30	510.60	
A47	985.30	398.60	
A48	985.30	298.60	
A49	985.30	198.60	
A50	985.30	98.60	
A51	1043.30	510.60	
A52	1078.50	447.32	
A53	1078.50	417.32	
A54	1091.80	16	
A55	1098.50	447.32	
A56	1098.50	417.32	
A57	1111.80	111	
A58	1111.80	41	
A59	1131.80	111	
A60	1131.80	41	
A61	1181	373.82	
A62	1221	373.82	
A63	1296.50	389.20	
A64	1296.50	225.20	
A65	1296.50	159.20	
A66	1330.50	389.20	
A67	1330.50	225.20	
A68	1330.50	159.20	
A69	1367	282	
A70	1477	282	
A71	1517.38	676.25	
A72	1533.50	330.70	
A73	1540.89	708.61	
A74	1603.50	330.70	
A75	1603.50	150.70	
A76	1603.50	15.70	
A77	1685	680	

TAG	X LOC	Y LOC	SIZE
B1	15	255	∅ 6.60 THRU ⌴ ∅ 11 ↧ 6
B2	15	20	
B3	364	680	
B4	364	480	
B5	600	745	
B6	1100	745	
B7	1600	745	
B8	1685	660	
B9	1685	20	
C1	90.50	180.70	∅ 2.50 THRU M3x0.5 - 6H THRU
C2	140.50	180.70	
C3	1113.80	137.50	
C4	1129.80	137.50	
C5	1592.50	52.20	
C6	1642.50	52.20	
D1	177.50	300.70	∅ 4.20 THRU M5x0.8 - 6H THRU
D2	177.50	150.70	
D3	203.50	390.70	
D4	207.50	300.70	
D5	207.50	150.70	
D6	218.50	390.70	
D7	313.50	390.70	
D8	324.50	300.70	
D9	324.50	150.70	
D10	328.50	390.70	
D11	354.50	300.70	
D12	354.50	150.70	
D13	908.80	410.60	
D14	908.80	260.60	
D15	908.80	130.60	
D16	938.80	410.60	
D17	938.80	260.60	
D18	938.80	130.60	
D19	1012.80	405.60	
D20	1012.80	225.60	
D21	1012.80	45.60	
D22	1042.80	405.60	
D23	1042.80	225.60	
D24	1042.80	45.60	
D25	1383.50	187.20	
D26	1383.50	37.20	
D27	1409.50	277.20	
D28	1413.50	187.20	
D29	1413.50	37.20	
D30	1424.50	277.20	
D31	1519.50	277.20	
D32	1530.50	187.20	
D33	1530.50	37.20	
D34	1534.50	277.20	
D35	1560.50	187.20	
D36	1560.50	37.20	

TAG	X LOC	Y LOC	SIZE
E1	495	232.20	∅ 8.50 THRU M10x1.5 - 6H THRU
E2	525	22.20	
E3	530	292.20	
E4	530	232.20	
E5	1311.43	632.20	
E6	1311.43	462.20	
E7	1481.43	632.20	
E8	1481.43	462.20	
F1	497.50	587.20	∅ 3.30 THRU M4x0.7 - 6H THRU
F2	497.50	567.20	
F3	612.50	250.20	
F4	612.50	104.20	
F5	620	392.70	
F6	640	392.70	
F7	677.50	250.20	
F8	677.50	104.20	
F9	831.50	128	
F10	851.50	128	
F11	1125	612.20	
F12	1125	592.20	
G1	550	360	∅65
G2	820	360	
G3	1050	620	
G4	1198	258	
G5	1583	640	
G6	1620	280	
H1	563	237.20	∅ 6.80 THRU M8x1.25 - 6H THRU
H2	605	440.70	
H3	655	440.70	
H4	790	237.20	
H5	816.50	74	
H6	825	237.20	
H7	866.50	74	
H8	1176	627.20	
H9	1176	577.20	
H10	1229.53	76.30	
H11	1229.53	11.30	
H12	1269.53	76.30	
H13	1269.53	11.30	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-----	-----	-----	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:6 | SHEET 2 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich


DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 1 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-1

REV. 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:7.5 | SHEET 1 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 2 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-2

REV. 1

TAG	X LOC	Y LOC	SIZE
A1	15	1201	
A2	15	772.50	
A3	134.50	1222.70	
A4	134.50	1087.70	
A5	134.50	907.70	
A6	204.50	907.70	
A7	262	859.99	
A8	372	1214.99	
A9	372	859.99	
A10	406	927.20	
A11	406	847.20	
A12	431	1199.70	
A13	431	1054.70	
A14	469	1199.70	
A15	469	1054.70	
A16	560.50	1192.20	
A17	560.50	1062.20	
A18	605.50	1192.20	
A19	605.50	1062.20	
A20	610	1159.20	
A21	610	1095.20	
A22	636	927.20	
A23	636	847.20	
A24	662	1159.20	
A25	662	1095.20	
A26	695.50	442.20	
A27	695.50	412.20	
A28	696.80	1221.50	
A29	696.80	1191.50	
A30	715.50	442.20	
A31	715.50	412.20	
A32	716.80	1221.50	∅ 5 THRU M6x1.0 - 6H THRU
A33	716.80	1191.50	
A34	797.51	494.43	
A35	800.80	991.50	
A36	800.80	961.50	
A37	808	356.70	
A38	820.80	991.50	
A39	820.80	961.50	
A40	821.80	1266	
A41	837.51	494.43	
A42	848	356.70	
A43	861.80	1266	
A44	866	927.20	
A45	881.30	1208.60	
A46	881.30	1108.60	
A47	881.30	1008.60	
A48	893.50	587.07	
A49	893.50	267.07	
A50	908	627.57	
A51	908	362.57	
A52	908	272.57	
A53	908	222.57	
A54	918.30	1036.50	
A55	939.30	1008.60	
A56	953	627.57	
A57	953	222.57	
A58	957.50	587.07	
A59	957.50	267.07	
A60	958.30	1036.50	
A61	985.30	1168.60	
A62	985.30	1068.60	
A63	985.30	968.60	

TAG	X LOC	Y LOC	SIZE
A64	985.30	868.60	
A65	985.30	768.60	
A66	1000	318.16	
A67	1000	278.16	
A68	1002.50	497.70	
A69	1042.50	497.70	
A70	1043.30	768.60	
A71	1065.80	916.50	
A72	1091.80	1246	
A73	1101.50	689.20	
A74	1101.50	625.20	
A75	1103.50	365.20	
A76	1105.50	597.20	
A77	1105.80	916.50	
A78	1111.80	1151	
A79	1111.80	1081	
A80	1131.80	1151	
A81	1131.80	1081	
A82	1153.50	689.20	
A83	1153.50	625.20	
A84	1178.30	919.20	
A85	1178.30	855.20	
A86	1195.50	597.20	
A87	1225.50	467.20	
A88	1225.50	387.20	
A89	1230.30	919.20	
A90	1230.30	855.20	
A91	1294.50	729.70	
A92	1294.50	584.70	
A93	1294.50	499.70	
A94	1294.50	354.70	
A95	1294.50	269.70	
A96	1294.50	124.70	∅ 5 THRU M6x1.0 - 6H THRU
A97	1294.50	39.70	
A98	1296.50	1265.20	
A99	1296.50	1199.20	
A100	1296.50	1035.20	
A101	1296.50	969.20	
A102	1296.50	805.20	
A103	1330.50	1265.20	
A104	1330.50	1199.20	
A105	1330.50	1035.20	
A106	1330.50	969.20	
A107	1330.50	805.20	
A108	1332.50	729.70	
A109	1332.50	584.70	
A110	1332.50	499.70	
A111	1332.50	354.70	
A112	1332.50	269.70	
A113	1332.50	124.70	
A114	1332.50	39.70	
A115	1367	912	
A116	1367	862	
A117	1367	472	
A118	1367	82	
A119	1477	862	
A120	1533.50	875.70	
A121	1533.50	380.70	
A122	1547	912	
A123	1547	82	
A124	1603.50	875.70	
A125	1603.50	380.70	
A126	1605.50	695.70	
A127	1605.50	560.70	
A128	1685	950	

TAG	X LOC	Y LOC	SIZE
B1	15	1170	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6
B2	15	635	
B3	15	100	
B4	1685	1170	
B5	1685	635	
B6	1685	100	

TAG	X LOC	Y LOC	SIZE
C1	80	617	∅ 4.20 THRU M5x0.8 - 6H THRU
C2	160	617	
C3	177.50	1120.70	
C4	177.50	970.70	
C5	203.50	880.70	
C6	207.50	1120.70	
C7	207.50	970.70	
C8	218.50	880.70	
C9	225	617	
C10	305	617	
C11	313.50	880.70	
C12	324.50	1120.70	
C13	324.50	970.70	
C14	328.50	880.70	
C15	354.50	1120.70	
C16	354.50	970.70	
C17	370	617	
C18	450	617	
C19	515	552	
C20	515	291	
C21	515	30	
C22	908.80	1259.60	
C23	908.80	1119.60	
C24	938.80	1259.60	
C25	938.80	1119.60	
C26	1012.80	1069.60	
C27	1012.80	889.60	
C28	1042.80	1069.60	
C29	1042.80	889.60	
C30	1153.80	1225.50	
C31	1153.80	1187.50	
C32	1153.80	995.50	
C33	1153.80	957.50	
C34	1191.80	1225.50	
C35	1191.80	1187.50	
C36	1191.80	995.50	
C37	1191.80	957.50	
C38	1383.50	1157.20	
C39	1383.50	1007.20	

TAG	X LOC	Y LOC	SIZE
C40	1383.50	726.70	∅ 4.20 THRU M5x0.8 - 6H THRU
C41	1383.50	576.70	
C42	1383.50	426.70	
C43	1383.50	276.70	
C44	1383.50	126.70	
C45	1409.50	917.20	
C46	1409.50	816.70	
C47	1409.50	36.70	
C48	1413.50	1157.20	
C49	1413.50	1007.20	
C50	1413.50	726.70	
C51	1413.50	576.70	
C52	1413.50	426.70	
C53	1413.50	276.70	
C54	1413.50	126.70	
C55	1424.50	917.20	
C56	1424.50	816.70	
C57	1424.50	36.70	
C58	1519.50	917.20	
C59	1519.50	816.70	
C60	1519.50	36.70	
C61	1530.50	1157.20	
C62	1530.50	1007.20	
C63	1530.50	726.70	
C64	1530.50	576.70	
C65	1530.50	426.70	
C66	1530.50	276.70	
C67	1530.50	126.70	
C68	1534.50	917.20	
C69	1534.50	816.70	
C70	1534.50	36.70	
C71	1560.50	1157.20	
C72	1560.50	1007.20	
C73	1560.50	726.70	
C74	1560.50	576.70	
C75	1560.50	426.70	
C76	1560.50	276.70	
C77	1560.50	126.70	

TAG	X LOC	Y LOC	SIZE
D1	90.50	1090.70	∅ 2.50 THRU M3x0.5 - 6H THRU
D2	140.50	1090.70	
D3	1113.80	1177.50	
D4	1129.80	1177.50	
D5	1214.30	1214.50	
D6	1214.30	1198.50	
D7	1214.30	984.50	
D8	1214.30	968.50	
D9	1592.50	1142.20	
D10	1592.50	962.20	
D11	1592.50	591.70	
D12	1592.50	411.70	
D13	1592.50	231.70	
D14	1642.50	1142.20	
D15	1642.50	962.20	
D16	1642.50	591.70	
D17	1642.50	411.70	
D18	1642.50	231.70	
E1	119.99	1005.97	∅65
E2	119.99	840	
E3	563.53	787.76	
E4	653	1005.97	
E5	855.26	234.51	
E6	1036.70	585.77	
E7	1116.09	1011.59	
E8	1123.48	846.30	
E9	1605	765	
E10	1605	115	
F1	495	1227.20	∅ 8.50 THRU M10x1.5 - 6H THRU
F2	535	1227.20	
F3	620	803.70	
F4	620	688.70	
F5	1007.50	688.70	
F6	1207.50	803.70	
G1	760.50	586.20	∅ 6.80 THRU M8x1.25 - 6H THRU
G2	760.50	536.20	
G3	765	289.70	
G4	816	289.70	
G5	816.50	1114	
G6	866.50	1114	
G7	1100.50	565.20	
G8	1100.50	545.20	
G9	1170.50	565.20	
G10	1170.50	545.20	
G11	1229.53	1116.30	
G12	1229.53	1051.30	
G13	1245.50	586.20	
G14	1245.50	536.20	
G15	1269.53	1116.30	
G16	1269.53	1051.30	
H1	778	238.70	∅ 3.30 THRU M4x0.7 - 6H THRU
H2	798	238.70	
H3	831.50	1050	
H4	851.50	1050	
H5	1266	667.20	
H6	1266	647.20	
H7	1266	437.20	
H8	1266	417.20	
H9	1266	207.20	
H10	1266	187.20	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-----	-----	-----	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:7.5 | SHEET 2 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich


DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 2 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-2

REV. 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:9 | SHEET 1 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 3 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-3

REV. 1

TAG	X LOC	Y LOC	SIZE
A1	15	50	∅ 5 THRU M6x1.0 - 6H THRU
A2	292.50	155.80	
A3	292.50	245.80	
A4	300	299.80	
A5	300	509.80	
A6	391	111.80	
A7	391	131.80	
A8	391	605.80	
A9	391	625.80	
A10	421	111.80	
A11	421	131.80	
A12	421	605.80	
A13	421	625.80	
A14	652.50	155.80	
A15	852.50	155.80	
A16	918.50	111.80	
A17	918.50	131.80	
A18	918.50	605.80	
A19	918.50	625.80	
A20	930	509.80	
A21	948.50	111.80	
A22	948.50	131.80	
A23	948.50	605.80	
A24	948.50	625.80	
A25	952.50	155.80	
A26	1052.50	155.80	
A27	1152.50	155.80	
A28	1169	101.80	
A29	1193	101.80	
A30	1252.50	155.80	
A31	1294.50	105.30	
A32	1332.50	105.30	
A33	1352.50	155.80	
A34	1446	111.80	
A35	1446	131.80	
A36	1446	605.80	
A37	1446	625.80	
A38	1476	111.80	
A39	1476	131.80	
A40	1476	605.80	
A41	1476	625.80	
A42	1552.50	155.80	
A43	1552.50	245.80	
A44	1560	299.80	
A45	1560	509.80	
A46	1685	50	

TAG	X LOC	Y LOC	SIZE
B1	15	100	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6
B2	15	660	
B3	100	15	
B4	100	745	
B5	850	15	
B6	850	745	
B7	1600	15	
B8	1600	745	
B9	1685	100	
B10	1685	660	
C1	160	35	∅ 4.20 THRU M5x0.8 - 6H THRU
C2	305	35	
C3	408.50	218.80	
C4	408.50	248.80	
C5	408.50	488.80	
C6	408.50	518.80	
C7	450	35	
C8	558.50	218.80	
C9	558.50	248.80	
C10	558.50	488.80	
C11	558.50	518.80	
C12	708.50	218.80	
C13	708.50	248.80	
C14	708.50	488.80	
C15	708.50	518.80	
C16	858.50	218.80	
C17	858.50	248.80	
C18	858.50	488.80	
C19	858.50	518.80	
C20	1008.50	218.80	
C21	1008.50	248.80	
C22	1008.50	488.80	
C23	1008.50	518.80	
C24	1158.50	218.80	
C25	1158.50	248.80	
C26	1158.50	488.80	
C27	1158.50	518.80	
C28	1308.50	218.80	
C29	1308.50	248.80	
C30	1308.50	488.80	
C31	1308.50	518.80	
C32	1396	80	
C33	1396	150	
C34	1458.50	218.80	
C35	1458.50	248.80	
C36	1458.50	488.80	
C37	1458.50	518.80	

TAG	X LOC	Y LOC	SIZE
D1	530	675	∅65
D2	555	92	
D3	1005	92	
D4	1050	675	
E1	1120	650.30	∅ 3.30 THRU M4x0.7 - 6H THRU
E2	1120	670.30	
F1	1171	634.80	∅ 6.80 THRU M8x1.25 - 6H THRU
F2	1171	685.80	
G1	1182	660.30	$10^{+0.05}_{+0.02}$ X 30 ↧ 5

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-----	-----	-----	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:9 | SHEET 2 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Main Base 3 A

DRAWING NUMBER
DVPMA-ATS2-FS-A-0020-3

REV. 1