

PART No.
TGM-15-222C-xx

1 REV.

ITEM NO.	PART NUMBER	PART NAME	DESCRIPTION	QTY.
1	TGM-15-222C-01	Rack M/M. 3 Layer	Made to order	1
2	TGM-15-222C-02	Cover slide 3 Layer	Made to order	1
3	Key lock	Cabinet lock, sliding door	Made to maker	2

Edge Cover by SUS 304 t=0.5
Clear Acrylic t=5






DETAIL F
SCALE 1 : 5


For: Vendor After Ass'y to PMC.

Note: 1. Break all Corner NO Sharp edge
2. Welding All way NO burr
3. Lock by screw


Handle Clear Acrylic

For: Vendor install dust





DETAIL E
SCALE 1 : 2



SECTION D-D
SCALE 1 : 25

REV.	ECN No.	DATE	NAME	
1	----	----	---	ENG

MinebeaMitsumi Inc.
Copy issued Uncontrolled
5/8/2568
Engineering Design center
G/M.1 & M/A. Div.

UNLESS SPECIFIED C0.1 OR R0.1		
GENERAL TOLERANCE		
JISB0405 MACHING WORKING		
LESS THAN 0.5	±0.05	
0.5 ~ 6	±0.1	
6 ~ 30	±0.2	
30 ~ 120	±0.3	
120 ~ 400	±0.4	
400 ~ 1000	±0.8	
ANGLE	±1°	

0.8S 6.3S 25S 100S UNCUT

M/C. -
Q'ty 1
MATERIAL -
FINISH -
HEAT TREATMENT -

List Request No. 219/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 6 Aug' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Ass'y Rack M/M.3 Layer


PART No. TGM-15-222C-xx

1 REV.


PART No.
TGM-15-222C-01

1 REV.







DETAIL E
SCALE 2 : 15




DETAIL F




DETAIL H



SECTION D-D
SCALE 1 : 25



DETAIL G
SCALE 1 : 10
4 place



DETAIL Z
SCALE 2 : 15
8 place

Note:
1. Break all Corner NO sharp edge
2. General Tolerance ±0.1
3. Bake Colour No. FF110/908/C Marker
   Oxyplast Power Coating
4. Welding All Way NO Burr

REV.	EC
1	

MinebeaMitsumi Inc.
Copy issued Uncontrolled
5/8/2568
Engineering Design center
G/M.1 & M/A. Div.

DESCRIPTION
ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C.	Q'ty
-	1

MATERIAL: Steel, SUS 304
FINISH: Bake Colour
HEAT TREATMENT: -

List Request No. 215/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 31 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Rack M/M. 3 Layer

PART No. TGM-15-222C-01


1 REV.

PART No.
TGM-15-222C-02

1 REV.




DETAIL K
SCALE 1 : 5



Marking Dwg. No.

DETAIL G
SCALE 1 : 10




DETAIL W
SCALE 1 : 10




Handle Clear Acrylic

Roller for Cover slide

DETAIL H
SCALE 1 : 10
4 place







DETAIL F
SCALE 1 : 8
4 place



SECTION D-D



DETAIL J
SCALE 1 : 5



DETAIL E
SCALE 1 : 1

Edge Cover by SUS 304 t=0.5
Polished

Clear Acrylic t=5

Note: 1. Break all Corner NO Sharp edge
2. Welding All way NO burr
3. Lock by screw

REV.	ECN No.	DATE	NAME
1	----	----	---

MinebeaMitsumi Inc.
Copy issued Uncontrolled
5/8/2568
Engineering
Design center
G/M.1 & M/A. DIV.

ASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. -
Q'ty 1
MATERIAL As above
FINISH Polished
HEAT TREATMENT -

List Request No. 219/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 6 Aug' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Cover slide 3 Layer

PART No. TGM-15-222C-02

1 REV.