


PART No.
TGM-15-598A-xx

1
REV.







SECTION E-E
SCALE 1 : 14




DETAIL R
SCALE 1 : 7




SECTION D-D
SCALE 1 : 14




SECTION T-T
SCALE 1 : 14





DETAIL AF
SCALE 1 : 7



SECTION Q-Q
SCALE 1 : 14

ITEM	PART NUMBER	PART NAME	DESCRIPTION	QTY.
1	TGM-15-598A-01	Housing	Made to order	1
2	TGM-15-598A-02	Rotor Shaft	Made to order	1
3	TGM-15-598A-03	Upper Plate	Made to order	1
4	TGM-15-598A-04	Rotor table	Made to order	1
5	TGM-15-598A-05	Base Plate	Made to order	1
6	TGM-15-598A-06	Strut Plate	Made to order	2
7	TGM-15-598A-07	Motor Plate	Made to order	1
8	TGM-15-598A-08	Side Plate	Made to order	1
9	TGM-15-598A-09	Adjust Block	Made to order	1
10	TGM-15-598A-10	Spacer	Made to order	1
11	TGM-15-598A-11	Cover Plate 1	Made to order	1
12	TGM-15-598A-12	Plate Support	Made to order	2
13	TGM-15-598A-13	Base support	Made to order	1
14	TGM-15-598A-14	Cover Plate2	Made to order	1
15	TGM-15-598A-15	Cover Plate3	Made to order	2
16	TGM-15-598A	Table	Made to order	1
17	B0014-06-013	Plastic Tary	ARIOTECH	1
18	B0014-06-001	Alminium Bucket	ARIOTECH	1
19	B0014-00-023	Shooter	ARIOTECH	1
20	BLM230-50B	Brushless Motor	ORIM VEXTA	1
21	BMUD30-C2	Brushless Motor	ORIM VEXTA	1
22	FWAS-D33-V25-0-T6	Washer	Misumi	1
23	B7205	Bearing	Misumi	2
24	PLNY25	Bearing nut	Misumi	1
25	ATPA28L075-B-P18	Timing pulley	Misumi	1
26	ATPA16L075-A-C10	Timing pulley	Misumi	1
27	TBN165L075	Timing belt	Misumi	1
28	AJST6-25	Adjust bolt	Misumi	1
29	NFJN10-100	Adjuster Pat	Misumi	4
30	NFJN12-75	Adjuster Pat	Misumi	4
31	MSFSTN20-160	Stand	Misumi	4
32	LFSBN10-143	Device mounting stand	Misumi	1
33	LFSBF20	Device mounting stand	Misumi	4
34	AQMC10	Compact prop clamp	Misumi	1
35	PWF4	Washer	Misumi	6
36	PWF5	Washer	Misumi	16
37	PWF6	Washer	Misumi	4
38	SLW4	Sping Washer	Misumi	2
39	SLW5	Sping Washer	Misumi	16
40	CB4-10	Cap screw	Misumi	26
41	CB4-18	Cap screw	Misumi	2
42	CB4-20	Cap screw	Misumi	4
43	CB5-18	Cap screw	Misumi	4
44	CB5-20	Cap screw	Misumi	16
45	CB6-12	Cap screw	Misumi	4
46	CB6-20	Cap screw	Misumi	6
47	CB6-50	Cap screw	Misumi	4

REV.	ECN No.	DATE	NAME	
1	----	----	---	ENG

MinebeaMitsumi Inc.
Copy issued Uncontrolled
23/5/2568
Engineering
Design center
G/M.1 & M/A. Div.

UNLESS SPECIFIED
C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S
6.3S
25S
100S
~ UNCUT

M/C. M06J II
Q'ty 1
MATERIAL -
FINISH -
HEAT TREATMENT -

List Request No. 17/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 22 May'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE:
Ass'y Table receive end bar


PART No.
TGM-15-598A-xx


1
REV.


PART No. TGM-15-598

2 REV.









SECTION D-D
SCALE 1 : 10

MinebeaMitsumi Inc.
Copy issued Uncontrolled
23/5/2568
Engineering Design center
G/M.1 & M/A. Div.

Note:
1. Break all Corner NO sharp edge
2. General Tolerance ±0.1
3. Bake Colour No. FF160/835/CW2 Marker Oxyplast Power Coating
4. Welding All Way NO Burr

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	17 May'22	Preecha	Change: M12 ==> M10

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. M06SY | Q'ty 1
MATERIAL SS 400
FINISH -
HEAT TREATMENT -

List Request No. 75/22
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Chonknok	Chonknok	Preecha	Preecha

DATE 18 Feb' 22

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Table receive part


PART No. TGM-15-598


2 REV.


PART No. TGM-15-598A


1 REV.












SECTION D-D
SCALE 1 : 10



MinebeaMitsumi Inc.
Copy issued Uncontrolled
23/5/2568
Engineering Design center
G/M.1 & M/A. Div.

Note:
1. Break all Corner NO sharp edge
2. General Tolerance ±0.1
3. Bake Colour No. FF160/835/CW2 Marker Oxyplast Power Coating
4. Welding All Way NO Burr

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. M06J | Q'ty 1
MATERIAL SS 400
FINISH -
HEAT TREATMENT -

List Request No. 210/24
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Chonknok	Preecha	Preecha

DATE 24 Jul' 24

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Table receive end bar


PART No. TGM-15-598A

1 REV.


PART No. TGM-15-598A-01


REV. 1

Rt=12 (Rt=6 , Rt=3.2)



SECTION D-D
SCALE 1 : 2.5





MinebeaMitsumi Inc.
Copy issued Uncontrolled
23/5/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

Ref Dwg No: TPMA-18-043

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JIS B0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	1

MATERIAL: SS400

FINISH: Nickle

HEAT TREATMENT: -

List Request No. 17/25

3 RD ANGLE

SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Housing

PART No. TGM-15-598A-01


REV. 1

PART No. TGM-15-598A-02 | 1 REV.


Rt=12 ( )





DETAIL F
SCALE 2 : 1



DETAIL E
SCALE 1 : 0.7







MinebeaMitsumi Inc.
Copy issued Uncontrolled
14/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

Ref Dwg No. TPMA-18-044

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. M06J II | Q'ty 1
MATERIAL SS400
FINISH Mickle
HEAT TREATMENT -

List Request No. 17/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Rotor shaft


PART No. TGM-15-598A-02 | 1 REV.

PART No.
TGM-15-598A-03

1
REV.

Rt=12 (Rt=3.2)





SECTION D-D
SCALE 1 : 5

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

MinebeaMitsumi Inc.
Copy issued Uncontrolled
4/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Ref Dwg No. TPMA-18-045

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. M06J II
Q'ty 1
MATERIAL A5052
FINISH White anodize
HEAT TREATMENT -

List Request No. 17/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Upper Plate


PART No. TGM-15-598A-03


1
REV.

PART No. TGM-15-598A-04 | 1 REV.

Rt=12 (Rt=3.2)







SECTION F-F

MinebeaMitsumi Inc.
Copy issued Uncontrolled
4/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

Ref Dwg No. TPMA-18-046

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	1

MATERIAL: A5052

FINISH: White Anodize

HEAT TREATMENT: -

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Rotor Table

PART No. TGM-15-598A-04 | 1 REV.

PART No.
TGM-15-598A-05

1
REV.

Rt=12



MinebeaMitsumi Inc.
Copy issued
Uncontrolled
4/2/2568
Engineering
Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

Ref Dwg No. TPMA-18-047

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED	
C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	M06J II
Q'ty	1
MATERIAL	SS400
FINISH	Nickle
HEAT TREATMENT	-

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Base plate


PART No. TGM-15-598A-05


1
REV.


PART No.
TGM-15-598A-06


1
REV.


Rt=12 (Rt=6.3)











Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

Ref Dwg No TPMA-18-048

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	2

MATERIAL: SS400

FINISH: Nickle

HEAT TREATMENT: -

List Request No. 17/25

3 RD ANGLE

SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Strut plate

PART No. TGM-15-598A-06

1
REV.

PART No. TGM-15-598A-07 | 1 REV.

Rt=25



MinebeaMitsumi Inc.
Copy issued Uncontrolled
14/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

Ref Dwg No. TPMA-18-049

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S | 6.3S | 25S | 100S | ~ UNCUT

M/C.	Q'ty
M06J II	1
MATERIAL	
SS400	
FINISH	
Nickle	
HEAT TREATMENT	
-	

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Motor Plate


PART No. TGM-15-598A-07 | 1 REV.


PART No. TGM-15-598A-08

REV. 1

Rt=25







MinebeaMitsumi Inc.
Copy issued Uncontrolled
4/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

Ref Dwg No. TPMA-18-050

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C.	Q'ty
M06J II	1
MATERIAL: SS400	
FINISH: Nickle	
HEAT TREATMENT: -	

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Side plate


PART No. TGM-15-598A-08 REV. 1


PART No. TGM-15-598A-09

REV. 1

Rt=25







MinebeaMitsumi Inc.
Copy issued Uncontrolled
4/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

Ref Dwg No. TPMA-18-051

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C.	Q'ty
M06J II	1
MATERIAL	
SS400	
FINISH	
Nickle	
HEAT TREATMENT	
-	

List Request No. 17/25

3 RD ANGLE

SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Adjust block


PART No. TGM-15-598A-09 REV. 1

PART No. TGM-15-598A-10 | 1 REV.

Rt=12







MinebeaMitsumi Inc.
Copy issued Uncontrolled
4/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	1
MATERIAL: SS400	
FINISH: Nickle	
HEAT TREATMENT: -	

List Request No. 17/25

3 RD ANGLE | SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Spacer

PART No. TGM-15-598A-10 | 1 REV.

PART No. TGM-15-598A-11

1 REV.

Rt=12



Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	1

MATERIAL: SUS304

FINISH: -

HEAT TREATMENT: -

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Cover plate (1)


PART No. TGM-15-598A-11


1 REV.


PART No. TGM-15-598A-12 | 1 REV.

Rt=12









Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	2

MATERIAL: A5052

FINISH: White anodize

HEAT TREATMENT: -

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate support recieve part


PART No. TGM-15-598A-12 | 1 REV.

PART No. TGM-15-598A-13 | 1 REV.

Rt=12







MinebeaMitsumi Inc.
Copy issued Uncontrolled
14/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	1

MATERIAL: A5052

FINISH: White anodize

HEAT TREATMENT: -

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Base support


PART No. TGM-15-598A-13 | 1 REV.

PART No. TGM-15-598A-14 | 1 REV.

Rt=12







MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	1

MATERIAL: A5052

FINISH: White anodize

HEAT TREATMENT: -

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Cover plate(2)

PART No. TGM-15-598A-14 | 1 REV.

PART No. TGM-15-598A-15 | 1 REV.

Rt=12





MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/2/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
M06J II	2

MATERIAL: SUS304

FINISH: -

HEAT TREATMENT: -

List Request No. 17/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Chonknok	Preecha	Preecha

DATE 20 Jan'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Cover plate (3)

PART No. TGM-15-598A-15 | 1 REV.