K.S. Engineering and Supply Co., Ltd.
บริษัท เค.เอส. เอ็นจิเนียริ่ง แอนด์ ซัพพลาย จำกัด
(รับผลิตงานเหล็ก สแตนเลส รับเหมาก่อสร้าง งานระบบครบวงจร)
www.ksall.co.th
50 หมู่ 4 ตำบลโพธิ์สามต้น อำเภอบางปะหัน
จังหวัดพระนครศรีอยุธยา 13220
โทร. (035)-200948 , 089-3724750
อีเมล์ : ks.engineeringandsupply@gmail.com
เลขประจำตัวผู้เสียภาษี : 0145562005351 (สำนักงานใหญ่)

Quotation
ใบเสนอราคา

เรียน คุณ กุลรดา
บริษัท เอ็นเอ็มบี-มินีแบ ไทย จำกัด (บางปะอิน)

แผนก PMC

โทร. (035) 361429 ต่อ 1610

เลขที่	3283/2568
วันที่	3 กันยายน 2568

Item ลำดับ	Description รายการ	Qty จำนวน	Unit หน่วย	Unit Price หน่วยละ	Discount/Unit ส่วนลด/หน่วย	Amount ราคารวม
1	RACK (TGM-61-066N-XX) REV. 2	1	SET	29,500.00		29,500.00

รวมเงิน	29,500.00
ภาษีมูลค่าเพิ่ม 7%	2,065.00
จำนวนเงินทั้งสิ้น	**31,565.00**

หมายเหตุ
- กำหนดยืนราคาที่ 30 วัน

เงื่อนไขการชำระเงิน
- เครดิต 15 วัน

ทางบริษัท หวังเป็นอย่างยิ่งว่าราคาที่เสนอคงได้รับการพิจารณาจากท่าน และกราบขอบพระคุณมา ณ โอกาสนี้ที่ให้โอกาสกับทางบริษัท ด้วยดีตลอดมา

Anchalee P


อัญชลี ไพรธุรี
ผู้เสนอราคา


PART No. TGM-61-066N-xx


2 REV.

For Vendor Assembly

ITEM NO.	PART NUMBER	Part Name	DESCRIPTION	QTY.
1	TGM-61-066N-04-1	Frame Rack	Made To Order	1
2	TGM-61-066N-04-2	Oil Pan	Made To Order	3
3	TGM-61-066N-04-3	Cover 1	Made To Order	2
4	TGM-61-066N-04-4	Cover 2	Made To Order	1
5	TGM-61-066N-04-5	Cover 3	Made To Order	1
6	TGM-61-066N-04-6	Frame Cover	Made To Order	1
7	TGM-61-066N-04-7	Cover 4	Made To Order	2
8	TGM-61-066N-04-8	Cover 5	Made To Order	2







MinebeaMitsumi Inc.
Copy issued Uncontrolled
15/3/2567
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Close The Inner Rack So there are No gaps.
2. Item 7 , 8 Door Slide Both Side.
3. For Vendor Assembly By Screw.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----		ENGINEERING RELEASE
2	---	20 Oct'21		Up Date Dwg.

UNLESS SPECIFIED C0.1 OR R0.1		0.8S
GENERAL TOLERANCE		
JISB0405 MACHING WORKING		6.3S
LESS THAN 0.5	±0.05	25S
0.5 ~ 6	±0.1	
6 ~ 30	±0.2	100S
30 ~ 120	±0.3	
120 ~ 400	±0.4	~
400 ~ 1000	±0.8	UNCUT
ANGLE	±1°	

M/C.	Q'ty
-	-
MATERIAL	
-	
FINISH	
-	
HEAT TREATMENT	
-	

List Request No. -

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK			

DATE 19 OCT'21

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Rack


PART No. TGM-61-066N-xx


2 REV.


PART No.
TGM-61-066N-04-1

△3









Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1
3. Bake Colour No. (See Table) △4
4. Welding All Wat No Burr

☑	Colour Tick by user
☐	Bake Colour No. FF110/833/C Maker Oxyplast Coating
☐	Bake Colour No. FF110/908/C Maker Oxyplast Coating

MinebeaMitsumi Inc.
Copy Issued Uncontrolled
29/5/2567
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	20 OCT'21	PREECHA	Up Date Dwg
3	----	20 MAY'24	PREECHA	Ch : Colour No. FA90001AN => FF110/833/C Maker Oxyplast Coating

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ ~ UNCUT

M/C.	-
Q'ty	1
MATERIAL	SS400
FINISH	Bake Colour
HEAT TREATMENT	-

List Request No. -

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK	CHONKNOK	PREECHA	PREECHA

DATE 3 Aug'04

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Frame Rack


PART No. TGM-61-066N-04-1

△3 REV.

PART No.
TGM-61-066N-04-2

2
REV.





MinebeaMitsumi Inc.
Copy issued Uncontrolled
29/5/2567
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx No Sharp Edge.
2. Accept Bend , Welding All Way No Leak.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	20 Oct'2	PREECHA	Up Date Dwg

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
-	3

MATERIAL: SUS304
FINISH: -
HEAT TREATMENT: -

List Request No.: -

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK	CHONKNOK	PREECHA	PREECHA

DATE 3 Aug'04

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Oil Pan

PART No. TGM-61-066N-04-2

2
REV.

PART No.
TGM-61-066N-04-3

2
PF



MinebeaMitsumi Inc.
Copy Issued Uncontrolled
29/5/2567
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	20 OCT'21	PREECHA	Up Date Dwg.

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. -
Q'ty 2
MATERIAL Clear Acrylic
FINISH -
HEAT TREATMENT -

List Request No. -
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK	CHONKNOK	PREECHA	PREECHA

DATE 3 Aug'04


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Cover 1

PART No. TGM-61-066N-04-3
2 REV.

PART No.
TGM-61-066N-04-4

2
PF



MinebeaMitsumi Inc.
Copy Issued
Uncontrolled
29/5/2567
Engineering
Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	20 OCT'21	PREECHA	Up Date Dwg.

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S, 6.3S, 25S, 100S, ~ UNCUT

M/C.	Q'ty
-	1

MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

List Request No.: -

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK	CHONKNOK	PREECHA	PREECHA

DATE 3 Aug'04

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Cover 2

PART No. TGM-61-066N-04-4

2 REV.

PART No.
TGM-61-066N-04-5

2
REV.



MinebeaMitsumi Inc.
Copy Issued Uncontrolled
29/5/2567
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	-----	-----	---	ENGINEERING RELEASE
2	-----	20 OCT'21	PREECHA	Up Date Dwg.

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. -
Q'ty 1
MATERIAL Clear Acrylic
FINISH -
HEAT TREATMENT -

List Request No. -
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK	CHONKNOK	PREECHA	PREECHA

DATE 3 Aug'04

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Cover 3


PART No. TGM-61-066N-04-5

2
REV.


PART No.
TGM-61-066N-04-6

2
REV.







SECTION D-D
SCALE 1 : 17.5



DETAIL F
SCALE 1 : 0.8



DETAIL E
SCALE 2 : 1.5



MinebeaMitsumi Inc.
Copy Issued Uncontrolled
29/5/2567
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx No Sharp Edge.
2. Accept Welding All Way , And Bend.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	-----	-----	---	ENGINEERING RELEASE
2	-----	20 Oct'2	PREECHA	Up Date Dwg

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C.	Q'ty
-	1
MATERIAL: SUS304	
FINISH: -	
HEAT TREATMENT: -	

List Request No.: -

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK	CHONKNOK	PREECHA	PREECHA

DATE 3 Aug'04

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Frame Cover


PART No. TGM-61-066N-04-6

2 REV.

PART No.
TGM-61-066N-04-7

2
REV.





MinebeaMitsumi Inc.
Copy issued Uncontrolled
29/5/2567
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx No Sharp Edge.
2. Accept Welding All Way , And Bend.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	-----	-----	---	ENGINEERING RELEASE
2	----	20 Oct'21	PREECHA	Up Date Dwg

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
-	2

MATERIAL: AS ABOVE
FINISH: -
HEAT TREATMENT: -

List Request No.: -

3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK	CHONKNOK	PREECHA	PREECHA

DATE 3 Aug'04

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Cover 4


PART No. TGM-61-066N-04-7

2
REV.

PART No.
TGM-61-066N-04-8

2
REV.





MinebeaMitsumi Inc.
Copy Issued Uncontrolled
29/5/2567
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx No Sharp Edge.
2. Accept Welding All Way , And Bend.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	20 Oct'21	PREECHA	Up Date Dwg

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C.	Q'ty
-	2

MATERIAL: AS ABOVE

FINISH: -

HEAT TREATMENT: -

List Request No.: -

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
CHONKNOK	CHONKNOK	PREECHA	PREECHA

DATE 3 Aug'04

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Cover 5

PART No. TGM-61-066N-04-8

2
REV.