







Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0
5. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Jun/ 23
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 5 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Box Control

DRAWING NUMBER: DVPMA-ATS2-BC-A-0010

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	8	98	∅ 4.20 THRU M5x0.8 - 6H THRU
A2	8	338	
A3	843	98	
A4	843	338	
B1	50	108	∅ 3.30 THRU M4x0.7 - 6H THRU
B2	50	273.50	
B3	50	328	
B4	75	162.50	
B5	135	273.50	
B6	160	162.50	
B7	220	273.50	
B8	245	162.50	
B9	250	108	
B10	250	328	
B11	305	273.50	
B12	330	162.50	
B13	390	273.50	
B14	415	162.50	
B15	475	273.50	
B16	500	162.50	
B17	560	273.50	
B18	585	162.50	
B19	600	108	
B20	600	328	
B21	664.82	163	
B22	664.82	263	
B23	800	108	
B24	800	328	
B25	1084.82	230.50	
B26	1145	108	
B27	1145	328	
B28	1209.82	230.50	
B29	1279	163	
B30	1279	263	

View A



Note :
1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0
5. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 2 / 5 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Box Control
DRAWING NUMBER: DVPMA-ATS2-BC-A-0010
1 REV.

TAG	X LOC	Y LOC	SIZE
A1	25	274.95	∅ 3.30 THRU M4x0.7 - 6H THRU
A2	200	274.95	
A3	375	274.95	
B1	110	52	∅ 4.20 THRU M5x0.8 - 6H THRU
B2	110	182	
B3	340	52	
B4	340	182	





View B

Note :
1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0
5. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 3 / 5 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Box Control

DRAWING NUMBER: DVPMA-ATS2-BC-A-0010

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	164	230	∅ 5 THRU M6x1.0 - 6H THRU
A2	164	310	





View C

Note :
1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0
5. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 4 / 5 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Box Control

DRAWING NUMBER: DVPMA-ATS2-BC-A-0010

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	17	110	
A2	17	360	
A3	48	30	
A4	61.50	341	
A5	82	175	
A6	82	300	
A7	84.50	107.50	
A8	91.50	237.50	
A9	104.50	427	
A10	131.50	341	
A11	151	473	
A12	174.50	427	
A13	201.50	341	
A14	232	175	
A15	232	300	
A16	244.50	427	
A17	271.50	341	
A18	314.50	427	
A19	341.50	341	
A20	348	30	
A21	384.50	427	
A22	411.50	341	
A23	422	107.50	
A24	429	237.50	∅ 3.30 THRU M4x0.7 - 6H THRU
A25	454.50	427	
A26	526.99	377.50	
A27	548	30	
A28	601	473	
A29	632	175	
A30	632	300	
A31	701.99	377.50	
A32	759.50	107.50	
A33	766.50	237.50	
A34	782	175	
A35	782	300	
A36	798	30	
A37	836.50	107.50	
A38	911.50	237.50	
A39	951.99	377.50	
A40	1039.49	377.50	
A41	1087	175	
A42	1087	300	
A43	1099	107.50	
A44	1101	473	
A45	1149	237.50	
A46	1186.50	107.50	
A47	1198	30	
B1	118	70	
B2	118	270	
B3	458	70	
B4	458	270	∅ 7 THRU
B5	768	70	
B6	768	270	
B7	1108	70	
B8	1108	270	
C1	592	13	∅16
C2	704	13	



View D

Note :

1. **Paint the primer before the actual color.**
2. **Rework screw after actual color.**
3. **Baked Color **8791 Warm Cream (TOA)**
4. **Unless otherwise specified all bending edges and corners is R1.0~R5.0**
5. **Accept welding**

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 5 / 5 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Box Control

DRAWING NUMBER: DVPMA-ATS2-BC-A-0010

REV. 1









Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0
5. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Jun/ 23
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC = 2
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Breaker

DRAWING NUMBER: DVPMA-ATS2-BC-A-0020

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	10	∅ 6 THRU ALL
A2	10	270	
A3	490	10	
A4	490	270	
B1	57.50	169.50	∅ 3.30 THRU M4x0.7 - 6H THRU
B2	57.50	232	
B3	155	55	
B4	148	230	
B5	198	230	
B6	288	275	
B7	395	55	
B8	323	125	
B9	350	275	
B10	385	125	



Note :
1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SPCC

FINISH
Powder Coating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Control 1

DRAWING NUMBER
DVPMA-ATS2-BC-A-0041

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	48.75	88	∅ 6.80 THRU M8x1.25 - 6H THRU
A2	48.75	8	
B1	155.50	62	∅ 4.20 THRU M5x0.8 - 6H THRU
B2	155.50	53	
B3	155.50	5	
C1	170	257	
D1	190	185	∅ 3.30 THRU M4x0.7 - 6H THRU
D2	190	35	
D3	277.50	228.50	
D4	277.50	9	
D5	293.50	228.50	
D6	293.50	9	
D7	384	185	
D8	384	35	
D9	476.50	228.50	
D10	476.50	9	
D11	492.50	228.50	
D12	492.50	9	
D13	606	185	
D14	606	35	
D15	686.50	165.50	
D16	686.50	9	
D17	702.50	165.50	
D18	702.50	9	
D19	785	185	
D20	785	35	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Jun/ 23
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C

MATERIAL
SPCC

FINISH
Powder Coating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Solenoid A

DRAWING NUMBER
DVPMA-ATS2-BC-A-0050

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----------	----------	----------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Caster 1A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0010

1 REV.

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development



Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:6	SHEET 1 / 2	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 1 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-1

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	325	∅ 5 THRU M6x1.0 - 6H THRU
A2	134.50	132.70	
A3	204.50	132.70	
A4	355	686.70	
A5	395	686.70	
A6	415	592.20	
A7	415	562.20	
A8	416	154.20	
A9	416	124.20	
A10	422.88	299.99	
A11	431	649.70	
A12	431	504.70	
A13	431	169.70	
A14	431	24.70	
A15	435	592.20	
A16	435	562.20	
A17	435	429.70	
A18	435	294.70	
A19	436	154.20	
A20	436	124.20	
A21	465	429.70	
A22	465	294.70	
A23	469	649.70	
A24	469	504.70	
A25	469	169.70	
A26	469	24.70	
A27	553.50	56.70	
A28	553.50	16.70	
A29	607.50	319.20	
A30	642.50	319.20	
A31	677.50	319.20	
A32	743.50	244.70	
A33	743.50	224.70	
A34	751	56.70	
A35	751	16.70	
A36	773.50	244.70	
A37	773.50	224.70	
A38	881.30	650.60	
A39	881.30	538.60	

TAG	X LOC	Y LOC	SIZE
A40	881.30	438.60	∅ 5 THRU M6x1.0 - 6H THRU
A41	881.30	338.60	
A42	881.30	238.60	
A43	881.30	138.60	
A44	881.30	38.60	
A45	939.30	650.60	
A46	985.30	510.60	
A47	985.30	398.60	
A48	985.30	298.60	
A49	985.30	198.60	
A50	985.30	98.60	
A51	1043.30	510.60	
A52	1078.50	447.32	
A53	1078.50	417.32	
A54	1091.80	16	
A55	1098.50	447.32	
A56	1098.50	417.32	
A57	1111.80	111	
A58	1111.80	41	
A59	1131.80	111	
A60	1131.80	41	
A61	1181	373.82	
A62	1221	373.82	
A63	1296.50	389.20	
A64	1296.50	225.20	
A65	1296.50	159.20	
A66	1330.50	389.20	
A67	1330.50	225.20	
A68	1330.50	159.20	
A69	1367	282	
A70	1477	282	
A71	1517.38	676.25	
A72	1533.50	330.70	
A73	1540.89	708.61	
A74	1603.50	330.70	
A75	1603.50	150.70	
A76	1603.50	15.70	
A77	1685	680	

TAG	X LOC	Y LOC	SIZE
B1	15	255	∅ 6.60 THRU ⌴ ∅ 11 ↧ 6
B2	15	20	
B3	364	680	
B4	364	480	
B5	600	745	
B6	1100	745	
B7	1600	745	
B8	1685	660	
B9	1685	20	
C1	90.50	180.70	∅ 2.50 THRU M3x0.5 - 6H THRU
C2	140.50	180.70	
C3	1113.80	137.50	
C4	1129.80	137.50	
C5	1592.50	52.20	
C6	1642.50	52.20	
D1	177.50	300.70	∅ 4.20 THRU M5x0.8 - 6H THRU
D2	177.50	150.70	
D3	203.50	390.70	
D4	207.50	300.70	
D5	207.50	150.70	
D6	218.50	390.70	
D7	313.50	390.70	
D8	324.50	300.70	
D9	324.50	150.70	
D10	328.50	390.70	
D11	354.50	300.70	
D12	354.50	150.70	
D13	908.80	410.60	
D14	908.80	260.60	
D15	908.80	130.60	
D16	938.80	410.60	
D17	938.80	260.60	
D18	938.80	130.60	
D19	1012.80	405.60	
D20	1012.80	225.60	
D21	1012.80	45.60	
D22	1042.80	405.60	
D23	1042.80	225.60	
D24	1042.80	45.60	
D25	1383.50	187.20	
D26	1383.50	37.20	
D27	1409.50	277.20	
D28	1413.50	187.20	
D29	1413.50	37.20	
D30	1424.50	277.20	
D31	1519.50	277.20	
D32	1530.50	187.20	
D33	1530.50	37.20	
D34	1534.50	277.20	
D35	1560.50	187.20	
D36	1560.50	37.20	

TAG	X LOC	Y LOC	SIZE
E1	495	232.20	∅ 8.50 THRU M10x1.5 - 6H THRU
E2	525	22.20	
E3	530	292.20	
E4	530	232.20	
E5	1311.43	632.20	
E6	1311.43	462.20	
E7	1481.43	632.20	
E8	1481.43	462.20	
F1	497.50	587.20	∅ 3.30 THRU M4x0.7 - 6H THRU
F2	497.50	567.20	
F3	612.50	250.20	
F4	612.50	104.20	
F5	620	392.70	
F6	640	392.70	
F7	677.50	250.20	
F8	677.50	104.20	
F9	831.50	128	
F10	851.50	128	
F11	1125	612.20	
F12	1125	592.20	
G1	550	360	∅65
G2	820	360	
G3	1050	620	
G4	1198	258	
G5	1583	640	
G6	1620	280	
H1	563	237.20	∅ 6.80 THRU M8x1.25 - 6H THRU
H2	605	440.70	
H3	655	440.70	
H4	790	237.20	
H5	816.50	74	
H6	825	237.20	
H7	866.50	74	
H8	1176	627.20	
H9	1176	577.20	
H10	1229.53	76.30	
H11	1229.53	11.30	
H12	1269.53	76.30	
H13	1269.53	11.30	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ ~ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:6 | SHEET 2 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 1 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-1

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:7.5 | SHEET 1 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 2 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-21

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	1685	1170	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6
A2	1685	950	
A3	1685	730	
A4	890	15	
A5	520	15	
A6	150	15	
A7	15	1170	
A8	15	635	
A9	15	100	
B1	1685	1125	∅ 5 THRU M6x1.0 - 6H THRU
B2	1685	655	
B3	1565.50	1222.70	
B4	1565.50	1087.70	
B5	1565.50	907.70	
B6	1495.50	907.70	
B7	1438	859.99	
B8	1328	1214.99	
B9	1328	859.99	
B10	1294	927.20	
B11	1294	847.20	
B12	1269	1199.70	
B13	1269	1054.70	
B14	1231	1199.70	
B15	1231	1054.70	
B16	1139.50	1192.20	
B17	1139.50	1062.20	
B18	1094.50	1192.20	
B19	1094.50	1062.20	
B20	1090	1159.20	
B21	1090	1095.20	
B22	1064	927.20	
B23	1064	847.20	
B24	1038	1159.20	
B25	1038	1095.20	
B26	1004.50	442.20	
B27	1004.50	412.20	
B28	1003.20	1221.50	
B29	1003.20	1191.50	
B30	984.50	442.20	
B31	984.50	412.20	
B32	983.20	1221.50	
B33	983.20	1191.50	
B34	902.49	494.43	
B35	899.20	991.50	
B36	899.20	961.50	
B37	892	356.70	
B38	879.20	991.50	
B39	879.20	961.50	
B40	878.20	1266	
B41	862.49	494.43	
B42	852	356.70	
B43	838.20	1266	
B44	834	927.20	
B45	818.70	1208.60	
B46	818.70	1108.60	
B47	818.70	1008.60	
B48	806.50	587.07	
B49	806.50	267.07	
B50	792	627.57	
B51	792	362.57	
B52	792	272.57	
B53	792	222.57	
B54	781.70	1036.50	
B55	760.70	1008.60	
B56	747	627.57	
B57	747	222.57	
B58	742.50	587.07	
B59	742.50	267.07	
B60	741.70	1036.50	
B61	714.70	1168.60	∅ 5 THRU M6x1.0 - 6H THRU
B62	714.70	1068.60	
B63	714.70	968.60	
B64	714.70	868.60	
B65	714.70	768.60	
B66	700	318.16	
B67	700	278.16	
B68	697.50	497.70	
B69	657.50	497.70	
B70	656.70	768.60	
B71	634.20	916.50	
B72	608.20	1246	
B73	598.50	689.20	
B74	598.50	625.20	
B75	596.50	365.20	
B76	594.50	597.20	
B77	594.20	916.50	
B78	588.20	1151	
B79	588.20	1081	
B80	568.20	1151	
B81	568.20	1081	
B82	546.50	689.20	
B83	546.50	625.20	
B84	521.70	919.20	
B85	521.70	855.20	
B86	504.50	597.20	
B87	474.50	467.20	
B88	474.50	387.20	
B89	469.70	919.20	
B90	469.70	855.20	
B91	405.50	729.70	
B92	405.50	584.70	
B93	405.50	499.70	
B94	405.50	354.70	
B95	405.50	269.70	
B96	405.50	124.70	
B97	405.50	39.70	
B98	403.50	1265.20	
B99	403.50	1199.20	
B100	403.50	1035.20	
B101	403.50	969.20	
B102	403.50	805.20	
B103	369.50	1265.20	
B104	369.50	1199.20	
B105	369.50	1035.20	
B106	369.50	969.20	
B107	369.50	805.20	
B108	367.50	729.70	
B109	367.50	584.70	
B110	367.50	499.70	
B111	367.50	354.70	
B112	367.50	269.70	
B113	367.50	124.70	
B114	367.50	39.70	
B115	333	912	
B116	333	862	
B117	333	472	
B118	333	82	
B119	223	862	
B120	166.50	875.70	
B121	166.50	380.70	
B122	153	912	
B123	153	82	
B124	96.50	875.70	
B125	96.50	380.70	
B126	94.50	695.70	
B127	94.50	560.70	
B128	15	950	
C1	1609.50	1090.70	∅ 2.50 THRU M3x0.5 - 6H THRU
C2	1559.50	1090.70	
C3	586.20	1177.50	
C4	570.20	1177.50	
C5	485.70	1214.50	
C6	485.70	1198.50	
C7	485.70	984.50	
C8	485.70	968.50	
C9	107.50	1142.20	
C10	107.50	962.20	
C11	107.50	591.70	
C12	107.50	411.70	
C13	107.50	231.70	
C14	57.50	1142.20	
C15	57.50	962.20	
C16	57.50	591.70	
C17	57.50	411.70	
C18	57.50	231.70	
D1	1580.01	1005.97	∅65
D2	1580.01	840	
D3	1136.47	787.76	
D4	1047	1005.97	
D5	844.74	234.51	
D6	663.30	585.77	
D7	583.91	1011.59	
D8	576.52	846.30	
D9	95	765	
D10	95	115	
E1	1540	617	∅ 4.20 THRU M5x0.8 - 6H THRU
E2	1522.50	1120.70	
E3	1522.50	970.70	
E4	1496.50	880.70	
E5	1492.50	1120.70	
E6	1492.50	970.70	
E7	1481.50	880.70	
E8	1395	617	
E9	1386.50	880.70	
E10	1375.50	1120.70	
E11	1375.50	970.70	
E12	1371.50	880.70	
E13	1345.50	1120.70	
E14	1345.50	970.70	
E15	1250	617	
E16	1185	552	
E17	1185	291	
E18	1185	30	
E19	791.20	1259.60	
E20	791.20	1119.60	
E21	761.20	1259.60	
E22	761.20	1119.60	
E23	687.20	1069.60	
E24	687.20	889.60	
E25	657.20	1069.60	
E26	657.20	889.60	
E27	546.20	1225.50	
E28	546.20	1187.50	
E29	546.20	995.50	
E30	546.20	957.50	
E31	508.20	1225.50	
E32	508.20	1187.50	
E33	508.20	995.50	
E34	508.20	957.50	
E35	316.50	1157.20	
E36	316.50	1007.20	
E37	316.50	726.70	
E38	316.50	576.70	
E39	316.50	426.70	
E40	316.50	276.70	
E41	316.50	126.70	∅ 4.20 THRU M5x0.8 - 6H THRU
E42	290.50	917.20	
E43	290.50	816.70	
E44	290.50	36.70	
E45	286.50	1157.20	
E46	286.50	1007.20	
E47	286.50	726.70	
E48	286.50	576.70	
E49	286.50	426.70	
E50	286.50	276.70	
E51	286.50	126.70	
E52	275.50	917.20	
E53	275.50	816.70	
E54	275.50	36.70	
E55	180.50	917.20	
E56	180.50	816.70	
E57	180.50	36.70	
E58	169.50	1157.20	
E59	169.50	1007.20	
E60	169.50	726.70	
E61	169.50	576.70	
E62	169.50	426.70	
E63	169.50	276.70	
E64	169.50	126.70	
E65	165.50	917.20	
E66	165.50	816.70	
E67	165.50	36.70	
E68	139.50	1157.20	
E69	139.50	1007.20	
E70	139.50	726.70	
E71	139.50	576.70	
E72	139.50	426.70	
E73	139.50	276.70	
E74	139.50	126.70	
F1	1205	1227.20	∅ 8.50 THRU M10x1.5 - 6H THRU
F2	1165	1227.20	
F3	1080	803.70	
F4	1080	688.70	
F5	742.50	688.70	
F6	492.50	803.70	
G1	1202.50	746.20	∅ 6.80 THRU M8x1.25 - 6H THRU
G2	1082.50	746.20	
G3	962.50	746.20	
G4	939.50	586.20	
G5	939.50	536.20	
G6	937.50	289.70	
G7	886.50	289.70	
G8	883.50	1114	
G9	833.50	1114	
G10	772.50	867.20	
G11	599.50	565.20	
G12	599.50	545.20	
G13	529.50	565.20	
G14	529.50	545.20	
G15	470.47	1116.30	
G16	470.47	1051.30	
G17	454.50	586.20	
G18	454.50	536.20	
G19	430.47	1116.30	
G20	430.47	1051.30	
H1	922	238.70	∅ 3.30 THRU M4x0.7 - 6H THRU
H2	902	238.70	
H3	868.50	1050	
H4	848.50	1050	
H5	434	667.20	
H6	434	647.20	
H7	434	437.20	
H8	434	417.20	
H9	434	207.20	
H10	434	187.20	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:7.5 | SHEET 2 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 2 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-21

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:9 | SHEET 1 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Main Base 3 A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0020-3

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	50	∅ 5 THRU M6x1.0 - 6H THRU
A2	292.50	155.80	
A3	292.50	245.80	
A4	300	299.80	
A5	300	509.80	
A6	391	111.80	
A7	391	131.80	
A8	391	605.80	
A9	391	625.80	
A10	421	111.80	
A11	421	131.80	
A12	421	605.80	
A13	421	625.80	
A14	652.50	155.80	
A15	852.50	155.80	
A16	918.50	111.80	
A17	918.50	131.80	
A18	918.50	605.80	
A19	918.50	625.80	
A20	930	509.80	
A21	948.50	111.80	
A22	948.50	131.80	
A23	948.50	605.80	
A24	948.50	625.80	
A25	952.50	155.80	
A26	1052.50	155.80	
A27	1152.50	155.80	
A28	1169	101.80	
A29	1193	101.80	
A30	1252.50	155.80	
A31	1294.50	105.30	
A32	1332.50	105.30	
A33	1352.50	155.80	
A34	1446	111.80	
A35	1446	131.80	
A36	1446	605.80	
A37	1446	625.80	
A38	1476	111.80	
A39	1476	131.80	
A40	1476	605.80	
A41	1476	625.80	
A42	1552.50	155.80	
A43	1552.50	245.80	
A44	1560	299.80	
A45	1560	509.80	
A46	1685	50	

TAG	X LOC	Y LOC	SIZE
B1	15	100	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6
B2	15	660	
B3	100	15	
B4	100	745	
B5	850	15	
B6	850	745	
B7	1600	15	
B8	1600	745	
B9	1685	100	
B10	1685	660	
C1	160	35	∅ 4.20 THRU M5x0.8 - 6H THRU
C2	305	35	
C3	408.50	218.80	
C4	408.50	248.80	
C5	408.50	488.80	
C6	408.50	518.80	
C7	450	35	
C8	558.50	218.80	
C9	558.50	248.80	
C10	558.50	488.80	
C11	558.50	518.80	
C12	708.50	218.80	
C13	708.50	248.80	
C14	708.50	488.80	
C15	708.50	518.80	
C16	858.50	218.80	
C17	858.50	248.80	
C18	858.50	488.80	
C19	858.50	518.80	
C20	1008.50	218.80	
C21	1008.50	248.80	
C22	1008.50	488.80	
C23	1008.50	518.80	
C24	1158.50	218.80	
C25	1158.50	248.80	
C26	1158.50	488.80	
C27	1158.50	518.80	
C28	1308.50	218.80	
C29	1308.50	248.80	
C30	1308.50	488.80	
C31	1308.50	518.80	
C32	1396	80	
C33	1396	150	
C34	1458.50	218.80	
C35	1458.50	248.80	
C36	1458.50	488.80	
C37	1458.50	518.80	

TAG	X LOC	Y LOC	SIZE
D1	530	675	∅ 65
D2	555	92	
D3	1005	92	
D4	1050	675	
E1	1120	650.30	∅ 3.30 THRU M4x0.7 - 6H THRU
E2	1120	670.30	
F1	1171	634.80	∅ 6.80 THRU M8x1.25 - 6H THRU
F2	1171	685.80	
G1	1182	660.30	10 +0.05 +0.02 X 30 ↧ 5

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:9 | SHEET 2 / 2 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Main Base 3 A

DRAWING NUMBER
DVPMA-ATS2-FS-A-0020-3

1 REV.









DETAIL A
SCALE 1 : 3
(6x)

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Paint the primer before the actual color.
5. Accept welding

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Cover 1

DRAWING NUMBER: DVPMA-ATS2-FS-A-0030

REV. 1







DETAIL C
SCALE 1 : 2
(6x)

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Cover 2

DRAWING NUMBER: DVPMA-ATS2-FS-A-0040

1 REV.







DETAIL C
SCALE 2 : 5
(6x)

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:8	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Cover 3
DRAWING NUMBER: DVPMA-ATS2-FS-A-0050
1 REV.





DETAIL C
SCALE 2 : 5
(6x)

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Cover 4

DRAWING NUMBER: DVPMA-ATS2-FS-A-0060

REV. 1



TAG	X LOC	Y LOC	SIZE
A1	14	558.50	∅ 6.50 THRU ALL
A2	14	20	
A3	138	682.50	
A4	523	682.50	
A5	1560	682.50	
A6	1684	558.50	
A7	1684	20	
B1	30	136.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	598	666.50	
B3	948	666.50	
B4	1030.50	256.30	
B5	1155.50	256.30	
B6	1165	111.80	
B7	1448	666.50	
C1	909	439.50	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
C2	1029	439.50	
C3	1274	439.50	
C4	1399	439.50	
C5	1499	439.50	
C6	1428	104.56	
C7	1628	104.56	
C8	257	112.50	
C9	257	12.50	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Frame 1

DRAWING NUMBER: DVPMA-ATS2-FS-A-0070

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	150	∅ 6.50 THRU ALL
A2	15	618.50	
A3	138	741.50	
A4	500	741.50	
A5	1560	741.50	
A6	1683	150	
A7	1683	618.50	
A8	401	11.50	
A9	849	11.50	
A10	1160	741.50	
A11	1297	11.50	
B1	30	135	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	30	485	
B3	263	726.50	
B4	863	726.50	
B5	1463	726.50	



Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Frame 2
DRAWING NUMBER: DVPMA-ATS2-FS-A-0080
1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Box Emergency

DRAWING NUMBER: DVPMA-ATS2-FS-A-0090

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	7	∅ 4 THRU
A2	15	39	
A3	15	49	
A4	15	81	
A5	40	7	
A6	40	39	
A7	40	49	
A8	40	81	
B1	58.50	16	∅ 2.50 THRU M3x0.5 - 6H THRU
B2	58.50	74	
B3	81.50	16	
B4	81.50	74	
B5	112.50	7	
B6	112.50	37	
C1	100	50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	100	80	
C3	125	50	
C4	125	80	







Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Bracket A
DRAWING NUMBER: DVPMA-ATS2-FS-A-0100
1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Plug A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0110

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Magnet

DRAWING NUMBER: DVPMA-ATS2-FS-A-0120

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polsih Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Sensor Door

DRAWING NUMBER: DVPMA-ATS2-FS-A-0130

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Bracket Tuch Panal

DRAWING NUMBER: DVPMA-ATS2-FS-A-0140

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Clear Acrylic

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 1

DRAWING NUMBER: DVPMA-ATS2-FS-A-0150

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ∅ 10.40 X 90°
A2	11	853	
A3	12	432	
A4	226.50	11	
A5	226.50	852	
A6	441	432	
A9	442	11	
A10	442	853	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Clear Acrylic

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Cover 2

DRAWING NUMBER
DVPMA-ATS2-FS-A-0160

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ⌵ ∅ 10.40 X 90°
A2	11	539	
A3	289	11	
A4	289	539	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 3

DRAWING NUMBER: DVPMA-ATS2-FS-A-0170

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	1257	11	∅ 5.50 THRU ∅ 10.40 X 90°
A2	1257	792	
A3	1257	261	
A4	1257	553	
A5	636.47	11	
A6	634.03	792	
A7	11	11	
A8	11	261	
A9	11	553	
A10	11	792	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Clear Acrylic

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Cover 4

DRAWING NUMBER
DVPMA-ATS2-FS-A-0180

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0190

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8.75	7	∅ 6.50 THRU
A2	8.75	207	
A3	71.25	7	
A4	71.25	207	
B1	22.50	20	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	22.50	90	
B3	22.50	130	
B4	22.50	200	
B5	57.50	20	
B6	57.50	90	
B7	57.50	130	
B8	57.50	200	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Plug

DRAWING NUMBER
DVPMA-ATS2-FS-A-0200

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Stopper Sensor Door

DRAWING NUMBER
DVPMA-ATS2-FS-A-0210

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ∅ 10.40 X 90°
A2	11	792	
A3	157	11	
A4	157	792	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Clear Acrylic

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Cover 5

DRAWING NUMBER
DVPMA-ATS2-FS-A-0220

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ⌵ ∅ 10.40 X 90°
A2	11	853	
A3	12	432	
A4	182	12	
A5	182	852	
A6	352	432	
A7	352	11	
A8	353	853	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 6

DRAWING NUMBER: DVPMA-ATS2-FS-A-0230

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	⌀ 5.50 THRU ⌵ ⌀ 10.40 X 90°
A2	11	792	
A3	157	11	
A4	157	792	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 7
DRAWING NUMBER: DVPMA-ATS2-FS-A-0240
1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ∅ 10.40 X 90°
A2	11	787	
A3	792	11	
A4	792	787	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Clear Acrylic

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Cover 8

DRAWING NUMBER
DVPMA-ATS2-FS-A-0250

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	25	∅ 4.20 THRU M5x0.8 - 6H THRU
A2	70	25	
A3	10	175	
A4	70	175	
B1	10	215	∅ 7 THRU
B2	70	215	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Box Switch

DRAWING NUMBER
DVPMA-ATS2-FS-A-0260

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	20	10	∅ 7 THRU ALL
A2	20	220	
A3	650	10	
A4	730	220	
A5	1280	10	
A6	1280	220	
B1	157	63	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	157	92	
B3	157	138	
B4	157	167	
B5	177	63	
B6	177	92	
B7	177	138	
B8	177	167	
B9	479	63	
B10	479	92	
B11	479	138	
B12	479	167	
B13	499	63	
B14	499	92	
B15	499	138	
B16	499	167	
B17	801	63	
B18	801	92	
B19	801	138	
B20	801	167	
B21	821	63	
B22	821	92	
B23	821	138	
B24	821	167	
B25	1123	63	
B26	1123	92	
B27	1123	138	
B28	1123	167	
B29	1143	63	
B30	1143	92	
B31	1143	138	
B32	1143	167	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:6 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Bottom 1

DRAWING NUMBER: DVPMA-ATS2-FS-A-0270

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lock Cable 2

DRAWING NUMBER
DVPMA-ATS2-FS-A-0280

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	7	∅ 4 THRU
A2	15	39	
A3	15	49	
A4	15	81	
A5	40	49	
A6	40	81	
B1	58.50	16	∅ 2.50 THRU M3x0.5 - 6H THRU
B2	58.50	74	
B3	81.50	16	
B4	81.50	74	
C1	100	30	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	100	60	
C3	125	30	
C4	125	60	







Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Bracket A2
DRAWING NUMBER: DVPMA-ATS2-FS-A-0290
1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	⌀ 5.50 THRU ⌵ ⌀ 10.40 X 90°
A2	539	11	
A3	11	243	
A4	539	243	





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Clear Acrylic

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 9

DRAWING NUMBER: DVPMA-ATS2-FS-A-0300

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ⌵ ∅ 10.40 X 90°
A2	792	11	
A3	11	987	
A4	792	987	
A5	11	499	
A6	792	499	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Clear Acrylic

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Cover 10

DRAWING NUMBER
DVPMA-ATS2-FS-A-0310

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	⌀ 5.50 THRU ⌵ ⌀ 10.40 X 90°
A2	717	11	
A3	11	347	
A4	717	347	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Clear Acrylic

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Cover 11

DRAWING NUMBER
DVPMA-ATS2-FS-A-0321

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ∅ 10.40 X 90°
A2	792	366	
A3	443	11	
A4	11	1057	
A5	792	1057	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 12

DRAWING NUMBER: DVPMA-ATS2-FS-A-0330

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	145.50	16	∅ 2.50 THRU M3x0.5 - 6H THRU
A2	145.50	74	
A3	168.50	16	
A4	168.50	74	
B1	110	30	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	110	60	
B3	40	30	
B4	40	60	
B5	75	30	
B6	75	60	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Bracket A3

DRAWING NUMBER: DVPMA-ATS2-FS-A-0340

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Connecter

DRAWING NUMBER: DVPMA-ATS2-FS-A-0350

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	33.15	175.25	∅ 3.30 THRU M4x0.7 - 6H THRU
A2	33.15	4.75	
A3	79.15	175.25	
A4	79.15	4.75	
A5	129.15	175.25	
A6	129.15	4.75	
A7	164.65	190	
A8	164.65	5	
A9	280.65	190	
A10	280.65	5	
A11	304.65	190	
A12	304.65	5	
A13	420.65	190	
A14	420.65	5	
A15	500.50	190.50	
A16	500.50	4.50	
A17	575.50	190.50	
A18	575.50	4.50	
A19	650.50	190.50	
A20	650.50	4.50	





Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Paint the primer before the actual color.
5. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate controller A1

DRAWING NUMBER: DVPMA-ATS2-FS-A-0360

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	214.65	190	∅ 3.30 THRU M4x0.7 - 6H THRU
A2	214.65	5	
A3	330.65	190	
A4	330.65	5	
A5	354.65	190	
A6	354.65	5	
A7	470.65	190	
A8	470.65	5	
A9	550.50	190.50	
A10	550.50	4.50	
A11	614	190	
A12	614	5	
A13	625.50	190.50	
A14	625.50	4.50	
A15	700.50	190.50	
A16	700.50	4.50	
A17	730	190	
A18	730	5	
A19	63.15	112.50	∅ 3.30 THRU M4x0.7 - 6H THRU
A20	63.15	4.50	
A21	174.15	112.50	
A22	174.15	4.50	





Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Paint the primer before the actual color.
5. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate controller A2

DRAWING NUMBER: DVPMA-ATS2-FS-A-0370

REV. 1





DETAIL C
SCALE 2 : 5
(6x)

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 08 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Cover 5

DRAWING NUMBER: DVPMA-ATS2-FS-A-0381

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	140	⌀ 6.60 THRU ALL ⌴ ⌀ 11 ↧ 6.50
A2	15	300	
A3	100	15	
A4	330	15	
B1	15	97.80	⌀ 8.50 THRU ALL M10x1.5 - 6H THRU ALL
B2	15	267.80	
B3	185	97.80	
B4	185	267.80	
C1	100	167.80	⌀ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	100	197.80	
C3	39	10	
C4	39	340	
C5	124	10	
C6	124	340	
C7	249	10	
C8	249	340	
D1	100	182.80	⌀20
E1	277.95	45.95	⌀ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
E2	301.47	13.59	
F1	230.60	283.60	⌀ 5 THRU ALL M6x1.0 - 6H THRU ALL
F2	265.24	303.60	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Main Base Index A

DRAWING NUMBER
DVPMA-ATS2-FS-A-0391

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ∅ 10.40 X 90°
A2	11	853	
A3	12	432	
A4	193	12	
A5	193	852	
A6	374	11	
A7	374	432	
A8	375	853	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 13

DRAWING NUMBER: DVPMA-ATS2-FS-A-0400

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	14	200	∅ 6.50 THRU ALL
A2	14	676.50	
A3	363	13	
A4	363	676.50	
A5	1190	13	
A6	1190	676.50	
A7	1684	20	
A8	1684	676.50	
A9	14	348.25	∅ 6.50 THRU ALL
A10	1684	348.25	∅ 6.50 THRU ALL
B1	30	94	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	30	384	
B3	30	634	
B4	1105	357.30	
B5	1105	607.30	
B6	1157	357.30	
B7	1157	607.30	
B8	1165	559.30	
C1	257	110	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
C2	256.15	214.50	
C3	257	420	
C4	257	480	
C5	257	600	
C6	978	174.06	
C7	978	370.06	
C8	978	650.06	
C9	1428	152.06	
C10	1428	462.06	
C11	1628	152.06	
C12	1628	462.06	
C13	257	10	
C14	978	34.06	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Frame 3

DRAWING NUMBER: DVPMA-ATS2-FS-A-0411

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	14	80	∅ 6.50 THRU ALL
A2	14	484	
A3	651	80	
A4	651	516.50	
A5	400	619	
A6	1042	516.50	
A7	681	80	
A8	681	484	
A9	789	619	
A10	1175	80	
A11	1175	484	
B1	30	105	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	30	365	
C1	415	349	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
C2	555	349	
C3	655	349	
C4	978	104.94	
C5	895.25	446.50	
C6	1057.75	446.50	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Frame 4

DRAWING NUMBER: DVPMA-ATS2-FS-A-0421

1 REV.



Note :
1. Break all Corner approx by C 0.2

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----------	----------	----------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Caster 2A

DRAWING NUMBER: DVPMA-ATS2-FS-A-0430

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	20	10	∅ 7 THRU ALL
A2	20	190	
A3	340	10	
A4	340	190	
A5	660	80	
A6	660	190	
B1	169	33	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	169	62	
B3	169	138	
B4	169	167	
B5	189	33	
B6	189	62	
B7	189	138	
B8	189	167	
B9	491	33	
B10	491	62	
B11	491	138	
B12	491	167	
B13	511	33	
B14	511	62	
B15	511	138	
B16	511	167	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Bottom 2

DRAWING NUMBER: DVPMA-ATS2-FS-A-0440

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	20	10	∅ 7 THRU ALL
A2	20	190	
A3	410	10	
A4	410	190	
A5	800	80	
A6	800	190	
B1	239	33	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	239	62	
B3	239	138	
B4	239	167	
B5	259	33	
B6	259	62	
B7	259	138	
B8	259	167	
B9	561	33	
B10	561	62	
B11	561	138	
B12	561	167	
B13	581	33	
B14	581	62	
B15	581	138	
B16	581	167	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Bottom 3

DRAWING NUMBER: DVPMA-ATS2-FS-A-0450

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	20	10	∅ 7 THRU ALL
A2	20	190	
A3	375	10	
A4	375	190	
A5	730	80	
A6	730	190	
B1	204	33	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	204	62	
B3	204	138	
B4	204	167	
B5	224	33	
B6	224	62	
B7	224	138	
B8	224	167	
B9	526	33	
B10	526	62	
B11	526	138	
B12	526	167	
B13	546	33	
B14	546	62	
B15	546	138	
B16	546	167	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Bottom 4

DRAWING NUMBER: DVPMA-ATS2-FS-A-0460

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	112.50	6	∅ 3.30 THRU M4x0.7 - 6H THRU
A2	112.50	117	
A3	4.50	117	
A4	112.50	148	
A5	4.50	148	
A6	112.50	259	
A7	4.50	259	
A8	112.50	294	
A9	4.50	294	
A10	112.50	405	
A11	4.50	405	
A12	190.50	500.50	
A13	4.50	500.50	
A14	190.50	575.50	
A15	4.50	575.50	
A16	190.50	650.50	
A17	4.50	650.50	







Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Paint the primer before the actual color.
5. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:4.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate controller A3

DRAWING NUMBER: DVPMA-ATS2-FS-A-0470

1 REV.







DETAIL C
SCALE 1 : 2
(6x)

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SPCC

FINISH
Powder Coating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Cover

DRAWING NUMBER
DVPMA-ATS2-FS-A-0480

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0010

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Robo Slide A

DRAWING NUMBER
DVPMA-ATS2-GU-A-0020

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Slide Plate A

DRAWING NUMBER
DVPMA-ATS2-GU-A-0030

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	6.19	49.69	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	6.19	72.31	
A3	6.19	119.69	
A4	6.19	142.31	
A5	28.81	49.69	
A6	28.81	72.31	
A7	28.81	119.69	
A8	28.81	142.31	
A9	221.19	49.69	
A10	221.19	72.31	
A11	221.19	119.69	
A12	221.19	142.31	
A13	243.81	49.69	
A14	243.81	72.31	
A15	243.81	119.69	
A16	243.81	142.31	
B1	7.50	6.50	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
B2	7.50	38.50	
B3	7.50	153.50	
B4	7.50	185.50	
B5	15	81	
B6	15	111	
B7	31.50	96	
B8	37.50	6.50	
B9	37.50	38.50	
B10	37.50	153.50	
B11	37.50	185.50	
B12	59	96	
B13	115	40	
B14	115	152	
B15	135	40	
B16	135	152	
B17	212.50	6.50	
B18	212.50	38.50	
B19	212.50	153.50	
B20	212.50	185.50	
B21	242.50	6.50	
B22	242.50	38.50	
B23	242.50	153.50	
B24	242.50	185.50	
C1	17.50 ±0.02	61 ±0.02	+0.05 ∅21 +0.02
C2	17.50 ±0.02	131 ±0.02	
C3	232.50 ±0.02	61 ±0.02	
C4	232.50 ±0.02	131 ±0.02	
D1	75	53.50	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
D2	75	138.50	
D3	175	53.50	
D4	175	138.50	
F1	22.50	47.50	+0.01 ∅ 5 H7 0 ↧ 6 (Back Side)
F2	227.50	47.50	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Guide A

DRAWING NUMBER
DVPMA-ATS2-GU-A-0041

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 1 A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0050

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Rip 2 A

DRAWING NUMBER
DVPMA-ATS2-GU-A-0060

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: S45C
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Mounting Flange A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0070

1 REV.







SECTION A-A
SCALE 1 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: S45C
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Joint A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0080

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	6.19	23.69	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	6.19	46.31	
A3	6.19	93.69	
A4	6.19	116.31	
A5	28.81	23.69	
A6	28.81	46.31	
A7	28.81	93.69	
A8	28.81	116.31	
A9	221.19	23.69	
A10	221.19	46.31	
A11	221.19	93.69	
A12	221.19	116.31	
A13	243.81	23.69	
A14	243.81	46.31	
A15	243.81	93.69	
A16	243.81	116.31	
B1	17.50	35	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
B2	17.50	105	
B3	232.50	35	
B4	232.50	105	
C1	45	10	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	45	40	
C3	45	70	
C4	45	100	
C5	45	130	
C6	205	10	
C7	205	40	
C8	205	70	
C9	205	100	
C10	205	130	
D1	53.50 ±0.02	10 ±0.02	+0.01 ∅ 3 H7 0 ↧ 4.50
D2	53.50 ±0.02	130 ±0.02	
D3	196.50 ±0.02	10 ±0.02	
D4	196.50 ±0.02	130 ±0.02	
E1	113.50	7.50	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6 (Back Side)
E2	136.50	7.50	
F1	125	44	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6.50
F2	125	96	
G1	187.50	6	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
G2	217.50	6	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Top Plate A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0091

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sup Plate A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0100

REV. 1





TAG	X LOC	Y LOC	SIZE
A1	14.30	44	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	25.70	44	
A3	244.30	44	
A4	255.70	44	
A5	474.30	44	
A6	485.70	44	
B1	14.50	15	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
B2	20	25	
B3	25.50	15	
B4	244.50	15	
B5	250	25	
B6	255.50	15	
B7	474.50	15	
B8	480	25	
B9	485.50	15	
C1	132.50	89.60	∅ 2.05 THRU ALL M2.5x0.45 - 6H THRU ALL
C2	150.50	89.60	
C3	194.50	89.60	
C4	212.50	89.60	
C5	349.50	89.60	
C6	367.50	89.60	
D1	160.50	91	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
D2	160.50	81	
D3	160.50	46	
D4	160.50	36	
D5	179.50	91	
D6	179.50	81	
D7	179.50	46	
D8	179.50	36	
D9	320.50	91	
D10	320.50	81	
D11	320.50	46	
D12	320.50	36	
D13	339.50	91	
D14	339.50	81	
D15	339.50	46	
D16	339.50	36	
E1	241	72.50	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
E2	259	72.50	
F1	184 ±0.02	86 ±0.02	+0.01 ∅ 3 H7 0 ↧ 5 (Back Side)
F2	184 ±0.02	41 ±0.02	
F3	316 ±0.02	86 ±0.02	
F4	316 ±0.02	41 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Hand Base A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0111

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Joint A

DRAWING NUMBER
DVPMA-ATS2-GU-A-0120

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Hand Plate A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0130

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Lock Cable 1 A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0141

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Pom White

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock Cable 1 A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0150

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lock Cable 2 A

DRAWING NUMBER
DVPMA-ATS2-GU-A-0160

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Channel A

DRAWING NUMBER
DVPMA-ATS2-GU-A-0170

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Acrylic (Color NO.P-522)
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Side A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0180

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Lock Cable 2 A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0190

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405

MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Chunk L (AS-5C69-68)

DRAWING NUMBER
DVPMA-ATS2-GU-A-0200-01

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chunk R (AS-5C69-68)

DRAWING NUMBER: DVPMA-ATS2-GU-A-0200-02

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chunk L (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-GU-A-0210-01

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chunk R (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-GU-A-0210-02

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	7.50	⌀ 5.50 THRU ALL ⌴ ⌀ 10 ↧ 5.50
A2	10	92.50	
A3	30	20	
A4	30	80	
A5	90	20	
A6	90	80	
A7	110	7.50	
A8	110	92.50	
B1	60	50	⌀50





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE

JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: A5052

FINISH: Clear Anodize

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo A

DRAWING NUMBER: DVPMA-ATS2-GU-A-0220

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	4	9	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	4	35	
A3	28	22	
A4	68	22	
A5	108	22	
A6	148	22	
A7	188	22	
A8	228	22	
A9	268	22	
A10	308	22	
A11	348	22	
A12	388	22	
A13	428	22	
A14	468	22	
A15	508	22	
A16	548	22	
A17	588	22	
A18	628	22	
A19	668	22	
A20	708	22	
A21	748	22	
A22	788	22	
A23	812	9	
A24	812	35	
B1	15	7	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5
B2	15	37	
B3	195	7	
B4	195	37	
B5	621	7	
B6	621	37	
B7	801	7	
B8	801	37	
B9	375	7	
B10	375	37	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SS400
FINISH
Nickel plating
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Top Stand A

DRAWING NUMBER
DVPMA-ATS2-LF-A-0010

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	24.30	7	⌀ 4.50 THRU ALL ⌴ ⌀ 8 ↧ 4
A2	24.30	43	
A3	40.30	7	
A4	40.30	43	
A5	71.70	7	
A6	71.70	43	
A7	87.70	7	
A8	87.70	43	
B1	27	15.50	⌀ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	27	34.50	
B3	56	15.50	
B4	56	34.50	
B5	85	15.50	
B6	85	34.50	
C1	27 ±0.02	25 ±0.02	⌀ 12 H6 $^{+0.01}_{0}$ THRU
C2	56 ±0.02	25 ±0.02	
C3	85 ±0.02	25 ±0.02	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Slide A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0020

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Pusher A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0030

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Screw Adj.A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0040

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Collum A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0050

1 REV.







SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lift Slide (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-LF-A-0060-01

1 REV.







SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Peek

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lift Slide (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-LF-A-0060-02

1 REV.







SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lift Slide (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-LF-A-0060-03

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Shaft Collum (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-LF-A-0070-01

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Shaft Collum (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-LF-A-0070-02

1 REV.







SECTION A-A
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Guide Part (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-LF-A-0080-01

1 REV.





SECTION A-A
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide Part (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-LF-A-0080-02

1 REV.







SECTION A-A
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide Part (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-LF-A-0080-03

1 REV.







TAG	X LOC	Y LOC	SIZE
A1	6	6	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6.50
A2	6	64	
A3	106	64	
A4	206	64	
A5	306	64	
A6	406	64	
A7	506	64	
A8	606	64	
A9	706	64	
A10	806	64	
A11	906	64	
A12	1018	6	
A13	1018	64	
B1	182	14.50	∅ 5.50 THRU ⌴ ∅ 10 ↧ 5 (Back Side)
B2	182	42.50	
B3	247	14.50	
B4	247	42.50	
B5	347	14.50	
B6	347	42.50	
B7	447	14.50	
B8	447	42.50	
B9	547	14.50	
B10	547	42.50	
B11	647	14.50	
B12	647	42.50	
B13	747	14.50	
B14	747	42.50	
B15	847	14.50	
B16	847	42.50	
B17	947	14.50	
B18	947	42.50	
C1	247 ±0.02	28.50 ±0.02	∅ 4 H7 +0.01 0 THRU
C2	932 ±0.02	28.50 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0090

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	9	118.50	∅ 4.20 THRU M5x0.8 - 6H THRU
A2	44	118.50	
B1	14.50	38	∅ 5.50 THRU ⌴ ∅ 10 ↧ 5
B2	14.50	88	
B3	45.50	38	
B4	45.50	88	
C1	14.50 ±0.02	47 ±0.02	+0.01 ∅ 5 H7 0 THRU ALL
C2	45.50 ±0.02	79 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Robo Slide A

DRAWING NUMBER
DVPMA-ATS2-LF-A-0100

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405

MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Slide Plate A

DRAWING NUMBER
DVPMA-ATS2-LF-A-0110

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	6	6	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6.50
A2	6	64	
A3	106	64	
A4	206	64	
A5	306	64	
A6	406	64	
A7	506	64	
A8	606	64	
A9	706	64	
A10	806	64	
A12	918	6	
A13	918	64	
B1	182	14.50	∅ 5.50 THRU ⌴ ∅ 10 ↧ 5 (Back Side)
B2	182	42.50	
B3	247	14.50	
B4	247	42.50	
B5	347	14.50	
B6	347	42.50	
B7	447	14.50	
B8	447	42.50	
B9	547	14.50	
B10	547	42.50	
B11	647	14.50	
B12	647	42.50	
B13	747	14.50	
B14	747	42.50	
B15	847	14.50	
B16	847	42.50	
C1	247 ±0.02	28.50 ±0.02	+0.01 ∅ 4 H7 0 THRU
C2	832 ±0.02	28.50 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo 3 A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0120

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Strut Clamp A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0140

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Lift A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0150

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	12.50	15.50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A6	40.50	15.50	
B1	33	15.50	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3.50
B2	54	7	
B3	54	24	
C1	54 ±0.02	12.50 ±0.02	$\varnothing 3\ H7\ ^{+0.01}_{0}$ THRU ALL
C2	54 ±0.02	18.50 ±0.02	
D1	12.50 ±0.02	3.50 ±0.02	$\varnothing 3\ H7\ ^{+0.01}_{0}$ THRU ALL
D2	40.50 ±0.02	3.50 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Slide A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0160

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
A6063
FINISH
Clear Anodize
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Pusher A

DRAWING NUMBER
DVPMA-ATS2-LF-A-0170

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7.50	10	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	7.50	42	
A3	27.50	10	
A4	27.50	42	
B1	7.50 ±0.02	14 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	27.50 ±0.02	38 ±0.02	
C1	13	305.50	∅ 3.30 THRU M4x0.7 - 6H THRU
C2	22	305.50	
D1	17.50	143	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
D2	17.50	193	
D3	17.50	218	
D4	17.50	243	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Pusher A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0180

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Side Plate A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0190

REV. 1









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	1:1.2	SHEET	1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rib Plate A

DRAWING NUMBER: DVPMA-ATS2-LF-A-0200

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Unit Base A

DRAWING NUMBER
DVPMA-ATS2-LF-A-0210

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Sensor Bracket A

DRAWING NUMBER
DVPMA-ATS2-LF-A-0220

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	15	7	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5
A2	15	37	
A3	436	7	
A4	436	37	
A5	576	7	
A6	576	37	
A7	165	7	
A8	165	37	
A9	295	7	
A10	295	37	
B1	40 ±0.02	12.50 ±0.02	+0.01 ∅ 4 H7 0 THRU ALL
B2	551 ±0.02	12.50 ±0.02	
C1	4	9	∅ 2.50 THRU M3x0.5 - 6H THRU
C2	4	35	
C3	587	9	
C4	587	35	
D1	15.50	22	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
D2	55.50	22	
D3	95.50	22	
D4	135.50	22	
D5	175.50	22	
D6	215.50	22	
D7	255.50	22	
D8	295.50	22	
D9	335.50	22	
D10	375.50	22	
D11	415.50	22	
D12	455.50	22	
D13	495.50	22	
D14	535.50	22	
D15	575.50	22	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Top Stand A

DRAWING NUMBER
DVPMA-ATS2-LF-A-0230

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	189	68	⌀ 9 THRU ⌴ ⌀ 15 ↧ 8 (Back Side)
A2	12	13	
A3	12	52	
B1	132.50	12.50	8.50 X 25 THRU
B2	132.50	52.50	
B3	67.50	12.50	
B4	67.50	52.50	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base PR A

DRAWING NUMBER: DVPMA-ATS2-PR-A-0010

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	189	68	⌀ 9 THRU ALL ⌴ ⌀ 15 ↧ 8
A2	12	13	
A3	12	52	
B1	97.50	104.50	⌀ 5 THRU ALL M6x1.0 - 6H THRU ALL
B2	32.50	104.50	
B3	97.50	84.50	
B4	32.50	84.50	
C1	90	35	⌀ 6.60 THRU ⌴ ⌀ 11 ↧ 6
C2	65	14.50	
C3	65	35	
C4	40	35	
D1	80 ±0.02	35 ±0.02	+0.01 ⌀ 4 H7 0 THRU ALL
D2	50 ±0.02	34.95 ±0.02	
E1	65	94.50	⌀38



SECTION F-F
SCALE 1 : 2





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Robo Pr A

DRAWING NUMBER
DVPMA-ATS2-PR-A-0021

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	30.36	18.51	⌀ 4.50 THRU ⌴ ⌀ 8 ↧ 4
A2	30.36	41.49	
A3	49.64	18.51	
A4	49.64	41.49	
B1	7.50	20	⌀ 6.60 THRU ⌴ ⌀ 11 ↧ 6 (Back Side)
B2	7.50	40	
B3	72.50	20	
B4	72.50	40	
E1	40	30	⌀25







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate PR robo A

DRAWING NUMBER: DVPMA-ATS2-PR-A-0031

REV. 1

TAG	X LOC	Y LOC	SIZE
A1	15.50	9	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	15.58	51	
A3	45.50	9	
A4	45.58	51	
A5	75.50	9	
A6	75.58	51	
A7	105.50	9	
A8	105.58	51	
A9	135.58	9	
A10	135.58	51	
B1	27	30	∅ 6.60 ↧ 15 ⌴ ∅ 11 ↧ 6.50
B2	72	30	
B3	122	30	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Guide A

DRAWING NUMBER: DVPMA-ATS2-PR-A-0040

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Adjust A

DRAWING NUMBER
DVPMA-ATS2-PR-A-0050

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Stopper A
DRAWING NUMBER: DVPMA-ATS2-PR-A-0060
1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7	64	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 7 (Back Side)
A2	29	64	
A3	51	64	
A4	73	64	
B1	7.50	23	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 4
B2	7.50	47	
B3	30.50	23	
B4	30.50	47	
B5	49.50	23	
B6	49.50	47	
B7	72.50	23	
B8	72.50	47	
C1	18 ±0.02	64 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	62 ±0.02	64 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Guide Side A

DRAWING NUMBER
DVPMA-ATS2-PR-A-0070

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	15.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	15	44.50	
A3	75	15.50	
A4	75	44.50	
B1	15 ±0.02	30 ±0.02	∅19 H7 +0.02 0
B2	75 ±0.02	30 ±0.02	
C1	25	12.68	∅ 3.30 THRU M4x0.7 - 6H THRU
C2	25	47.32	
C3	65	12.68	
C4	65	47.32	
D1	45	12.50	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
D2	45	47.50	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SS400
FINISH
Nickel Plating
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Part A

DRAWING NUMBER
DVPMA-ATS2-PR-A-0080

1 REV.







SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Box A

DRAWING NUMBER
DVPMA-ATS2-PR-A-0090

1 REV.











SECTION G-G



DETAIL H
4 : 1.5



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Housing A

DRAWING NUMBER
DVPMA-ATS2-PR-A-0100

1 REV.







SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SKS-3
FINISH: HRC58 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Head Press A (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-PR-A-0110-01

1 REV.







SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SKS-3
FINISH: HRC58 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Head Press A (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-PR-A-0110-02

1 REV.







SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SKS-3
FINISH: HRC58 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Head Press A (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-PR-A-0110-03

REV. 1







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405

MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Washer A

DRAWING NUMBER
DVPMA-ATS2-PR-A-0120

1 REV.





SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
12/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Index Base A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0010

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Sensor Bracket A

DRAWING NUMBER
DVPMA-ATS2-SL-A-0020

1 REV.







Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0
2. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	1:0.4	SHEET	1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Reflector Bracket A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0030

1 REV.









Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
04/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sensor Bracket A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0040

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Foot A

DRAWING NUMBER
DVPMA-ATS2-SL-A-0050

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Side Plate A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0060

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip Plate A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0070

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7.50	10	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	7.50	42	
A3	27.50	10	
A4	27.50	42	
B1	7.50 ±0.02	14 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	27.50 ±0.02	38 ±0.02	
C1	13	312.50	∅ 3.30 THRU M4x0.7 - 6H THRU
C2	22	312.50	
D1	17.50	150	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
D2	17.50	200	
D3	17.50	225	
D4	17.50	250	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Pusher A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0080

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Pusher A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0090

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	12.50	12.50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	19.30	3	
A3	19.30	22	
A4	39.30	3	
A5	39.30	22	
A6	40.50	12.50	
B1	33	12.50	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3.50
B2	54	4	
B3	54	21	
C1	54 ±0.02	9.50 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	54 ±0.02	15.50 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Slide A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0100

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Slide Lift A

DRAWING NUMBER
DVPMA-ATS2-SL-A-0110

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Strut Clamp A

DRAWING NUMBER
DVPMA-ATS2-SL-A-0120

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sensor Bracket A

DRAWING NUMBER: DVPMA-ATS2-SL-A-0130

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: HRC60 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Shaft A (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SL-A-0150-21

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: HRC60 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Shaft A (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SL-A-0150-31

1 REV.

▽ (▽▽▽)







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ ~ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SL-A-0170-02

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	5	5	∅ 5.50 THRU ALL
A2	5	35	
A3	35	5	
A4	35	35	
B1	5 ±0.02	20 ±0.02	∅ 3 H7 +0.01 0 THRU ALL
C1	10	20	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	20	10	
C3	20	30	









SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE	1:0.4	SHEET	1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Slide Plate A

DRAWING NUMBER
DVPMA-ATS2-SP-A-0022

1 REV.







SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Work Base A2

DRAWING NUMBER: DVPMA-ATS2-SP-A-0031

REV. 1







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin A (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-SP-A-0040-01

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin A (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SP-A-0040-02

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Peek

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin A (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SP-A-0040-03

1 REV.







SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Work Base A (AS-5C69)
DRAWING NUMBER: DVPMA-ATS2-SP-A-0050-01
1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Work Base A (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-SP-A-0050-02

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	20	17	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	20	33	
A3	160	17	
A4	160	33	
B1	8	8	6.50 X 12 THRU ALL
B2	8	42	
B3	172	8	
B4	172	42	
C1	45	10	∅ 6.80 THRU ALL M8x1.25 - 6H THRU ALL
C2	45	40	
C3	135	10	
C4	135	40	







SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Part A

DRAWING NUMBER: DVPMA-ATS2-SP-A-0061

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Foot

DRAWING NUMBER: DVPMA-ATS2-SP-A-0071

REV. 1

TAG	X LOC	Y LOC	SIZE
A1	10	5	∅ 5.50 THRU ALL ⌴ ∅ 10.10 ↧ 5
A2	10	35	
A3	60	5	
A4	60	35	
B1	20	5	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	20	35	
B3	50	5	
B4	50	35	
C1	50 ±0.02	20 ±0.02	∅ 3 H7 +0.01 0 ↧ 3



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate A

DRAWING NUMBER
DVPMA-ATS2-SP-A-0081

1 REV.



Note :
1. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Robo A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0010

REV. 1





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0020

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chanel A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0030

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring clamp 1A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0040

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring clamp 2A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0050

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate A Robo Cylinder

DRAWING NUMBER: DVPMA-ATS2-SS-A-0060

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Sensor A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0070

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Washer Head A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0080

1 REV.







SECTION A-A



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED	
C0.2 MAX or R0.8 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Frange A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0090

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	5	∅ 3.30 THRU M4x0.7 - 6H THRU
A2	6	15	
A3	23.50	74	
A4	41	5	
A5	41	15	
B1	13.50	27	∅ 3.40 THRU ⌴ ∅ 6.50 ↧ 3
B2	13.50	59	
B3	33.50	27	
B4	33.50	59	
C1	13.50 ±0.02	31 ±0.02	+0.010 ∅ 3 H7 0 THRU
C2	33.50 ±0.02	55 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Robo 1 A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0100

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Bush Housing A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0110

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0120

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SUS304
FINISH
Polish Up
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Channel A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0130

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304 T=2mm
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Cable A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0140

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0151-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper A (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SS-A-0161-01

1 REV.

▽▽ (▽▽▽)











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper A (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SS-A-0161-02

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper A (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SS-A-0161-03

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	12	32	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
A2	12	20	
A3	12	8	
B1	21	28.50	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
B2	21	11.50	
B3	71	28.50	
B4	71	11.50	
B5	121	28.50	
B6	121	11.50	
C1	21 ±0.02	20 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	56 ±0.02	20 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo Z A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0170

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo 2 A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0180

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development



Note :
1. Accept welding

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Robo 2 A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0191

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SUS304
FINISH
Polish up
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Channel 2 A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0200

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lock Channel A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0210

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	22	28.50	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
A2	22	11.50	
A3	72	28.50	
A4	72	11.50	
A5	122	28.50	
A6	122	11.50	
B1	72 ±0.02	20 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	122 ±0.02	20 ±0.02	
C1	130	32	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
C2	130	20	
C3	130	8	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0221

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo 2 A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0231

REV. 1





SECTION A-A



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Frange 2 A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0241

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Housing 2 A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0250

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	5	∅ 3.30 THRU M4x0.7 - 6H THRU
A2	6	15	
A3	23.50	74	
A4	41	5	
A5	41	15	
B1	13.50	27	∅ 3.40 THRU ⌴ ∅ 6.50 ↧ 3
B2	13.50	59	
B3	33.50	27	
B4	33.50	59	
C1	13.50 ±0.02	31 ±0.02	+0.010 ∅ 3 H7 0 THRU
C2	33.50 ±0.02	55 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Robo 2 A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0260

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock Channel A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0280

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Washer A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0280

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	30	9	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5
A2	30	40	
A3	80	9	
A4	80	40	
B1	39 ±0.02	40 ±0.02	+0.01 ∅ 5 H7 0 THRU ALL
B2	71 ±0.02	9 ±0.02	
C1	55	7	∅ 5.50 THRU ALL ⌴ ∅ 10.50 ↧ 5.50 (Back Side)
C2	55	42	
D1	55 ±0.02	17 ±0.02	+0.01 ∅ 4 H7 0 THRU ALL
D2	55 ±0.02	32 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo Cylinder A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0290

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Tool Gripper A

DRAWING NUMBER: DVPMA-ATS2-SS-A-0301-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper 2 A (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SS-A-0311-01

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper 2 A (AS-5C67)
DRAWING NUMBER: DVPMA-ATS2-SS-A-0311-02
1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper 3 A (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SS-A-0311-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Adjust Plate A

DRAWING NUMBER
DVPMA-ATS2-SS-A-0330

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Holder (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SS-A-0340-01

1 REV.









SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin Ring (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SS-A-0350-01

1 REV.









SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin Ring (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SS-A-0350-02

1 REV.











SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
PEEK

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin Ring (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-SS-A-0350-03

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Plate A

DRAWING NUMBER
DVPMA-ATS2-TO-A-0010

1 REV.







TAG	X LOC	Y LOC	SIZE
A1	7.50	5	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 5
A2	50	5	
A3	92.50	5	
B1	13.50 ±0.02	8 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	13.50 ±0.02	103 ±0.02	
B3	86.50 ±0.02	8 ±0.02	
B4	86.50 ±0.02	103 ±0.02	
C1	22	10.50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	22	40.50	
C3	22	70.50	
C4	22	100.50	
C5	78	10.50	
C6	78	40.50	
C7	78	70.50	
C8	78	100.50	
D1	38.50	50	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
D2	38.50	80	
D3	59.50	50	
D4	59.50	80	
E1	38.50 ±0.02	65 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
E2	59.50 ±0.02	65 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Stand A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0020

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7	27	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
A2	7	67	
A3	29	27	
A4	29	67	
B1	7 ±0.02	47 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	29 ±0.02	47 ±0.02	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0030

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	65	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 5
A2	46	65	
A3	86	65	
B1	17.20	45	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
B2	77.20	45	
C1	22.50	4.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	69.50	4.50	
D1	67.20 ±0.02	45 ±0.02	∅ 3 H7 +0.01 0 THRU ALL





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0040

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0050

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	3.50	23.80	∅ 2.05 THRU ALL M2.5x0.45 - 6H THRU ALL
A2	19.50	23.80	
A3	3.50	18.80	
A4	19.50	18.80	
B1	4.50	32	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 4
B2	4.50	53	
B3	18.50	32	
B4	18.50	53	
C1	11.50 ±0.02	11 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	11.50 ±0.02	32 ±0.02	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0061

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	54	25	⌀ 5.50 THRU ALL ⌴ ⌀ 10 ↧ 6
A2	70	9	
A3	70	41	
A4	86	25	
B1	7.50	25	⌀ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	27.50	25	
B3	43.50	25	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Rotary A

DRAWING NUMBER
DVPMA-ATS2-TO-A-0071

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	32.50	19.05	⌀ 4.50 THRU ⌴ ⌀ 8 ↧ 4
A2	32.50	31.05	
A3	32.50	53.35	
A4	32.50	65.35	
A5	59.50	19.05	
A6	59.50	31.05	
A7	59.50	53.35	
A8	59.50	65.35	
B1	3.50	19.05	⌀ 4.50 THRU ⌴ ⌀ 8 ↧ 4
B2	3.50	31.05	
B3	3.50	53.35	
B4	3.50	65.35	
B5	88.50	19.05	
B6	88.50	31.05	
B7	88.50	65.35	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Stand A

DRAWING NUMBER
DVPMA-ATS2-TO-A-0080

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Jig A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0090

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Jig A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0101

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Foot A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0110

1 REV.







SECTION F-F
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Stand A1

DRAWING NUMBER
DVPMA-ATS2-TO-A-0121

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin A (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-TO-A-0130-01

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin A (AS-5C68)
DRAWING NUMBER: DVPMA-ATS2-TO-A-0130-03
1 REV.



DETAIL H
10 : 1







SECTION A-A
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SKS-3

FINISH
HRC58 ~

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin ring A1 (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-TO-A-0140-01

1 REV.







DETAIL H
10 : 1



SECTION A-A
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SKS-3

FINISH
HRC58 ~

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin ring A1 (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-TO-A-0140-02

1 REV.



DETAIL H
10 : 1







SECTION A-A
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SKS-3

FINISH
HRC58 ~

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin ring A1 (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-TO-A-0140-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Chuck A

DRAWING NUMBER: DVPMA-ATS2-TO-A-0150

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Chuck A (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-TO-A-0160-01

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chuck A (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-TO-A-0160-02

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chuck A (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-TO-A-0160-03

1 REV.





DETAIL G
2 : 0.3





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SKS-3

FINISH
HRC58 ~

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin ring A2 (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-TO-A-0170-01

1 REV.



DETAIL G
2 : 0.3







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C
Auto Assembly AS-5C69A

MATERIAL
SKS-3

FINISH
HRC58 ~

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin ring A2 (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-TO-A-0170-02

1 REV.





DETAIL G
2 : 0.3





SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SKS-3
FINISH: HRC58 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin ring A2 (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-TO-A-0170-03

1 REV.







SECTION F-F
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Stand (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-TO-A-0180-01

REV. 1







SECTION F-F
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Stand (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-TO-A-0180-02

1 REV.







SECTION F-F
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Stand (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-TO-A-0180-03

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	6	∅ 5.50 THRU ALL
A2	44	6	
A3	6	74	
A4	44	74	
B1	25	20	∅ 2.50 THRU M3x0.5 - 6H THRU
B2	25	24	
B3	5	40	
B4	9	40	
B5	41	40	
B6	45	40	
B7	25	56	
B8	25	60	
C1	25	40	∅8 H7 $^{+0.02}_{0}$







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Jig B

DRAWING NUMBER
DVPMA-ATS2-SP-B-0021

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	3.50	22	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	3.50	38	
A3	156.50	22	
A4	156.50	38	
B1	7.50	11	6.50 X 15 THRU ALL
B2	7.50	49	
B3	152.50	11	
B4	152.50	49	
C1	35	15	∅ 6.80 THRU ALL M8x1.25 - 6H THRU ALL
C2	35	45	
C3	125	15	
C4	125	45	









SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Base B

DRAWING NUMBER: DVPMA-ATS2-SP-B-0031

1 REV.







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Peek

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin B (AS-5C60-69)

DRAWING NUMBER: DVPMA-ATS2-SP-B-0040-01

1 REV.







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin B (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-SP-B-0040-02

1 REV.







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin B (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-SP-B-0040-03

1 REV.





SECTION A-A



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Work Base B (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SP-B-0050-01

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
07/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Work Base B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SP-B-0050-02

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	11	∅ 6 THRU ALL
A2	6	49	
A3	74	11	
A4	74	49	







SECTION A-A





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Planting
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Jig B (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SP-B-0060

1 REV.







SECTION A-A
SCALE 1 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Jig (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SP-B-0071

1 REV.









SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 4:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin(AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SP-B-0081

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	11	49	
A3	79	11	
A4	79	49	
B1	20	20	∅ 5.50 THRU ⌴ ∅ 10 ↧ 5
B2	20	40	
B3	70	20	
B4	70	40	
C1	45	30	∅25





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Stand

DRAWING NUMBER
DVPMA-ATS2-SP-B-0090

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Foot

DRAWING NUMBER: DVPMA-ATS2-SP-B-0100

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0010

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo Slide B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0020

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Slide Plate B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0030

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Hand Plate B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0040

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	23.69	49.69	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	23.69	72.31	
A3	23.69	119.69	
A4	23.69	142.31	
A5	46.31	49.69	
A6	46.31	72.31	
A7	46.31	119.69	
A8	46.31	142.31	
A9	203.69	49.69	
A10	203.69	72.31	
A11	203.69	119.69	
A12	203.69	142.31	
A13	226.31	49.69	
A14	226.31	72.31	
A15	226.31	119.69	
A16	226.31	142.31	
B1	7.50	6.50	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
B2	7.50	38.50	
B3	7.50	153.50	
B4	7.50	185.50	
B5	15	81	
B6	15	111	
B7	31.50	96	
B8	37.50	6.50	
B9	37.50	38.50	
B10	37.50	153.50	
B11	37.50	185.50	
B12	59	96	
B13	115	40	
B14	115	152	
B15	135	40	
B16	135	152	
B17	212.50	6.50	
B18	212.50	38.50	
B19	212.50	153.50	
B20	212.50	185.50	
B21	242.50	6.50	
B22	242.50	38.50	
B23	242.50	153.50	
B24	242.50	185.50	
C1	35 ±0.02	61 ±0.02	+0.05 ∅21 +0.02
C2	35 ±0.02	131 ±0.02	
C3	215 ±0.02	61 ±0.02	
C4	215 ±0.02	131 ±0.02	
D1	75	53.50	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
D2	75	138.50	
D3	175	53.50	
D4	175	138.50	
F1	22.50 ±0.02	47.50 ±0.02	+0.01 ∅ 5 H7 0 ↧ 6 (Back Side)
F2	227.50 ±0.02	47.50 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Guide B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0051

REV. 1







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 1B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0060

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 2B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0070

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	35	40	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
A2	35	110	
A3	215	40	
A4	215	110	
B1	45	15	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	45	45	
B3	45	75	
B4	45	105	
B5	45	135	
B6	205	15	
B7	205	45	
B8	205	75	
B9	205	105	
B10	205	135	
C1	53.50 ±0.02	10 ±0.02	∅ 3 H7 +0.01 0 ↧ 4.50
C2	53.50 ±0.02	140 ±0.02	
C3	196.50 ±0.02	10 ±0.02	
C4	196.50 ±0.02	140 ±0.02	
D1	113.50	7.50	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6 (Back Side)
D2	136.50	7.50	
E1	125	49	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6.50
E2	125	101	
F1	187.50	6	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
F2	217.50	6	
G1	23.69	28.69	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
G2	23.69	51.31	
G3	23.69	98.69	
G4	23.69	121.31	
G5	46.31	28.69	
G6	46.31	51.31	
G7	46.31	98.69	
G8	46.31	121.31	
G9	203.69	28.69	
G10	203.69	51.31	
G11	203.69	98.69	
G12	203.69	121.31	
G13	226.31	28.69	
G14	226.31	51.31	
G15	226.31	98.69	
G16	226.31	121.31	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Top Plate B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0081

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: S45C
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Mounting Flange B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0090

1 REV.







SECTION A-A
SCALE 1 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
S45C

FINISH
Nickel plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Joint B

DRAWING NUMBER
DVPMA-ATS2-GU-B-0100

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Stand Lock Cable 1B

DRAWING NUMBER
DVPMA-ATS2-GU-B-0111

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lock Cable 1B

DRAWING NUMBER
DVPMA-ATS2-GU-B-0120

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Acrylic (Color NO.P-522)
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Side B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0130

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	22	15	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
A2	30	25	
A3	38	15	
A4	262	15	
A5	270	25	
A6	278	15	
A7	502	15	
A8	510	25	
A9	518	15	
A10	742	15	
A11	750	25	
A12	758	15	
B1	120	15	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	131.40	15	
B3	384.30	15	
B4	395.70	15	
B5	648.60	15	
B6	660	15	
C1	197.50	89.60	∅ 2.05 THRU ALL M2.5x0.45 - 6H THRU ALL
C2	215.50	89.60	
C3	334.50	89.60	
C4	352.50	89.60	
C5	427.50	89.60	
C6	445.50	89.60	
C7	564.50	89.60	
C8	582.50	89.60	
D1	300.50	91	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
D2	300.50	81	
D3	300.50	57	
D4	300.50	47	
D5	319.50	91	
D6	319.50	81	
D7	319.50	57	
D8	319.50	47	
D9	460.50	91	
D10	460.50	81	
D11	460.50	57	
D12	460.50	47	
D13	479.50	91	
D14	479.50	81	
D15	479.50	57	
D16	479.50	47	
E1	381	62.50	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
E2	399	62.50	
F1	324 ±0.02	86 ±0.02	+0.01 ∅ 3 H7 0 ↧ 5 (Back Side)
F2	324 ±0.02	44 ±0.02	
F3	456 ±0.02	86 ±0.02	
F4	456 ±0.02	44 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Hand Base B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0141

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sup Plate B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0150

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Lock Cable 2B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0160

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Gripper B (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-GU-B-0170-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper B (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-GU-B-0170-02

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-GU-B-0170-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Joint B

DRAWING NUMBER
DVPMA-ATS2-GU-B-0180

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		
GENERAL TOLERANCE		
JIS B 0405 MACHINING WORKING		
LESS THAN 0.5	± 0.05	
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Channel B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0190

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lock Cable 2B

DRAWING NUMBER
DVPMA-ATS2-GU-B-0200

1 REV.





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE

JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: SUS304

FINISH: Polish Up

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper B (AS-5C67-69)

DRAWING NUMBER: DVPMA-ATS2-GU-B-0210-01

1 REV.



Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A

MATERIAL: SUS304

FINISH: Polish Up

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-GU-B-0210-02

REV. 1

TAG	X LOC	Y LOC	SIZE
A1	10	7.50	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
A2	10	92.50	
A3	30	20	
A4	30	80	
A5	90	20	
A6	90	80	
A7	110	7.50	
A8	110	92.50	
B1	60	50	∅50





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE

JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: A5052

FINISH: Clear Anodize

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo B

DRAWING NUMBER: DVPMA-ATS2-GU-B-0220

1 REV.

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development



TAG	X LOC	Y LOC	SIZE
A1	5	40	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 5
A2	5	120	
A3	352.50	35	
A4	352.50	65	
A5	700	40	
A6	700	120	

TAG	X LOC	Y LOC	SIZE
B1	12.50	9.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	12.50	32.50	
B3	12.50	127.50	
B4	12.50	150.50	
B5	52.50	9.50	
B6	52.50	32.50	
B7	52.50	127.50	
B8	52.50	150.50	
B9	92.50	9.50	
B10	92.50	32.50	
B11	92.50	127.50	
B12	92.50	150.50	
B13	132.50	9.50	
B14	132.50	32.50	
B15	132.50	127.50	
B16	132.50	150.50	
B17	172.50	9.50	
B18	172.50	32.50	
B19	172.50	127.50	
B20	172.50	150.50	
B21	212.50	9.50	
B22	212.50	32.50	
B23	212.50	127.50	
B24	212.50	150.50	
B25	252.50	9.50	
B26	252.50	32.50	
B27	252.50	127.50	
B28	252.50	150.50	
B29	292.50	9.50	
B30	292.50	32.50	
B31	292.50	127.50	
B32	292.50	150.50	
B33	332.50	9.50	
B34	332.50	32.50	
B35	332.50	127.50	
B36	332.50	150.50	
B37	372.50	9.50	
B38	372.50	32.50	
B39	372.50	127.50	
B40	372.50	150.50	
B41	412.50	9.50	
B42	412.50	32.50	
B43	412.50	127.50	
B44	412.50	150.50	
B45	452.50	9.50	
B46	452.50	32.50	
B47	452.50	127.50	
B48	452.50	150.50	
B49	492.50	9.50	
B50	492.50	32.50	
B51	492.50	127.50	
B52	492.50	150.50	
B53	532.50	9.50	
B54	532.50	32.50	
B55	532.50	127.50	
B56	532.50	150.50	
B57	572.50	9.50	
B58	572.50	32.50	
B59	572.50	127.50	
B60	572.50	150.50	
B61	612.50	9.50	
B62	612.50	32.50	
B63	612.50	127.50	
B64	612.50	150.50	
B65	652.50	9.50	
B66	652.50	32.50	
B67	652.50	127.50	
B68	652.50	150.50	
C1	25 ±0.02	115.50 ±0.02	+0.01 ∅ 5 H7 0 THRU ALL
C2	275 ±0.02	115.50 ±0.02	
C3	525 ±0.02	115.50 ±0.02	

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Plate B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0010

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	10	12.50	6.60 X 15 THRU ⌴ 11 ↧ 7
A2	10	127.50	
A3	715	70	
A4	715	127.50	
B1	19.70	72.50	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 6 (Back Side)
B2	19.70	100.50	
B3	84.70	72.50	
B4	84.70	100.50	
B5	184.70	72.50	
B6	184.70	100.50	
B7	284.70	72.50	
B8	284.70	100.50	
B9	384.70	72.50	
B10	384.70	100.50	
B11	484.70	72.50	
B12	484.70	100.50	
B13	584.70	72.50	
B14	584.70	100.50	
C1	25	20	∅ 4.50 ↧ 10.10 ⌴ ∅ 8 ↧ 5 (Back Side)
C2	25	45	
C3	372.50	21	
C4	372.50	41	
C5	720	20	
C6	720	45	
D1	40	5	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 7 (Back Side)
D2	197.50	5	
D3	547.50	5	
D4	705	5	
E1	84.70 ±0.02	86.50 ±0.02	∅ 4 H7 +0.01 0 THRU ALL
E2	584.70 ±0.02	86.50 ±0.02	
F1	118 ±0.02	5 ±0.02	∅ 5 H7 +0.01 0 THRU ALL
F2	627 ±0.02	5 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Base B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0020

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	14	36.50	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 5
A2	14	53.50	
A3	64	36.50	
A4	64	53.50	
A5	114	36.50	
A6	114	53.50	
B1	39	27	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 6 (Back Side)
B2	39	47	
B3	39	67	
B4	89	27	
B5	89	47	
B6	89	67	
B7	139	27	
B8	139	47	
B9	139	67	
C1	64 ±0.02	45 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	114 ±0.02	45 ±0.02	
D1	163	58	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
D2	163	70	
D3	163	82	
E1	184	7	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5
E2	184	83	
F1	210	5	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6
F2	210	85	
F3	250	5	
F4	250	85	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robot B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0031

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8.50	30	⌀ 5.50 THRU ⌴ ⌀ 10 ↧ 6
A2	8.50	80	
A3	39.50	30	
A4	39.50	80	
B1	8.50 ±0.02	71 ±0.02	+0.01 ⌀ 5 H7 0 THRU
B2	39.50 ±0.02	39 ±0.02	
C1	24	60	⌀ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	24	71	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Robo B

DRAWING NUMBER
DVPMA-ATS2-HA-B-0050

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Planting

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Join B

DRAWING NUMBER
DVPMA-ATS2-HA-B-0060

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	5	80	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 35 (Back Side)
A2	5	40	
A3	75	80	
A4	75	40	
C1	40	55	∅37 THRU ALL
D1	21	78	∅ 3.30 ↧ 10.10 M4x0.7 - 6H ↧ 8
D2	21	32	
D3	59	78	
D4	59	32	









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Box Guide B

DRAWING NUMBER
DVPMA-ATS2-HA-B-0071

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	UNCUT
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Washer B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0080

1 REV.





SECTION F-F



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	UNCUT
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.7 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Guide B

DRAWING NUMBER
DVPMA-ATS2-HA-B-0091

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15.51	35.36	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4 (Back Side)
A2	15.51	54.64	
A3	38.49	35.36	
A4	38.49	54.64	
B1	20	5	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6 (Back Side)
B2	20	85	
B3	70	5	
B4	70	85	
B5	120	5	
B6	120	85	
C1	27	45	∅25





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0102

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		
GENERAL TOLERANCE		
JIS B 0405 MACHINING WORKING		
LESS THAN 0.5	± 0.05	
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Peek

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Clamp B (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-HA-B-0110-01

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Clamp B (AS-5C67-68)
DRAWING NUMBER: DVPMA-ATS2-HA-B-0110-02
1 REV.













Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Guide Common

DRAWING NUMBER
DVPMA-ATS2-HA-B-0130-01

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sensor Plate B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0140

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 4 B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0151

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	5	66	⌀ 5.50 THRU ALL ⌴ ⌀ 10.10 ↧ 5 (Back Side)
A2	5	96	
A3	10	10	
A4	10	42	
A5	70	10	
A6	70	42	
A7	75	66	
A8	75	96	
B1	30	48.10	⌀ 3.40 THRU ALL ⌴ ⌀ 6.50 ↧ 4
B2	30	80.10	
B3	50	48.10	
B4	50	80.10	
C1	30 ±0.02	52.10 ±0.02	⌀ 3 H7 +0.01 0 THRU ALL
C2	50 ±0.02	76.10 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0161

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pusher Head B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0190

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SKS-3
FINISH: HRC58 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Press B (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-HA-B-0200-01

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SKS-3
FINISH: HRC58 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Press B (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-HA-B-0200-02

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SKS-3
FINISH: HRC58 ~
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Press B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-HA-B-0200-03

1 REV.











SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Robo Pusher B

DRAWING NUMBER
DVPMA-ATS2-HA-B-0211

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	8	39	⌀ 6.60 THRU ALL ⌴ ⌀ 11 ↧ 7 (Back Side)
A2	8	89	
A3	8	139	
A4	28	39	
A5	28	89	
A6	28	139	
B1	48.50	7.50	⌀ 4.50 THRU ALL ⌴ ⌀ 8 ↧ 5
B2	48.50	52.50	
B3	48.50	125.50	
B4	48.50	170.50	
B5	68.50	7.50	
B6	68.50	52.50	
B7	68.50	125.50	
B8	68.50	170.50	
B9	117.50	7.50	
B10	117.50	52.50	
B11	117.50	125.50	
B12	117.50	170.50	
B13	137.50	7.50	
B14	137.50	52.50	
B15	137.50	125.50	
B16	137.50	170.50	
C1	98.50	99	⌀ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	109.50	99	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Planting
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Guide B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0220

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
15/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Planting
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 1 B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0230

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Planting
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0240

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SS400
FINISH
Nickel Planting
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Rip 2 B

DRAWING NUMBER
DVPMA-ATS2-HA-B-0250

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Planting
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 3 B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0260

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	UNCUT
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock Channel B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0270

REV. 1









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sheet Cover B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0281

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED	
C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring clamp 1 B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0290

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
POM White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Wiring clamp 2 B

DRAWING NUMBER
DVPMA-ATS2-HA-B-0300

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Stopper B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0310

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	12.50	12.50	∅ 11 THRU ALL ⌴ ∅ 18 ↧ 11
A2	12.50	127.50	
A3	350	127.50	
A4	600	12.50	
B1	22.50 ±0.02	50 ±0.02	+0.01 ∅ 5 H7 0 ↧ 6
B2	22.50 ±0.02	90 ±0.02	
C1	35	12.50	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
C2	35	127.50	
C3	740	70	
C4	740	127.50	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Plate B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0321

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Adjust Plate B

DRAWING NUMBER: DVPMA-ATS2-HA-B-0331

1 REV.







Note :
1. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Robo

DRAWING NUMBER: DVPMA-ATS2-TS-B-0010

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo Y axis

DRAWING NUMBER: DVPMA-ATS2-TS-B-0020

REV. 1







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Channel

DRAWING NUMBER: DVPMA-ATS2-TS-B-0030

REV. 1







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring clamp 1 B

DRAWING NUMBER: DVPMA-ATS2-TS-B-0040

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring clamp 2 B

DRAWING NUMBER: DVPMA-ATS2-TS-B-0050

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo Cylinder

DRAWING NUMBER: DVPMA-ATS2-TS-B-0060

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock Channel B

DRAWING NUMBER: DVPMA-ATS2-TS-B-0070

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Base B

DRAWING NUMBER: DVPMA-ATS2-TS-B-0080

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	27.50	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4 (Back Side)
A2	40	27.50	
A3	60	27.50	
A4	85	27.50	
B1	71	17.50	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
B2	71	37.50	
B3	83	17.50	
B4	83	37.50	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Box Guide B

DRAWING NUMBER
DVPMA-ATS2-TS-B-0090

1 REV.





SECTION A-A



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06.Jan.2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Head Vaccum B

DRAWING NUMBER: DVPMA-ATS2-TS-B-0101

1 REV.









SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Frange B

DRAWING NUMBER
DVPMA-ATS2-TS-B-0110

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Cable B

DRAWING NUMBER: DVPMA-ATS2-TS-B-0120

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10.50	130	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
A2	22.50	130	
A3	34.50	130	
B1	14	21	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
B2	14	71	
B3	14	121	
B4	31	21	
B5	31	71	
B6	31	121	
C1	22.50 ±0.02	86 ±0.02	∅ 3 H7 +0.01 0 THRU ALL
C2	22.50 ±0.02	121 ±0.02	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo B

DRAWING NUMBER: DVPMA-ATS2-TS-B-0130

1 REV.









Note :
1. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Robo

DRAWING NUMBER: DVPMA-ATS2-TS-B-0140

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	5	⌀ 4.50 THRU ALL ⌴ ⌀ 8 ↧ 4
A2	27.50	5	
A3	27.50	18	
A4	27.50	35	
A5	27.50	52	
A6	47	5	
B1	12.50	25	5.50 X 15 THRU ALL
B2	12.50	50	
B3	42.50	25	
B4	42.50	50	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Support guide 1

DRAWING NUMBER
DVPMA-ATS2-TS-B-0150

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	17.50	39.10	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	17.50	71.10	
A3	37.50	39.10	
A4	37.50	71.10	
B1	17.50 ±0.02	43.10 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	37.50 ±0.02	67.10 ±0.02	
C1	18.50	88	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	36.50	88	
D1	8.50	7.50	∅ 2.05 THRU ALL M2.5x0.45 - 6H THRU ALL
D2	8.50	27.50	
D3	8.50	47.50	
D4	8.50	67.50	
D5	8.50	87.50	
D6	46.50	7.50	
D7	46.50	27.50	
D8	46.50	47.50	
D9	46.50	67.50	
D10	46.50	87.50	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	--------	--------	--------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base robo

DRAWING NUMBER: DVPMA-ATS2-TS-B-0160

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	12.50	10	⌀ 4.20 ↧ 12.40 M5x0.8 - 6H ↧ 10
A2	12.50	35	
A3	42.50	10	
A4	42.50	35	
B1	15	23.50	⌀ 2.90 THRU ALL ⌴ ⌀ 5.50 ↧ 3
B2	15	54.50	
B3	40	23.50	
B4	40	54.50	
C1	47.50	57	⌀ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
D1	2	23.50	⌀ 2.90 THRU ALL ⌴ ⌀ 5.50 ↧ 3
D2	2	54.50	
D3	53	23.50	
D4	53	54.50	









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support guide 2

DRAWING NUMBER: DVPMA-ATS2-TS-B-0170

1 REV.





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-------	--------	--------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: A5052

FINISH: Clear Anodize

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: End Plate

DRAWING NUMBER: DVPMA-ATS2-TS-B-0180

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Note :

1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	--------	---------	---------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Sensor R

DRAWING NUMBER: DVPMA-ATS2-TS-B-0190

1 REV.











SECTION B-B

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stopper

DRAWING NUMBER: DVPMA-ATS2-TS-B-0200

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	4	27	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	4	53	
A3	312	27	
A4	312	53	
B1	12	7.50	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 5
B2	12	72.50	
B3	158	7.50	
B4	158	72.50	
B5	304	7.50	
B6	304	72.50	
C1	18	28.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	18	51.50	
C3	58	28.50	
C4	58	51.50	
C5	98	28.50	
C6	98	51.50	
C7	138	28.50	
C8	138	51.50	
C9	178	28.50	
C10	178	51.50	
C11	218	28.50	
C12	218	51.50	
C13	258	28.50	
C14	258	51.50	
C15	298	28.50	
C16	298	51.50	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base LM Guide B

DRAWING NUMBER
DVPMA-ATS2-LF-B-0010

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Screw Adj.B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0020

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	131.50	37.50	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
A2	131.50	82.50	
A3	151.50	37.50	
A4	151.50	82.50	
A5	61.50	37.50	
A6	61.50	82.50	
A7	81.50	37.50	
A8	81.50	82.50	
B1	46	10	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	46	50	
B3	34	10	
B4	34	50	
B5	34	70	
B6	34	110	
B7	46	70	
B8	46	110	
B9	99	10	
B10	99	50	
B11	99	70	
B12	99	110	
B13	111	10	
B14	111	50	
B15	111	70	
B16	111	110	
B17	164	10	
B18	164	50	
B19	164	70	
B20	164	110	
B21	176	10	
B22	176	50	
B23	176	70	
B24	176	110	
C1	5.50	17	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
C2	5.50	43	
C3	5.50	77	
C4	5.50	103	
C5	70.50	17	
C6	70.50	43	
C7	70.50	77	
C8	70.50	103	
C9	135.50	17	
C10	135.50	43	
C11	135.50	77	
C12	135.50	103	
D1	40 ±0.02	30 ±0.02	∅25 +0.05 0
D2	105 ±0.02	30 ±0.02	
D3	170 ±0.02	30 ±0.02	
E1	40 ±0.02	90 ±0.02	
E2	105 ±0.02	90 ±0.02	
E3	170 ±0.02	90 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:1.5	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate SLide B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0031

1 REV.











SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Stand B Collum

DRAWING NUMBER
DVPMA-ATS2-LF-B-0041

1 REV.











SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304+Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Shaft B Collum

DRAWING NUMBER
DVPMA-ATS2-LF-B-0051

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
POM White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Guide B Part-In

DRAWING NUMBER
DVPMA-ATS2-LF-B-0062

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lift Slide Bottom B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0071

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0081

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Pusher B

DRAWING NUMBER
DVPMA-ATS2-LF-B-0090

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	7.50	⌀ 6.60 THRU ALL ⌴ ⌀ 11 ↧ 7 (Back Side)
A2	10	77.50	
A3	348	7.50	
A4	348	42.50	
A5	348	77.50	
B1	70	28.50	⌀ 5.50 THRU ALL ⌴ ⌀ 10 ↧ 6
B2	70	56.50	
B3	135	28.50	
B4	135	56.50	
B5	235	28.50	
B6	235	56.50	
C1	70 ±0.02	42.50 ±0.02	⌀ 4 H7 +0.01 0 THRU ALL
C2	235 ±0.02	42.50 ±0.02	
C3	220 ±0.02	42.50 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Top Stand B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0101

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	9.50	132	∅ 4.20 THRU M5x0.8 - 6H THRU
A2	50.50	132	
B1	14.50	30	∅ 5.50 THRU ⌴ ∅ 10 ↧ 5
B2	14.50	80	
B3	45.50	30	
B4	45.50	80	
C1	14.50 ±0.02	39 ±0.02	+0.01 ∅ 5 H7 0 THRU ALL
C2	45.50 ±0.02	71 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Robo Slide B

DRAWING NUMBER
DVPMA-ATS2-LF-B-0110

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Slide Plate B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0120

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Lift B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0131

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	14	12.50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A6	40	12.50	
B1	45	12.50	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3.50
B2	54	4	
B3	54	21	
C1	54 ±0.02	9.50 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	54 ±0.02	15.50 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
30/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Slide B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0140

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	12	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	10	44	
A3	30	12	
A4	30	44	
B1	10 ±0.02	16 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	30 ±0.02	40 ±0.02	
C1	15	322.50	∅ 3.30 THRU M4x0.7 - 6H THRU
C2	25	322.50	
D1	20	160	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
D2	20	210	
D3	20	235	
D4	20	260	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
30/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Pusher B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0150

REV. 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Robo Plate B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0160

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Plate B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0170

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Rip Plate B

DRAWING NUMBER
DVPMA-ATS2-LF-B-0180

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
30/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Pusher B

DRAWING NUMBER
DVPMA-ATS2-LF-B-0190

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Plate B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0201

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Strut Clamp B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0210

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Sensor Bracket B

DRAWING NUMBER
DVPMA-ATS2-LF-B-0220

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	12	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	8	44	
A3	28	12	
A4	28	44	
B1	8 ±0.02	16 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	28 ±0.02	40 ±0.02	
C1	13	322.50	∅ 3.30 THRU M4x0.7 - 6H THRU
C2	23	322.50	
D1	18	160	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
D2	18	210	
D3	18	235	
D4	18	260	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:2	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Pusher B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0230

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
A6063
FINISH
Clear Anodize
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Pusher B

DRAWING NUMBER
DVPMA-ATS2-LF-B-0240

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	12.50	17.50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	38.50	17.50	
B1	37.50	4	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3.50
B2	20.50	4	
B3	29	20	
C1	32 ±0.02	4 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	26 ±0.02	4 ±0.02	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Slide B

DRAWING NUMBER: DVPMA-ATS2-LF-B-0250

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Rip Plate

DRAWING NUMBER
DVPMA-ATS2-LF-B-0260

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	8	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6
A2	8	62	
A3	142	8	
A4	142	62	
B1	22.50	24	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	22.50	46	
B3	77.50	24	
B4	77.50	46	











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Rotary B

DRAWING NUMBER: DVPMA-ATS2-RO-B-0011

1 REV.





SECTION F-F



TAG	X LOC	Y LOC	SIZE
A1	7.50	20	⌀ 6.60 THRU ALL ⌴ ⌀ 11 ↧ 7
A2	7.50	50	
A3	142.50	20	
A4	142.50	50	
B1	8	8	⌀ 5 THRU ALL M6x1.0 - 6H THRU ALL
B2	8	62	
B3	142	8	
B4	142	62	
D1	113	3.50	⌀ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
D2	129	3.50	
E1	115	24	⌀ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
E2	115	46	
E3	131	24	
E4	131	46	
E5	25	15	
E6	25	55	
E7	75	15	
E8	75	55	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Foot B

DRAWING NUMBER
DVPMA-ATS2-RO-B-0021

1 REV.

( )

TAG	X LOC	Y LOC	SIZE
A1	5	4	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 4 (Back Side)
A2	15	17	
A3	15	31	
A4	25	4	
B1	5.50	81	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	5.50	101	
B3	24.50	81	
B4	24.50	101	
C1	5.50 ±0.02	90 ±0.02	∅ 3 H7 +0.01 0 THRU ALL
C2	15 ±0.02	4 ±0.02	
C3	15 ±0.02	24 ±0.02	
C4	24.50 ±0.02	90 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air B

DRAWING NUMBER: DVPMA-ATS2-RO-B-0031

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip B

DRAWING NUMBER: DVPMA-ATS2-RO-B-0040

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7.50	18	⌀ 3.40 THRU ALL ⌴ ⌀ 6.50 ↧ 4 (Back Side)
A2	22	18	
B1	10	7	4.80 X 10 THRU ALL
B2	10	29	
B3	26	7	
B4	26	29	









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Air B

DRAWING NUMBER
DVPMA-ATS2-RO-B-0050

1 REV.





SECTION F-F
SCALE 1 : 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Housing B

DRAWING NUMBER
DVPMA-ATS2-RO-B-0061

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Shaft Rotary B

DRAWING NUMBER
DVPMA-ATS2-RO-B-0071

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	5	15	⌀ 4.50 THRU ALL ⌴ ⌀ 8 ↧ 4
A2	5	55	
A3	55	15	
A4	55	55	
C1	18.50	23.50	⌀ 3.40 THRU ALL ⌴ ⌀ 6.50 ↧ 3
C2	18.50	46.50	
C3	41.50	23.50	
C4	41.50	46.50	
D1	31	66	⌀ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
D2	31	4	
D3	41	66	
D4	41	4	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Motor B

DRAWING NUMBER: DVPMA-ATS2-RO-B-0081

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	5.21 ±0.02	5.58 ±0.02	∅ 5 H7 +0.01 0 THRU ALL
B1	32.50	18.50	3.50 X 5 THRU ALL ⌴ 6.50 ↧ 3
B2	48.50	18.50	









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Pin B

DRAWING NUMBER: DVPMA-ATS2-RO-B-0091

REV. 1







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin B Pe

DRAWING NUMBER
DVPMA-ATS2-RO-B-0101

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin B

DRAWING NUMBER
DVPMA-ATS2-RO-B-0102

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Stand L Sensor B

DRAWING NUMBER
DVPMA-ATS2-RO-B-0111

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
A6063
FINISH
Clear Anodize
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Stand Air B

DRAWING NUMBER
DVPMA-ATS2-RO-B-0120

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand R Sensor B

DRAWING NUMBER: DVPMA-ATS2-RO-B-0131

1 REV.







SECTION A-A
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin B (AS-5C69)
DRAWING NUMBER: DVPMA-ATS2-RO-B-0140-01
1 REV.







SECTION A-A
SCALE 5 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin B (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-RO-B-0140-02

1 REV.







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-RO-B-0140-03

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06.Jan.2025 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Stopper

DRAWING NUMBER: DVPMA-ATS2-RO-B-0151

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Adj

DRAWING NUMBER
DVPMA-ATS2-RO-B-0160

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE

JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: SUS304

FINISH: Polish Up

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support

DRAWING NUMBER: DVPMA-ATS2-RO-B-0170

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	5.50	81	4.50 X 10 THRU ALL
A2	5.50	101	
A3	24.50	81	
A4	24.50	101	
B1	6.50	5	5.50 X 8 THRU ALL
B2	23.50	5	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
08/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26.Sep.2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air

DRAWING NUMBER: DVPMA-ATS2-RO-B-0180

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	20	10	6.60 X 20 THRU ⌴ 11 ↧ 6
A2	20	90	
A3	250	10	
A4	250	90	
A5	480	10	
A6	480	90	
B1	97	36	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 6 (Back Side)
B2	97	64	
B3	197	36	
B4	197	64	
B5	297	36	
B6	297	64	
B7	397	36	
B8	397	64	
C1	97 ±0.02	50 ±0.02	+0.01 ∅ 4 H7 0 THRU ALL
C2	397 ±0.02	50 ±0.02	

SECTION F-F







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Robo Base B

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0010

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	19.50	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 6
A2	10	50.50	
A3	60	19.50	
A4	60	50.50	
B1	12	35	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 7 (Back Side)
B2	35	51	
B3	35	63	
B4	58	35	
C1	19 ±0.02	19.50 ±0.02	H7 +0.01 ∅ 5 0 THRU ALL
C2	51 ±0.02	50.50 ±0.02	
D1	23.50 ±0.02	35 ±0.02	+0.01 ∅ 4 H7 0 THRU ALL
D2	46.50 ±0.02	35 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate robo B

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0020

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	6	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	10	74	
A3	48	6	
A4	48	74	
B1	9	12.50	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
B2	9	67.50	
B3	49	12.50	
B4	49	67.50	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Adjust B

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0031

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	47.50	∅ 6.60 THRU ⌴ ∅ 11 ↧ 6
A2	52	47.50	
B1	9	20	5.50 X 18 THRU ALL
B2	9	75	
B3	49	20	
B4	49	75	
C1	19 ±0.02	47.50 ±0.02	+0.01 ∅ 4 H7 0 THRU ALL
C2	39 ±0.02	47.50 ±0.02	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Base B

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0051

1 REV.

( )







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Support B

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0061

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lip B

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0070

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Ajd. B

DRAWING NUMBER
DVPMA-ATS2-SJ-B-0080

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	11	∅ 6 THRU ALL
A2	6	49	
A3	74	11	
A4	74	49	







SECTION A-A





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Planting
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Jig B (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0100

1 REV.







SECTION A-A
SCALE 1 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Jig (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0111

1 REV.







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 4:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin(AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0120

1 REV.







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	UNCUT
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pin B (AS-5C60-69)

DRAWING NUMBER
DVPMA-ATS2-SJ-B-0130-01

1 REV.







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin B (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0130-02

1 REV.







SECTION G-G

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0130-03

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	6	∅ 5.50 THRU ALL
A2	44	6	
A3	6	74	
A4	44	74	
B1	25	20	∅ 2.50 THRU M3x0.5 - 6H THRU
B2	25	24	
B3	5	40	
B4	9	40	
B5	41	40	
B6	45	40	
B7	25	56	
B8	25	60	
C1	25	40	∅8 H7 $^{+0.02}_{0}$







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Jig B

DRAWING NUMBER
DVPMA-ATS2-SJ-B-0140

1 REV.





SECTION A-A



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Work Base B (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0150-01

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Work Base B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SJ-B-0150-02

1 REV.





SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Index Base B

DRAWING NUMBER: DVPMA-ATS2-SL-B-0011

REV. 1









Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sensor Bracket B1

DRAWING NUMBER: DVPMA-ATS2-SL-B-0020

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Sensor Bracket B2

DRAWING NUMBER
DVPMA-ATS2-SL-B-0030

1 REV.







SECTION F-F
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sleeve Index Jig B

DRAWING NUMBER: DVPMA-ATS2-SL-B-0041

1 REV.





SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Shaft (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SL-B-0050-01

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Shaft (AS-5C67)
DRAWING NUMBER: DVPMA-ATS2-SL-B-0050-02
1 REV.





SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Shaft (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SL-B-0050-03

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sensor Bracket B

DRAWING NUMBER: DVPMA-ATS2-SL-B-0070

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm	
DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich
DATE : 16 .Oct. 2024		Qt'y : - Pcs.	

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Side Plate B

DRAWING NUMBER: DVPMA-ATS2-SL-B-0080

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: A5052

FINISH: Clear Anodize

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rib Plate B

DRAWING NUMBER: DVPMA-ATS2-SL-B-0090

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7.50	10	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	7.50	42	
A3	27.50	10	
A4	27.50	42	
B1	7.50 ±0.02	14 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	27.50 ±0.02	38 ±0.02	
D1	17.50	93	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
D2	17.50	143	
D3	17.50	193	
D4	17.50	243	
D5	10.50	285.50	
D6	24.50	285.50	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Pusher B

DRAWING NUMBER
DVPMA-ATS2-SL-B-0100

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	15.50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A6	46	15.50	
B1	35	15.50	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3.50
B2	54	26.50	
B3	54	4.50	
C1	54 ±0.02	18.50 ±0.02	$\varnothing\ 3\ H7\ ^{+0.01}_{\ 0}$ THRU ALL
C2	54 ±0.02	12.50 ±0.02	
D1	10 ±0.02	3.50 ±0.02	$\varnothing\ 3\ H7\ ^{+0.01}_{\ 0}$ THRU ALL
D2	30 ±0.02	3.50 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Slide

DRAWING NUMBER: DVPMA-ATS2-SL-B-0110

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Pusher B

DRAWING NUMBER: DVPMA-ATS2-SL-B-0120

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Lift B

DRAWING NUMBER: DVPMA-ATS2-SL-B-0130

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Strut Clamp B

DRAWING NUMBER
DVPMA-ATS2-SL-B-0140

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Foot B

DRAWING NUMBER
DVPMA-ATS2-SL-B-0160

1 REV.









Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0
2. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Reflector Bracket B

DRAWING NUMBER: DVPMA-ATS2-SL-B-0170

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Guide (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-SL-B-0180-01

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SL-B-0180-02

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SL-B-0180-03

1 REV.



Note :
1. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Robo Transfer B Unit
DRAWING NUMBER: DVPMA-ATS2-SS-B-0011
1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo B

DRAWING NUMBER: DVPMA-ATS2-SS-B-0021

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Channel B

DRAWING NUMBER
DVPMA-ATS2-SS-B-0031

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	UNCUT
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C
Auto Assembly AS-5C69A

MATERIAL
POM White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Wiring clamp 1B

DRAWING NUMBER
DVPMA-ATS2-SS-B-0040

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
POM White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Wiring clamp 2B

DRAWING NUMBER
DVPMA-ATS2-SS-B-0050

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Washer Head B

DRAWING NUMBER
DVPMA-ATS2-SS-B-0060

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sensor Bracket B

DRAWING NUMBER: DVPMA-ATS2-SS-B-0070

1 REV.





SECTION A-A



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Frange B

DRAWING NUMBER: DVPMA-ATS2-SS-B-0080

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	5	∅ 3.30 THRU M4x0.7 - 6H THRU
A2	6	15	
A3	23.50	74	
A4	41	5	
A5	41	15	
B1	13.50	27	∅ 3.40 THRU ⌴ ∅ 6.50 ↧ 3
B2	13.50	59	
B3	33.50	27	
B4	33.50	59	
C1	13.50 ±0.02	31 ±0.02	+0.010 ∅ 3 H7 0 THRU
C2	33.50 ±0.02	55 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Robo B

DRAWING NUMBER
DVPMA-ATS2-SS-B-0100

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Cable B

DRAWING NUMBER: DVPMA-ATS2-SS-B-0120

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Bush Housing B

DRAWING NUMBER: DVPMA-ATS2-SS-B-0140

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Adjust Plate B

DRAWING NUMBER: DVPMA-ATS2-SS-B-0170

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	130	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
A2	20	130	
A3	32	130	
B1	11.50	22	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
B2	11.50	72	
B3	11.50	122	
B4	28.50	22	
B5	28.50	72	
B6	28.50	122	
C1	20 ±0.02	72 ±0.02	$\varnothing 3\ H7\ ^{+0.01}_{\ 0}$ THRU ALL
C2	20 ±0.02	122 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate B Robo

DRAWING NUMBER: DVPMA-ATS2-SS-B-0180

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock B Channel

DRAWING NUMBER: DVPMA-ATS2-SS-B-0190

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
A5052
FINISH
Clear Anodize
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE	1:0.4	SHEET	1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Robo B

DRAWING NUMBER
DVPMA-ATS2-SS-B-0200

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 3:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Chuck Common

DRAWING NUMBER
DVPMA-ATS2-SS-B-0210-01

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	55	51	⌀ 5.50 THRU ALL ⌴ ⌀ 9 ↧ 5.50
A2	25	51	
B1	40	63	⌀ 4.50 THRU ALL ⌴ ⌀ 8 ↧ 4.50
B2	40	73	









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SS400
FINISH
Nickel Plating
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate B Unit

DRAWING NUMBER
DVPMA-ATS2-TO-B-0011

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Stnd B

DRAWING NUMBER
DVPMA-ATS2-TO-B-0021

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lip B Turn

DRAWING NUMBER: DVPMA-ATS2-TO-B-0031

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6.50	134	∅ 5.50 THRU ALL ⌴ ∅ 9.50 ↧ 5
A2	21	142	
A3	35.50	134	
B1	38.90 ±0.02	59 ±0.02	$\varnothing\ 4\ ^{+0.01}_{\ 0}$ THRU ALL
C1	19.90	59	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	19.90	95	
C3	19.90	131	
C4	19.90	23	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Air Bottom

DRAWING NUMBER
DVPMA-ATS2-TO-B-0041

1 REV.

TAG	X LOC	Y LOC	SIZE
B1	36.50	21.50	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
B2	36.50	54.50	
B3	8.50	21.50	
B4	8.50	54.50	
B5	36.50	14.50	
B6	36.50	47.50	
B7	8.50	14.50	
B8	8.50	47.50	
C1	22.50	21	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	22.50	60	
D1	3.50 ±0.02	28 ±0.02	+0.01 ∅ 4 H7 0 THRU ALL
D2	3.50 ±0.02	60 ±0.02	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support

DRAWING NUMBER: DVPMA-ATS2-TO-B-0051

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	22.10	68	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4 (Back Side)
A2	22.10	104	
A3	42.10	68	
A4	42.10	104	
A5	22.10	32	
A6	42.10	32	
B1	32.10 ±0.02	68 ±0.02	∅ 4 H7 +0.01 0 THRU ALL
B2	32.10 ±0.02	104 ±0.02	
C1	11	98.70	∅ 5 THRU M6x1.0 - 6H THRU
C2	49	98.70	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Air Rotary

DRAWING NUMBER: DVPMA-ATS2-TO-B-0061

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Gripper B (AS-5C67-69)

DRAWING NUMBER
DVPMA-ATS2-TO-B-0071-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-TO-B-0071-02

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	UNCUT
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Gripper B (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-TO-B-0081-01

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper B (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-TO-B-0081-02

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper B (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-TO-B-0081-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
A6063
FINISH
Clear Anodize
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Adj. 1

DRAWING NUMBER
DVPMA-ATS2-TO-B-0091

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	5	64.70	∅ 5.50 THRU ALL ⌴ ∅ 9.50 ↧ 5
A2	19.50	72.70	
A3	34	64.70	
B1	34 ±0.02	6.25 ±0.02	∅ 3 +0.01 0 THRU ALL
C1	19.50	2.20	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	19.50	33.20	
C3	19.50	64.20	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Bottom2

DRAWING NUMBER: DVPMA-ATS2-TO-B-0100

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	14	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	8	46	
A3	8	78	
A4	24	14	
A5	24	46	
A6	24	78	
B1	8	71.20	∅ 2.50 THRU M3x0.5 - 6H THRU
B2	24	71.20	
C1	16 ±0.02	46 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	16 ±0.02	78 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Slide

DRAWING NUMBER: DVPMA-ATS2-TO-B-0110

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE	1:0.4	SHEET	1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Stand B2

DRAWING NUMBER
DVPMA-ATS2-TO-B-0120

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lip B Turn 2

DRAWING NUMBER: DVPMA-ATS2-TO-B-0130

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper

DRAWING NUMBER: DVPMA-ATS2-TO-B-0140-01

1 REV.









SECTION F-F
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: PEEK Gripper (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-TO-B-0150-01

1 REV.









SECTION F-F
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: PEEK Gripper (AS-5C67)
DRAWING NUMBER: DVPMA-ATS2-TO-B-0150-02
1 REV.









SECTION G-G
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: PEEK
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: PEEK Gripper (AS-5C68)
DRAWING NUMBER: DVPMA-ATS2-TO-B-0150-03
1 REV.







SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin Master

DRAWING NUMBER: DVPMA-ATS2-TO-B-0170

1 REV.











Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Adj. 2

DRAWING NUMBER
DVPMA-ATS2-TO-B-0180

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	3.50 ±0.02	28 ±0.02	∅ 4 H7 +0.01 0 THRU ALL
A2	3.50 ±0.02	60 ±0.02	
B1	8.50	13.50	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
B2	8.50	21.50	
B3	8.50	46.50	
B4	8.50	54.50	
B5	36.50	13.50	
B6	36.50	21.50	
B7	36.50	46.50	
B8	36.50	54.50	
C1	22.50	28	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	22.50	60	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Air

DRAWING NUMBER
DVPMA-ATS2-TO-B-0190

1 REV.









SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
28/ Sep/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	UNCUT
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 26 .Sep. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Joint 1

DRAWING NUMBER: DVPMA-ATS2-PS-B-0040

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	6	8	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6.50 (Back Side)
A2	6	98	
A3	106	98	
A4	206	98	
A5	306	98	
A6	406	98	
A7	506	98	
A8	606	98	
A9	706	98	
A10	806	98	
A11	906	98	
A12	1266	8	
A13	1266	98	
B1	62	17.50	∅ 6.60 THRU ⌴ ∅ 11 ↧ 6.50
B2	62	67.50	
B3	162	17.50	
B4	162	67.50	
B5	262	17.50	
B6	262	67.50	
B7	362	17.50	
B8	362	67.50	
B9	462	17.50	
B10	462	67.50	
B11	562	17.50	
B12	562	67.50	
B13	662	17.50	
B14	662	67.50	
B15	762	17.50	
B16	762	67.50	
B17	862	17.50	
B18	862	67.50	
B19	962	17.50	
B20	962	67.50	
B21	1062	17.50	
B22	1062	67.50	
B23	1162	17.50	
B24	1162	67.50	
C1	132 ±0.02	42.50 ±0.02	∅ 6 H7 +0.01 0 THRU
C2	712 ±0.02	42.50 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo C

DRAWING NUMBER: DVPMA-ATS2-BT-C-0010

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo Slide C

DRAWING NUMBER: DVPMA-ATS2-BT-C-0021

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Slide C

DRAWING NUMBER
DVPMA-ATS2-BT-C-0030

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0011

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo Slide C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0020

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
19/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Slide Plate C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0030

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Hand Plate C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0040

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	6.19	49.69	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	6.19	72.31	
A3	6.19	119.69	
A4	6.19	142.31	
A5	28.81	49.69	
A6	28.81	72.31	
A7	28.81	119.69	
A8	28.81	142.31	
A9	221.19	49.69	
A10	221.19	72.31	
A11	221.19	119.69	
A12	221.19	142.31	
A13	243.81	49.69	
A14	243.81	72.31	
A15	243.81	119.69	
A16	243.81	142.31	
B1	7.50	6.50	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
B2	7.50	38.50	
B3	7.50	153.50	
B4	7.50	185.50	
B5	15	81	
B6	15	111	
B7	31.50	96	
B8	37.50	6.50	
B9	37.50	38.50	
B10	37.50	153.50	
B11	37.50	185.50	
B12	59	96	
B13	115	40	
B14	115	152	
B15	135	40	
B16	135	152	
B17	212.50	6.50	
B18	212.50	38.50	
B19	212.50	153.50	
B20	212.50	185.50	
B21	242.50	6.50	
B22	242.50	38.50	
B23	242.50	153.50	
B24	242.50	185.50	
C1	17.50 ±0.02	61 ±0.02	+0.05 ∅21 +0.02
C2	17.50 ±0.02	131 ±0.02	
C3	232.50 ±0.02	61 ±0.02	
C4	232.50 ±0.02	131 ±0.02	
D1	75	53.50	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
D2	75	138.50	
D3	175	53.50	
D4	175	138.50	
F1	22.50 ±0.02	47.50 ±0.02	+0.01 ∅ 5 H7 0 ↧ 6 (Back Side)
F2	227.50 ±0.02	47.50 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Guide C

DRAWING NUMBER
DVPMA-ATS2-GU-C-0051

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 1C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0060

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 2C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0070

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	17.50	65	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
A2	17.50	135	
A3	232.50	65	
A4	232.50	135	
B1	45	15	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	45	45	
B3	45	75	
B4	45	105	
B5	45	135	
B6	205	15	
B7	205	45	
B8	205	75	
B9	205	105	
B10	205	135	
C1	53.50 ±0.02	10 ±0.02	+0.01 ∅ 3 H7 0 ↧ 4.50
C2	53.50 ±0.02	135 ±0.02	
C3	196.50 ±0.02	10 ±0.02	
C4	196.50 ±0.02	135 ±0.02	
D1	113.50	42.50	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6 (Back Side)
D2	136.50	42.50	
E1	125	84	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6.50
E2	125	136	
F1	187.50	6	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
F2	217.50	6	
G1	6.19	53.69	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
G2	6.19	76.31	
G3	6.19	123.69	
G4	6.19	146.31	
G5	28.81	53.69	
G6	28.81	76.31	
G7	28.81	123.69	
G8	28.81	146.31	
G9	221.19	53.69	
G10	221.19	76.31	
G11	221.19	123.69	
G12	221.19	146.31	
G13	243.81	53.69	
G14	243.81	76.31	
G15	243.81	123.69	
G16	243.81	146.31	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Top Plate C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0081

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: S45C
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Mounting Flange C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0090

1 REV.







SECTION A-A
SCALE 1 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: S45C
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Joint C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0100

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Lock Cable 1C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0111

1 REV.



4x ∅ 3.40 THRU ALL
⌴ ∅ 6.50 ↧ 3





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lock Cable 1C

DRAWING NUMBER
DVPMA-ATS2-GU-C-0120

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Acrylic (Color NO.P-522)
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Side C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0130

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	9.50	15	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
A2	17.50	25	
A3	25.50	15	
A4	239.50	15	
A5	247.50	25	
A6	255.50	15	
A7	469.50	15	
A8	477.50	25	
A9	485.50	15	
A10	699.50	15	
A11	707.50	25	
A12	715.50	15	
B1	120	25	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	131.40	25	
B3	406.80	25	
B4	418.20	25	
B5	593.60	25	
B6	605	25	
C1	170	89.60	∅ 2.05 THRU ALL M2.5x0.45 - 6H THRU ALL
C2	188	89.60	
C3	307	89.60	
C4	325	89.60	
C5	400	89.60	
C6	418	89.60	
C7	537	89.60	
C8	555	89.60	
D1	273	91	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
D2	273	81	
D3	273	57	
D4	273	47	
D5	292	91	
D6	292	81	
D7	292	57	
D8	292	47	
D9	433	91	
D10	433	81	
D11	433	57	
D12	433	47	
D13	452	91	
D14	452	81	
D15	452	57	
D16	452	47	
E1	353.50	22.50	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
E2	371.50	22.50	
F1	296.50 ±0.02	86 ±0.02	∅ 3 H7 +0.01 0 ↧ 5 (Back Side)
F2	296.50 ±0.02	44 ±0.02	
F3	428.50 ±0.02	86 ±0.02	
F4	428.50 ±0.02	44 ±0.02	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Hand Base C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0141

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sup Plate C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0150

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:1	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Lock Cable 2C
DRAWING NUMBER: DVPMA-ATS2-GU-C-0161
1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Gripper C AS-5C69

DRAWING NUMBER
DVPMA-ATS2-GU-C-0170-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Gripper C AS-5C67-68

DRAWING NUMBER
DVPMA-ATS2-GU-C-0170-02

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Gripper C (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-GU-C-0170-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Joint C

DRAWING NUMBER
DVPMA-ATS2-GU-C-0180

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Channel C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0190

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock Cable 2C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0200

1 REV.





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE

JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: SUS304

FINISH: Polish Up

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper C (AS-5C67-69)

DRAWING NUMBER: DVPMA-ATS2-GU-C-0210-01

1 REV.



Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A

MATERIAL: SUS304

FINISH: Polish Up

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-GU-C-0210-02

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	7.50	⌀ 5.50 THRU ALL ⌴ ⌀ 10 ↧ 5.50
A2	10	92.50	
A3	30	20	
A4	30	80	
A5	90	20	
A6	90	80	
A7	110	7.50	
A8	110	92.50	
B1	60	50	⌀50





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE

JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: A5052

FINISH: Clear Anodize

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo C

DRAWING NUMBER: DVPMA-ATS2-GU-C-0220

1 REV.





Note :
1. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Robo C
DRAWING NUMBER: DVPMA-ATS2-IL-C-0010
REV. 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo Y axis C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0020

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Channel C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0030

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
POM White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Wiring clamp1 C

DRAWING NUMBER
DVPMA-ATS2-IL-C-0040

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
15/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
POM White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Wiring clamp2 C

DRAWING NUMBER
DVPMA-ATS2-IL-C-0050

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	UNCUT
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock Channel C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0060

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	130	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
A2	20	130	
A3	32	130	
B1	11.50	22	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
B2	11.50	72	
B3	11.50	122	
B4	28.50	22	
B5	28.50	72	
B6	28.50	122	
C1	20 ±0.02	87 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	20 ±0.02	122 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0070

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	5	∅ 3.30 THRU M4x0.7 - 6H THRU
A2	6	15	
A3	41	15	
A4	41	5	
B1	13.50	27	∅ 3.40 THRU ⌴ ∅ 6.50 ↧ 3
B2	13.50	59	
B3	33.50	27	
B4	33.50	59	
C1	13.50 ±0.02	31 ±0.02	+0.01 ∅ 3 H7 0 THRU
C2	33.50 ±0.02	55 ±0.02	
D1	23.50	47	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
D2	23.50	74	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Plate C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0080

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Box Guide C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0090

1 REV.





SECTION A-A



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Frange C

DRAWING NUMBER
DVPMA-ATS2-IL-C-0101

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chuck C (AS-5C69)
DRAWING NUMBER: DVPMA-ATS2-IL-C-0111-01
1 REV.













Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chuck C (AS5C67)

DRAWING NUMBER: DVPMA-ATS2-IL-C-0111-02

1 REV.













Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Peek

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chuck C (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-IL-C-0121-01

1 REV.













Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Chuck C (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-IL-C-0121-02

1 REV.











Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Chuck C (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-IL-C-0121-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Spacer Guide C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0130

REV. 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Cable C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0140

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sensor Plate C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0150

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo C

DRAWING NUMBER: DVPMA-ATS2-IL-C-0160

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Adjust Plate C

DRAWING NUMBER
DVPMA-ATS2-IL-C-0170

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	10	10	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6
A2	10	90	
A3	40	220	
A4	130	220	
A5	132	-12	
B1	35	53.50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
B2	48	53.50	
C1	40	100	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
C2	65	192	
C3	100	192	
C4	134	100	
D1	82.32	32.32	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
D2	82.32	67.68	
D3	117.68	32.32	
D4	117.68	67.68	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base C unit

DRAWING NUMBER: DVPMA-ATS2-JO-C-0011

1 REV.





SECTION M-M





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Jig C (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-JO-C-0020-01

1 REV.





SECTION M-M



⌀ 2.05 THRU
M2.5x0.45 - 6H THRU
PCD ⌀55.5



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Jig C (AS-5C67)
DRAWING NUMBER: DVPMA-ATS2-JO-C-0020-02
1 REV.





SECTION M-M





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	UNCUT
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Jig C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-JO-C-0020-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Guide C (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-JO-C-0110-01

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Guide C (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-JO-C-0110-02

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-JO-C-0110-03

1 REV.









SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: SUS304

FINISH: Polish Up

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base C All Part

DRAWING NUMBER: DVPMA-ATS2-JO-C-0120-01

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Support C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0010

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	21.50	∅ 5 THRU M6x1.0 - 6H THRU
A2	21	21.50	
A3	244	21.50	
A4	257	21.50	
B1	55	15	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4.50
B2	132.50	15	
B3	210	15	
C1	87.50	15	∅ 4.20 THRU M5x0.8 - 6H THRU
C2	177.50	15	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Stand C

DRAWING NUMBER
DVPMA-ATS2-LD-C-0020

1 REV.









Note

1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Stand Sensor C

DRAWING NUMBER
DVPMA-ATS2-LD-C-0030

1 REV.









Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Cover C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0040

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Acrylic (Color NO.P-522)

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Side C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0050

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Acrylic (Color NO.P-522)

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover Fornt C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0060

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nikel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Plate C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0070

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	15	12	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
A2	105	12	
B1	48.50	49.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	48.50	69.50	
B3	71.50	49.50	
B4	71.50	69.50	
C1	48.50 ±0.02	59.50 ±0.02	∅ 3 H7 +0.01 0 THRU ALL
C2	71.50 ±0.02	59.50 ±0.02	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nikel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support C
DRAWING NUMBER: DVPMA-ATS2-LD-C-0080
1 REV.









Note :

1. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Shutter C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0090

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: SS400

FINISH: Nickel Plating

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Support C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0100

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Support C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0110

REV. 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Post Guide C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0120

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support Guide C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0130

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Post Guide C (Bottom)
DRAWING NUMBER: DVPMA-ATS2-LD-C-0140
1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
19/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Post Guide C (Top)
DRAWING NUMBER: DVPMA-ATS2-LD-C-0150
1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support Guide C (Bottom)

DRAWING NUMBER: DVPMA-ATS2-LD-C-0160

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	1:0.4	SHEET	1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support Guide C (Top)

DRAWING NUMBER: DVPMA-ATS2-LD-C-0170

1 REV.







SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Column C

DRAWING NUMBER
DVPMA-ATS2-LD-C-0180

1 REV.







DETAIL F
4 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Shaft Support C (AS-5C67-69)
DRAWING NUMBER: DVPMA-ATS2-LD-C-0190-01
REV. 1







DETAIL F
4 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SS400
FINISH
Nickel Plating
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Shaft Support C (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-LD-C-0190-02

1 REV.









SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
PEEK

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support C

DRAWING NUMBER
DVPMA-ATS2-LD-C-0200

1 REV.





TAG	X LOC	Y LOC	SIZE
A1	6.31	103.14	3.50 X 10 THRU ALL
A2	6.31	128.14	
A3	6.31	245.37	
A4	6.31	270.37	
A5	115	93.11	
A6	115	286.89	
A7	140	93.11	
A8	140	286.89	
A9	248.69	103.14	
A10	248.69	128.14	
A11	248.69	245.37	
A12	248.69	270.37	
A13	16.48	34.95	
A14	16.48	346.05	
A15	31.48	34.95	
A16	31.48	345.05	
A17	223.52	34.95	
A18	223.52	345.05	
A19	238.52	34.95	
A20	238.52	345.05	
B1	17.50	7.50	∅ 6.50 THRU
B2	17.50	372.50	
B3	237.50	7.50	
B4	237.50	372.50	
C1	52.50 ±0.02	50 ±0.02	∅ 8 H7 +0.02 0 THRU
C2	52.50 ±0.02	330 ±0.02	
C3	202.50 ±0.02	50 ±0.02	
C4	202.50 ±0.02	330 ±0.02	
D1	67.50	110	∅50
D2	67.50	270	
D3	127.50	190	
D4	187.50	110	
D5	187.50	270	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0211

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Tawan	P.Naiwinit	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Under 1C

DRAWING NUMBER
DVPMA-ATS2-LD-C-0220

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Tawan	P.Naiwinit	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Under 2C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0230

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ ~ UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: A5052

FINISH: Clear Anodize

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Under 3C

DRAWING NUMBER: DVPMA-ATS2-LD-C-0240

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	228	28.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	228	51.50	
A3	268	28.50	
A4	268	51.50	
A5	308	28.50	
A6	308	51.50	
B1	296 ±0.02	17 ±0.02	+0.01 ∅ 4 H7 0 THRU ALL
B2	40 ±0.02	17 ±0.02	
C1	8	8	6.50 X 10 THRU ALL
C2	8	72	
C3	328	8	
C4	328	72	
D1	14	27	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
D2	14	53	
D3	322	27	
D4	322	53	
A7	28	28.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A8	28	51.50	
A9	68	28.50	
A10	68	51.50	
A11	108	28.50	
A12	108	51.50	
A13	148	28.50	
A14	148	51.50	
A15	188	28.50	
A16	188	51.50	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate C Top Stand

DRAWING NUMBER
DVPMA-ATS2-LF-C-0010

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support C Adj.

DRAWING NUMBER
DVPMA-ATS2-LF-C-0020

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	19	26	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	19	59	
A3	31	26	
A4	31	59	
A5	84	26	
A6	84	59	
A7	96	26	
A8	96	59	
A9	149	26	
A10	149	59	
A11	161	26	
A12	161	59	
B1	25 ±0.02	42.50 ±0.02	∅ 25 H7 +0.02 0 THRU
B2	90 ±0.02	42.50 ±0.02	
B3	155 ±0.02	42.50 ±0.02	
C1	45	20	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
C2	45	65	
C3	65	20	
C4	65	65	
C5	115	20	
C6	115	65	
C7	135	20	
C8	135	65	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate SLide C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0030

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SS400
FINISH
Nickel Plating
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Pusher C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0040

1 REV.









SECTION I-I

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Collum C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0050

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lift Slide C (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0060-01

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lift Slide C (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0060-02

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lift Slide C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0060-03

1 REV.





SECTION K-K



SECTION I-I

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide C (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0070-01

REV. 1







SECTION K-K



SECTION I-I

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide C (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0070-02

1 REV.







SECTION K-K



SECTION I-I

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0070-03

1 REV.





SECTION H-H



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Shaft Collum C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0080

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7.50	7.50	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6 (Back Side)
A2	7.50	52.50	
A3	272.50	52.50	
A4	362.50	52.50	
A5	412.50	7.50	
A6	412.50	52.50	
B1	81.70	11.50	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
B2	81.70	28.50	
B3	181.70	11.50	
B4	181.70	28.50	
B5	281.70	11.50	
B6	281.70	28.50	
B7	381.70	11.50	
B8	381.70	28.50	
C1	81.70 ±0.02	20 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	281.70 ±0.02	20 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Top C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0090

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7	35	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
A2	29	35	
B1	8	22.10	∅ 3.40 THRU ⌴ ∅ 6.50 ↧ 3
B2	8	54.10	
B3	28	22.10	
B4	28	54.10	
C1	8 ±0.02	26.10 ±0.02	+0.01 ∅ 3 H7 0 THRU
C2	28 ±0.02	50.10 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Robo Slide C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0100

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Slide C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0110

1 REV.







Front View



Back View

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Strut Clamp C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0130

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Shaft Holder 1C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0140

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Unit Base C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0150

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: A5052

FINISH: Clear Anodize

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:1.2	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rib Plate C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0160

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodzie
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0170

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7.50	10	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	7.50	42	
A3	27.50	10	
A4	27.50	42	
B1	7.50 ±0.02	14 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	27.50 ±0.02	38 ±0.02	
C1	17.50	115	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
C2	17.50	165	
C3	17.50	190	
C4	17.50	215	
C5	12.50	277.50	
C6	22.50	277.50	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Pusher C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0180

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	46	12.50	⌀ 3.40 THRU ALL ⌴ ⌀ 6.50 ↧ 3.50
A2	54	4	
A3	54	21	
B1	54 ±0.02	9.50 ±0.02	+0.01 ⌀ 3 H7 0 THRU ALL
B2	54 ±0.02	15.50 ±0.02	
C1	12.50	12.50	⌀ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	40.50	12.50	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	UNCUT
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Slide C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0190

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clean Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Pusher C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0200

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Lift C (AS-5C69-68)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0210-01

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Lift C (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0210-02

REV. 1

TAG	X LOC	Y LOC	SIZE
A1	18.50	4.50	5.50 X 10 THRU
A2	6.50	4.50	
A3	18.50	15.50	
A4	6.50	15.50	
B1	37.50	61	∅ 2.50 THRU M3x0.5 - 6H THRU
B2	17.50	61	
B3	-2.50	61	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support Pusher C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0230

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	7	∅ 3.50 THRU ALL
A2	11	25	
A3	31	7	
A4	31	25	
B1	11 ±0.02	16 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	31 ±0.02	16 ±0.02	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Stopper C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0241

1 REV.











Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Reflector C Bracket

DRAWING NUMBER: DVPMA-ATS2-LF-C-0250

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Strut Clamp C

DRAWING NUMBER: DVPMA-ATS2-LF-C-0260

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Sensor Bracket C

DRAWING NUMBER
DVPMA-ATS2-LF-C-0270

1 REV.









SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Pom White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide C (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-LF-C-0280-02

1 REV.



Note :
1. Accept welding

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Robo C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0010

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Posts 1 C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0020

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	87.50	18	∅ 5 THRU M6x1.0 - 6H THRU
A2	87.50	48	
A3	127.50	18	
A4	127.50	48	
A5	167.50	18	
A6	167.50	48	
A7	650	18	
A8	650	48	
B1	114.50	15	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5
B2	114.50	43	
B3	214.50	15	
B4	214.50	43	
B5	314.50	15	
B6	314.50	43	
B7	414.50	15	
B8	414.50	43	
B9	514.50	15	
B10	514.50	43	
B11	614.50	15	
B12	614.50	43	
B13	714.50	15	
B14	714.50	43	
C1	114.50 ±0.02	29 ±0.02	+0.01 ∅ 4 H7 0 THRU
C2	699.50 ±0.02	29 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Robo C

DRAWING NUMBER
DVPMA-ATS2-OL-C-0031

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Posts 2 C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0040

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Box Adjust 1C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0050

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Box Adjust 2C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0060

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:2.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Channel C

DRAWING NUMBER
DVPMA-ATS2-OL-C-0071

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring Clamp 1C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0080

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring Clamp 2C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0090

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock C Channel

DRAWING NUMBER: DVPMA-ATS2-OL-C-0100

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	130	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
A2	20	130	
A3	32	130	
B1	11.50	22	∅ 4.50 THRU ALL ⌴ ∅ 8 ↧ 4
B2	11.50	122	
B3	28.50	22	
B4	28.50	122	
C1	20 ±0.02	37 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
C2	20 ±0.02	122 ±0.02	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:1	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate C Robo

DRAWING NUMBER: DVPMA-ATS2-OL-C-0111

REV. 1

TAG	X LOC	Y LOC	SIZE
A1	17.50	39.10	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3
A2	17.50	71.10	
A3	37.50	39.10	
A4	37.50	71.10	
B1	17.50 ±0.02	43.10 ±0.02	+0.01 ∅ 3 H7 0 THRU ALL
B2	37.50 ±0.02	67.10 ±0.02	
C1	18.50	88	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	36.50	88	
D1	8.50	7.50	∅ 2.05 THRU ALL M2.5x0.45 - 6H THRU ALL
D2	8.50	27.50	
D3	8.50	47.50	
D4	8.50	67.50	
D5	8.50	87.50	
D6	46.50	7.50	
D7	46.50	27.50	
D8	46.50	47.50	
D9	46.50	67.50	
D10	46.50	87.50	









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	--------	--------	--------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
A5052
FINISH
Clear Anodize
HEAT TREATMENT
-

REMARK
-

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base robo

DRAWING NUMBER
DVPMA-ATS2-OL-C-0121

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	7.50	57	⌀ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	10	19	
A3	10	37	
A4	28	19	
A5	28	37	
B1	15	16	⌀ 2.90 THRU ALL ⌴ ⌀ 5.50 ↧ 3.80
B2	15	47	
B3	40	16	
B4	40	47	
C1	2	16	⌀ 2.90 THRU ALL ⌴ ⌀ 5.50 ↧ 3.80
C2	2	47	
C3	53	16	
C4	53	47	









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK
-

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Support Slide

DRAWING NUMBER
DVPMA-ATS2-OL-C-0131

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	10	4.50 X 10 THRU ALL ⌴ 8 ↧ 4
A2	28	10	
A3	10	28	
A4	28	28	
B1	5.50	80	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	32.50	80	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Slide

DRAWING NUMBER: DVPMA-ATS2-OL-C-0141

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Note :

1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	--------	---------	---------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	0.8S
GENERAL TOLERANCE	6.3S
JIS B 0405 MACHINING WORKING	25S
LESS THAN 0.5 ± 0.05	100S
0.5 ~ 6 ± 0.1	UNCUT
6 ~ 30 ± 0.2	
30 ~ 120 ± 0.3	
120 ~ 400 ± 0.4	
400 ~ 1000 ± 0.8	
ANGLES ± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK: -

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Sensor L

DRAWING NUMBER: DVPMA-ATS2-OL-C-0181

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: A5052

FINISH: Clear Anodize

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Robo C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0191

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SS400
FINISH
Nickel Planting
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Bracket C

DRAWING NUMBER
DVPMA-ATS2-OL-C-0201

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	20	∅ 6 THRU ALL
A2	10	120	
A3	10	220	
A4	10	320	
A5	650	20	
A6	650	120	
A7	650	220	
A8	650	320	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Clear Acrylic

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Cover C 1

DRAWING NUMBER
DVPMA-ATS2-OL-C-0211

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	10	20	∅ 6 THRU ALL
A2	10	170	
A5	626	20	
A6	626	170	
A9	10	320	
A10	10	470	
A11	626	320	
A12	626	470	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover C 2

DRAWING NUMBER: DVPMA-ATS2-OL-C-0221

1 REV.



DETAIL Ax4



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover C 3

DRAWING NUMBER: DVPMA-ATS2-OL-C-0231

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Cable C

DRAWING NUMBER: DVPMA-ATS2-OL-C-0240

1 REV.











SECTION B-B

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A5052

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Stopper

DRAWING NUMBER
DVPMA-ATS2-OL-C-0260

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-------	--------	--------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A5052
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK: -

3RD ANGLE PROJECTION

SCALE 3:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: End Plate

DRAWING NUMBER: DVPMA-ATS2-OL-C-0270

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	5	65	⌀ 3.40 THRU ALL ⌴ ⌀ 6.50 ↧ 3
A2	17.50	52.50	
A3	17.50	77.50	
A4	30	65	
B1	5.50	8.20	⌀ 4.50 THRU ALL ⌴ ⌀ 8 ↧ 4 (Back Side)
B2	21.50	8.20	
C1	17.50	65	⌀8







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	UNCUT
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Rotate

DRAWING NUMBER: DVPMA-ATS2-OL-C-0280

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Gripper L C (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-OL-C-0300-01

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper R C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-OL-C-0310-01

1 REV.









Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Chuck C (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-OL-C-0320-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper C (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-OL-C-0330-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Chuck C (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-OL-C-0340-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	UNCUT
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Gripper C (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-OL-C-0350-01

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Chuck C (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-OL-C-0360-01

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper C (AS-5C69)
DRAWING NUMBER: DVPMA-ATS2-OR-C-0020-01
1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Peek

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Gripper C (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-OR-C-0020-02

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Gripper C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-OR-C-0020-03

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

TAG	X LOC	Y LOC	SIZE
A1	8	15	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5.50
A2	8	45	
A3	8	150	
A4	8	180	
A5	40	15	
A6	40	45	
A7	40	150	
A8	40	180	
A9	278	15	
A10	278	45	
A11	278	150	
A12	278	180	
A13	310	15	
A14	310	45	
A15	310	150	
A16	310	180	
B1	58.33	8.33	∅ 3.30 THRU M4x0.7 - 6H THRU
B2	58.33	31.67	
B3	58.33	163.33	
B4	58.33	186.67	
B5	81.67	8.33	
B6	81.67	31.67	
B7	81.67	163.33	
B8	81.67	186.67	
B9	236.33	8.33	
B10	236.33	31.67	
B11	236.33	163.33	
B12	236.33	186.67	
B13	259.67	8.33	
B14	259.67	31.67	
B15	259.67	163.33	
B16	259.67	186.67	
C1	70 ±0.02	20 ±0.02	+0.05 ∅23 +0.02
C2	70 ±0.02	175 ±0.02	
C3	248 ±0.02	20 ±0.02	
C4	248 ±0.02	175 ±0.02	
D1	106.50	87.50	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5
D2	106.50	107.50	
D3	144	150	
D4	159	165	
D5	159	181	
D6	174	150	
D7	211.50	87.50	
D8	211.50	107.50	
E1	125.50	64	∅ 9 THRU ALL ⌴ ∅ 15 ↧ 6
E2	125.50	131	
E3	192.50	64	
E4	192.50	131	
F1	159	97.50	∅67
G1	90	97.50	∅30
G2	228	97.50	

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Transfer C

DRAWING NUMBER: DVPMA-ATS2-PL-C-0010

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	52.50	101.50	⌀ 6.60 THRU ALL ⌴ ⌀ 11 ↧ 6
A2	52.50	279.50	
A3	207.50	101.50	
A4	207.50	279.50	
B1	55 ±0.02	50.50 ±0.02	+0.01 ⌀ 5 0 THRU ALL
B2	55 ±0.02	330.50 ±0.02	
B3	205 ±0.02	50.50 ±0.02	
B4	205 ±0.02	330.50 ±0.02	
C1	104	190.50	⌀ 6.60 THRU ALL ⌴ ⌀ 11 ↧ 6.50
C2	156	190.50	
D1	105	55.50	⌀ 4.50 THRU ALL ⌴ ⌀ 8 ↧ 4
D2	105	105.50	
D3	105	275.50	
D4	105	325.50	
D5	155	55.50	
D6	155	105.50	
D7	155	275.50	
D8	155	325.50	
E1	20	140.50	⌀ 5 THRU M6x1.0 THRU ⌵ ⌀ 9 X 90°, Near Side
E2	20	190.50	
E3	20	240.50	
E4	55	80.50	
E5	55	300.50	
E6	130	140.50	
E7	130	240.50	
E8	205	80.50	
E9	205	300.50	
E10	240	140.50	
E11	240	190.50	
E12	240	240.50	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pusher Plate C

DRAWING NUMBER: DVPMA-ATS2-PL-C-0021

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
S45C

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Mounting flange C

DRAWING NUMBER
DVPMA-ATS2-PL-C-0030

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: S45C
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Joint Head C

DRAWING NUMBER: DVPMA-ATS2-PL-C-0040

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Support Pusher C

DRAWING NUMBER: DVPMA-ATS2-PL-C-0050

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 1 C

DRAWING NUMBER: DVPMA-ATS2-PL-C-0060

1 REV.









Note :
1. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Lock Cable C

DRAWING NUMBER: DVPMA-ATS2-PL-C-0070

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
Pom White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lock Cable C

DRAWING NUMBER
DVPMA-ATS2-PL-C-0080

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
22/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Sensor C

DRAWING NUMBER: DVPMA-ATS2-PL-C-0090

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Pusher C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0050

REV. 1







SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sleeve Slide C (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-PO-C-0080-01

1 REV.





SECTION A-A
SCALE 2 : 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sleeve Slide C (AS-5C67)
DRAWING NUMBER: DVPMA-ATS2-PO-C-0080-02
1 REV.







SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS440C
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sleeve Slide C (AS-5C68)
DRAWING NUMBER: DVPMA-ATS2-PO-C-0080-03
1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Stand C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0090

1 REV.



TAG	X LOC	Y LOC	SIZE
A1	6	50	∅ 5.50 ↧ 12.40 ⌴ ∅ 10 ↧ 5
A2	6	80	
A3	344	50	
A4	344	80	
B1	15	20.50	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
B2	15	43.50	
B3	55	20.50	
B4	55	43.50	
B5	95	20.50	
B6	95	43.50	
B7	135	20.50	
B8	135	43.50	
B9	175	20.50	
B10	175	43.50	
B11	215	20.50	
B12	215	43.50	
B13	255	20.50	
B14	255	43.50	
B15	295	20.50	
B16	295	43.50	
B17	335	20.50	
B18	335	43.50	
C1	15	104.50	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	55	104.50	
C3	95	104.50	
C4	135	104.50	
C5	175	104.50	
C6	215	104.50	
C7	255	104.50	
C8	295	104.50	
C9	335	104.50	

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rail Plate C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0110

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	8	56	∅ 5 THRU ALL M6x1.0 - 6H THRU ALL
A2	8	85	
A3	582	15	
A4	582	85	
B1	121	25	∅ 9 THRU ⌴ ∅ 15 ↧ 8
B2	121	75	
B3	606	25	
B4	606	75	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Plate C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0121

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	29	9	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5
A2	29	40	
A3	79	9	
A4	79	40	
B1	38 ±0.02	40 ±0.02	+0.01 ∅ 5 0 THRU ALL
B2	70 ±0.02	9 ±0.02	
C1	45	6	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
C2	60	6	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Slide C

DRAWING NUMBER
DVPMA-ATS2-PO-C-0130

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Support Joint C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0140

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	12.50	61.50	⌀ 8.50 THRU ALL ⌴ ⌀ 14 ↧ 5
A2	47.50	61.50	
B1	20.36	11.01	⌀ 4.50 THRU ALL ⌴ ⌀ 8 ↧ 4 (Back Side)
B2	20.36	33.99	
B3	39.64	11.01	
B4	39.64	33.99	
C1	30	22.50	⌀25









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Support C ROBO

DRAWING NUMBER
DVPMA-ATS2-PO-C-0151

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clear Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Lip C

DRAWING NUMBER
DVPMA-ATS2-PO-C-0160

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	25	∅ 6.60 THRU ALL ⌴ ∅ 11 ↧ 6. (Back Side)
A2	344	25	
B1	8	56	6.60 X 20 THRU ALL ⌴ 11 ↧ 6
B2	8	85	
B3	582	15	
B4	582	85	
C1	133	55.50	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5 (Back Side)
C2	133	83.50	
C3	233	55.50	
C4	233	83.50	
C5	333	55.50	
C6	333	83.50	
C7	398	55.50	
C8	398	83.50	
D1	148 ±0.02	69.50 ±0.02	+0.01 ∅ 4 H7 0 THRU ALL
D2	333 ±0.02	69.50 ±0.02	
E1	17	39	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
E2	17	69	
E3	372	30	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Slide Base C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0171

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Guide Stopper C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0180

1 REV.







SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
POM White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pusher C (AS-5C69)

DRAWING NUMBER
DVPMA-ATS2-PO-C-0190-01

1 REV.





SECTION A-A
SCALE 2 : 1



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
POM White

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Pusher C (AS-5C67)

DRAWING NUMBER
DVPMA-ATS2-PO-C-0190-02

1 REV.







SECTION A-A
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pusher C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-PO-C-0190-03

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Lock Channel C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0200

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	13	6	∅ 5.50 THRU
A2	368	45	
A3	368	15	
B1	70	51.75	∅ 2.50 THRU M3x0.5 - 6H THRU
B2	70	8.25	
B3	90	51.75	
B4	90	8.25	
B5	270	51.75	
B6	270	8.25	
B7	290	51.75	
B8	290	8.25	
C1	30	55	∅ 3.40 THRU ALL ⌵ ∅ 6 X 90°
C2	30	5	
C3	130	55	
C4	130	5	
C5	230	55	
C6	230	5	
C7	330	55	
C8	330	5	
C9	350	55	
C10	350	5	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
SUS304
FINISH
Polish Up
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Channel C

DRAWING NUMBER
DVPMA-ATS2-PO-C-0210

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring clamp 1C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0220

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Wiring clamp 2C

DRAWING NUMBER: DVPMA-ATS2-PO-C-0230

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	6	∅ 5.50 THRU ALL
A2	44	6	
A3	6	74	
A4	44	74	
B1	25	20	∅ 2.50 THRU M3x0.5 - 6H THRU
B2	25	24	
B3	5	40	
B4	9	40	
B5	41	40	
B6	45	40	
B7	25	56	
B8	25	60	
C1	25	40	$\phi 8\ ^{+0.02}_{0}$ H7







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Jig C

DRAWING NUMBER
DVPMA-ATS2-SP-C-0021

1 REV.





SECTION A-A



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Work Base C (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SP-C-0030-01

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Work Base C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SP-C-0030-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Peek

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin C (AS-5C69)

DRAWING NUMBER: DVPMA-ATS2-SP-C-0040-01

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Peek
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin C (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SP-C-0040-02

1 REV.







SECTION A-A

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: Peek

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 5:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pin C (AS-5C68)

DRAWING NUMBER: DVPMA-ATS2-SP-C-0040-03

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	3.50	22	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
A2	3.50	38	
A3	156.50	22	
A4	156.50	38	
B1	7.50	11	6.50 X 15 THRU ALL
B2	7.50	49	
B3	152.50	11	
B4	152.50	49	
C1	35	15	∅ 6.80 THRU ALL M8x1.25 - 6H THRU ALL
C2	35	45	
C3	125	15	
C4	125	45	









SECTION F-F

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Base B

DRAWING NUMBER: DVPMA-ATS2-SP-C-0051

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Foot

DRAWING NUMBER: DVPMA-ATS2-SP-C-0060

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 3.30 THRU ALL M4x0.7 - 6H THRU ALL
A2	11	49	
A3	79	11	
A4	79	49	
B1	20	20	∅ 5.50 THRU ⌴ ∅ 10 ↧ 5
B2	20	40	
B3	70	20	
B4	70	40	
C1	45	30	∅25





Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SS400

FINISH
Nickel Plating

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Base Stand

DRAWING NUMBER
DVPMA-ATS2-SP-C-0070

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	6	11	∅ 6 THRU ALL
A2	6	49	
A3	74	11	
A4	74	49	









SECTION A-A





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
16/ Oct/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Planting
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Jig C (AS-5C67)
DRAWING NUMBER: DVPMA-ATS2-SP-C-0080
1 REV.







SECTION A-A
SCALE 1 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 16 .Oct. 2024 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Jig (AS-5C67)

DRAWING NUMBER: DVPMA-ATS2-SP-C-0090

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
21/ Mar/ 24
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SSPT10-1-67/CU (NB)
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 12 .Jun. 2024
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Ball Spline

DRAWING NUMBER: DVPMA-ATS2-SS-A-0320

1 REV.







DETAIL C
SCALE 1 : 2
(6x)

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Cover 2

DRAWING NUMBER: DVPMA-ATS2-FS-A-0490

1 REV.







DETAIL C
SCALE 1 : 2
(6x)

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Note :

1. Paint the primer before the actual color.
2. Rework screw after actual color.
3. Baked Color **8791 Warm Cream (TOA)
4. Unless otherwise specified all bending edges and corners is R1.0~R5.0

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SPCC
FINISH: Powder Coating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:8 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Cover 3

DRAWING NUMBER: DVPMA-ATS2-FS-A-0500

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ⌵ ∅ 10.40 X 90°
A2	11	247	
A3	297	11	
A4	297	247	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 14

DRAWING NUMBER: DVPMA-ATS2-FS-A-0510

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ∅ 10.40 X 90°
A2	11	247	
A3	397	11	
A4	397	247	





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	UNCUT
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C
Auto Assembly AS-5C69A

MATERIAL
Clear Acrylic

FINISH
-

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Cover 15

DRAWING NUMBER
DVPMA-ATS2-FS-A-0520

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	11	11	∅ 5.50 THRU ⌵ ∅ 10.40 X 90°
A2	11	247	
A3	67	11	
A4	67	247	



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: Clear Acrylic
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Cover 16

DRAWING NUMBER: DVPMA-ATS2-FS-A-0530

1 REV.





SECTION F-F
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
29/ Jul/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2025
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Sleeve A Index Jig (AS-5C67)
DRAWING NUMBER: DVPMA-ATS2-SL-A-0140-02
1 REV.





SECTION F-F
SCALE 2 : 1

Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
29/ Jul/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
SUS304

FINISH
Polish Up

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jun. 2025

Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Sleeve A Index Jig (AS-5C68)

DRAWING NUMBER
DVPMA-ATS2-SL-A-0140-03

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX		0.8S
GENERAL TOLERANCE		6.3S
JIS B 0405 MACHINING WORKING		25S
LESS THAN 0.5	± 0.05	100S
0.5 ~ 6	± 0.1	UNCUT
6 ~ 30	± 0.2	
30 ~ 120	± 0.3	
120 ~ 400	± 0.4	
400 ~ 1000	± 0.8	
ANGLES	± 1°	

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Lock 1

DRAWING NUMBER: DVPMA-ATS2-SP-A-0090

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate GT

DRAWING NUMBER: DVPMA-ATS2-SP-A-0100

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	-- -- --	-- -- --	-- -- --	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SS400
FINISH: Nickel Plating
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Lock 2

DRAWING NUMBER: DVPMA-ATS2-SP-A-0110

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clear Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:0.4	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Rip 4 B
DRAWING NUMBER: DVPMA-ATS2-HA-B-0340
1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ ~ UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: SSPF20-1-T2-120-P (NB)

FINISH: -

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.4 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Ball Spline

DRAWING NUMBER: DVPMA-ATS2-HA-B-0350

1 REV.

TAG	X LOC	Y LOC	SIZE
A1	20	31	∅ 3.40 THRU ALL ⌴ ∅ 6.50 ↧ 3 (Back Side)
A2	120	31	
A3	220	31	
A4	320	31	
A5	469	-120	
A6	469	-70	
A7	469	-20	
B1	40	31	∅ 5.50 THRU ALL ⌴ ∅ 10 ↧ 5
B2	160	31	
B3	280	31	
B4	470	-90	
C1	430	31	∅ 2.50 THRU ALL M3x0.5 - 6H THRU ALL
C2	480	31	
D1	492.50	-56.50	∅ 4.20 THRU ALL M5x0.8 - 6H THRU ALL
D2	492.50	-16.50	







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:3	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Channal NG

DRAWING NUMBER: DVPMA-ATS2-CN-B-0010

1 REV.





Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:3 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Channel NG 1

DRAWING NUMBER: DVPMA-ATS2-CN-B-0020

REV. 1









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Base Pusher NG

DRAWING NUMBER: DVPMA-ATS2-CN-B-0030

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE	SHEET	UNIT
1:1.5	1 / 1	mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Pusher NG

DRAWING NUMBER: DVPMA-ATS2-CN-B-0040
1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX	
GENERAL TOLERANCE	
JIS B 0405 MACHINING WORKING	
LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5	SHEET 1 / 1	UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Sensor R

DRAWING NUMBER: DVPMA-ATS2-CN-B-0050

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S, 6.3S, 25S, 100S, UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: SUS304
FINISH: Polish Up
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Stand Sensor L

DRAWING NUMBER: DVPMA-ATS2-CN-B-0060

1 REV.











Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX
GENERAL TOLERANCE
JIS B 0405
MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S / 6.3S / 25S / 100S / UNCUT

M / C
Auto Assembly AS-5C69A
MATERIAL
POM White
FINISH
-
HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:2 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025
Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Channel NG 2

DRAWING NUMBER
DVPMA-ATS2-CN-B-0070

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A

MATERIAL: SUS304

FINISH: Polish Up

HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Sensor

DRAWING NUMBER: DVPMA-ATS2-CN-B-0080

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Chanal

DRAWING NUMBER: DVPMA-ATS2-CN-B-0090

1 REV.









Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: A6063
FINISH: Clean Anodize
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 1:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate Air Support

DRAWING NUMBER: DVPMA-ATS2-CN-B-0100

1 REV.







Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C: Auto Assembly AS-5C69A
MATERIAL: POM White
FINISH: -
HEAT TREATMENT: -

REMARK

3RD ANGLE PROJECTION

SCALE 2:1.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE: Plate

DRAWING NUMBER: DVPMA-ATS2-CN-B-0110

1 REV.



Minebea Mitsumi Inc.
Passion to Exceed Precision
Uncontrolled Copy
06/ Jan/ 25
ISSUED
G/M 1st Div. Machine Development

Rev.	ECN No.	DATE	PERSON	DESCRIPTION
1	------	------	------	DEVELOPMENT RELEASE

UNLESS SPECIFIED
C0.2 MAX or R0.2 MAX

GENERAL TOLERANCE
JIS B 0405 MACHINING WORKING

LESS THAN 0.5	± 0.05
0.5 ~ 6	± 0.1
6 ~ 30	± 0.2
30 ~ 120	± 0.3
120 ~ 400	± 0.4
400 ~ 1000	± 0.8
ANGLES	± 1°

0.8S 6.3S 25S 100S UNCUT

M / C
Auto Assembly AS-5C69A

MATERIAL
A6063

FINISH
Clean Anodize

HEAT TREATMENT
-

REMARK

3RD ANGLE PROJECTION

SCALE 1:0.5 | SHEET 1 / 1 | UNIT : mm

DETAILED	DESIGNED	CHECKED	APPROVED
P.Gampanad	P.Gampanad	P.Naiwinit	B.Komgrich

DATE : 06 .Jan. 2025 | Qt'y : - Pcs.

NMB MinebeaMitsumi Inc.
Machine Development Section General Machining Parts 1st Division

TITLE
Plate Air

DRAWING NUMBER
DVPMA-ATS2-CN-B-0120

1 REV.