

PART No. TGM-03-145B-02

1 REV.

Rt=12





MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto | Q'ty 1

MATERIAL A5052

FINISH White Anodiez

HEAT TREATMENT -

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Support Index


PART No. TGM-03-145B-02

1 REV.


PART No.
TGM-03-145B-03


1 REV.


Rt=12



Marking Dwg No.







MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Support 1


PART No. TGM-03-145B-03


1 REV.

PART No.
TGM-03-145B-04

1 REV.

Rt=12





Marking Dwg No.

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (2)


PART No. TGM-03-145B-04

1 REV.


PART No. TGM-03-145B-05 | 1 REV.


Rt=12





Marking Dwg No.





MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto | Q'ty 2
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (3)


PART No. TGM-03-145B-05 | 1 REV.


PART No.
TGM-03-145B-06

1
REV.


Rt=12







Marking Dwg No.



MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL SS400
FINISH Nickel Plating
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Support (4)


PART No. TGM-03-145B-06


1
REV.


PART No.
TGM-03-145B-07


1
REV.

Rt=12









Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL SS400
FINISH Nickel Plating
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (5)


PART No. TGM-03-145B-07

1
REV.


PART No. TGM-03-145B-08 | 1 REV.

Rt=12





Marking Dwg No.



MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S | 6.3S | 25S | 100S | UNCUT

M/C. TMX to Semi auto | Q'ty 1
MATERIAL SS400
FINISH Nickel Plating
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (6)


PART No. TGM-03-145B-08 | 1 REV.


PART No. TGM-03-145B-09 | 1 REV.

Rt=12









MinebeaMitsumi Inc. Copy issued Uncontrolled 18/10/2568 Engineering Design center G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

Print 3D

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto | Q'ty 6

MATERIAL Peek Gray

FINISH -

HEAT TREATMENT -

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Chuck


PART No. TGM-03-145B-09 | 1 REV.

PART No.
TGM-03-145B-10


1 REV.

Rt=12 (Rt=6)





Marking Dwg No.



SECTION D-D
SCALE 2 : 1.7

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Gripper (1)


PART No. TGM-03-145B-10


1 REV.


PART No.
TGM-03-145B-11

1
REV.

Rt=12







SECTION D-D
SCALE 1 : 1.6

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S | 6.3S | 25S | 100S | UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Gripper (2)


PART No. TGM-03-145B-11

1
REV.

PART No.
TGM-03-145B-12-xx


1 REV.


Rt=12



DETAIL E
SCALE 5 : 1

Item	ØA	ØB	Check
-01	Ø35	Ø7.5	Preecha
-02			
-03			
-04			
-05			
-06			
-07			
-08			
-09			
-10			





SECTION D-D

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL Peek Gray
FINISH -
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Guide Part


PART No. TGM-03-145B-12-xx


1 REV.

PART No.
TGM-03-145B-13

1 REV.

Rt=12





SECTION D-D
SCALE 2 : 1.3

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 2
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Gripper (3)


PART No. TGM-03-145B-13


1 REV.


PART No.
TGM-03-145B-14


1 REV.

Rt=12









MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 2
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Gripper (4)


PART No. TGM-03-145B-14


1 REV.

PART No.
TGM-03-145B-15

1 REV.

Rt=12





Marking Dwg No.

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 2
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Gripper (5)


PART No. TGM-03-145B-15


1 REV.


PART No.
TGM-03-145B-16

1
REV.


Rt=12







Marking Dwg No.



MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 2
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Gripper (6)


PART No. TGM-03-145B-16


1
REV.

PART No. TGM-03-145B-17


1 REV.

Rt=12





Marking Dwg No.



MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto | Q'ty 2

MATERIAL A5052

FINISH White Anodize

HEAT TREATMENT -

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Gripper (7)


PART No. TGM-03-145B-17

1 REV.

PART No. TGM-03-145B-18 | 1 REV.

Rt=12





MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C	TMX to Semi auto
Q'ty	3
MATERIAL	SUS 304
FINISH	-
HEAT TREATMENT	-

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (7)

PART No. TGM-03-145B-18 | 1 REV.


PART No.
TGM-03-145B-19


1 REV.


Rt=12 (Rt=6)



DETAIL E
SCALE 4 : 1.2







SECTION D-D
SCALE 2 : 1.5

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 14
MATERIAL SUS304
FINISH -
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Base Stick

PART No. TGM-03-145B-19


1 REV.

PART No.
TGM-03-145B-20-xx

1 REV.

Rt=12 (Rt=6)

Item	ØA	Check
-01	Ø5.5	Preecha
-02	Ø7.8	Preecha
-03	Ø9.8	Preecha
-04	Ø11.5	Preecha
-05		
-06		
-07		
-08		
-09		
-10		



SECTION D-D
SCALE 2 : 1

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 14
MATERIAL SUS304
FINISH -
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Stick


PART No. TGM-03-145B-20-xx

1 REV.

PART No. TGM-03-145B-21 | 1 REV.

Rt=12





SECTION D-D
SCALE 3 : 1

MinebeaMitsumi Inc. Copy issued Uncontrolled 18/10/2568 Engineering Design center G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. | Q'ty 14

MATERIAL Peek Gray

FINISH -

HEAT TREATMENT -

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Pin


PART No. TGM-03-145B-21 | 1 REV.


PART No.
TGM-03-145B-22-xx

1 REV.

Rt=12

Item	ØA	Check
-01	Ø35	Preecha
-02		
-03		
-04		
-05		
-06		
-07		
-08		
-09		
-10		





SECTION D-D
SCALE 1 : 1

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL Pom White
FINISH -
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 16 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Bush Support

PART No. TGM-03-145B-22-xx


1 REV.


PART No. TGM-03-145B-23 | REV. 1

Rt=12



MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.





Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S | 6.3S | 25S | 100S | ~ UNCUT

M/C. TMX to Semi auto | Q'ty 3
MATERIAL Peek Gray
FINISH -
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Slide Lifter


PART No. TGM-03-145B-23 | REV. 1


PART No.
TGM-03-145B-24

1
REV.

Rt=12







SECTION D-D
SCALE 1 : 0.8

Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto
Q'ty 1
MATERIAL Peek Gray
FINISH -
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Slide Pin


PART No. TGM-03-145B-24


1
REV.

PART No.
TGM-03-145B-25
1 REV.

Rt=12







MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S
6.3S
25S
100S
UNCUT

M/C. TMX to Semi auto
Q'ty 2
MATERIAL SS400
FINISH Nikel Plating
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (14)

PART No. TGM-03-145B-25
1 REV.

PART No. TGM-03-145B-26 | 1 REV.

Rt=12





MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S | 6.3S | 25S | 100S | ~ UNCUT

M/C. TMX to Semi auto | Q'ty 3
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (8)


PART No. TGM-03-145B-26 | 1 REV.


PART No. TGM-03-145B-27 | 1 REV.

Rt=12









MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S | 6.3S | 25S | 100S | ~ UNCUT

M/C. TMX to Semi auto | Q'ty 3
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25


NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (9)

PART No. TGM-03-145B-27 | 1 REV.


PART No. TGM-03-145B-28 | 1 REV.

Rt=12





MinebeaMitsumi Inc. Copy issued Uncontrolled 18/10/2568 Engineering Design center G/M.1 & M/A. Div.



Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C TMX to Semi auto | Q'ty 3
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (10)


PART No. TGM-03-145B-28 | 1 REV.


PART No. TGM-03-145B-29


1 REV.

Rt=12









Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. TMX to Semi auto | Q'ty 3

MATERIAL A5052

FINISH White Anodize

HEAT TREATMENT -

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Support (11)

PART No. TGM-03-145B-29

1 REV.


MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.


PART No.
TGM-03-145B-30

1
REV.


Rt=12

5 x ∅ 3.3 ↧ 11
M4x0.7 - 6H ↧ 10






2 x ∅ 2.5 ↧ 10
M3x0.5 - 6H ↧ 8



Marking Dwg No.

TGM-03-145B-30



MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering
Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S ▽ 6.3S ▽ 25S ▽ 100S ▽ ~ UNCUT

M/C	TMX to Semi auto
Q'ty	3
MATERIAL	A5052
FINISH	White Anodize
HEAT TREATMENT	-

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate Support (12)


PART No. TGM-03-145B-30

1
REV.

PART No. TGM-03-145B-31

1 REV.





MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. TMX to Semi auto
Q'ty 3
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Support (13)


PART No. TGM-03-145B-31


1 REV.

PART No. TGM-03-145B-32

1 REV.

Rt=12





Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1 GENERAL TOLERANCE JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C TMX to Semi auto | Q'ty 2

MATERIAL A5052

FINISH White Anodize

HEAT TREATMENT -

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Pin

PART No. TGM-03-145B-32


1 REV.


MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.


PART No. TGM-03-145B-33

1 REV.

Rt=12







Note : 1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1

MinebeaMitsumi Inc. Copy issued Uncontrolled 18/10/2568 Engineering Design center G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto | Q'ty 1

MATERIAL A5052

FINISH White Anodize

HEAT TREATMENT -

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Base Linear Ball


PART No. TGM-03-145B-33


1 REV.


PART No.
TGM-03-145B-34

1
REV.

Rt=12







MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note : 1. Break All Corner Approx By C0.1
2. General Tclerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto | Q'ty 1
MATERIAL A5052
FINISH White Anodize
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	CHONKOK	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Stand TMX


PART No. TGM-03-145B-34

1
REV.


PART No. TGM-03-145B-35R | 1 REV. | Rework Make Hole Ø15 and Make M3x0.5

Rt=12

Before Rework



After Rework



Note :
1. Break All Corner Approx By C0.1
2. General Tolerance ±0.1
3. Symbol x.xx For Must Control Spec.
4. symbol (x.xx) For Not Control Spec.

Blank Before Rework No. TMA-23-0023-03

MinebeaMitsumi Inc. Copy issued Uncontrolled 18/10/2568 Engineering Design center G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. TMX to Semi auto | Q'ty 2
MATERIAL (A5052)
FINISH -
HEAT TREATMENT -

List Request No. 200/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
PHALACHAI	PHALACHAI	PREECHA	PREECHA

DATE 17 Oct' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Rework Base Index


PART No. TGM-03-145B-35R | 1 REV.

PART No. TGM-03-145B-36R

1 REV.

Rework Add : M8x1.25

Rt=12



MinebeaMitsumi Inc.
Copy issued Uncontrolled
18/10/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1
3. Symbol x.xx For Must Control Spec.
4. Symbol (x.xx) For Not Control Spec.

Rework ใช้ plate ของ MV. เครื่องอยู่ ที่ NAT

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1

GENERAL TOLERANCE JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. TMX to Semi auto | Q'ty 1

MATERIAL (A5052)

FINISH (White Anodize)

HEAT TREATMENT -

List Request No. 200/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Aphisek	Aphisek	Preecha	Preecha

DATE 17 Oct'25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Rework Base MV

PART No. TGM-03-145B-36R

1 REV.