

PART No.
TGM-12-656A-xx


1 REV.


ITEM NO.	PART NUMBER	PART NAME	DESCRIPTION	QTY.
1	TGM-12-656A-01	Cover bit	Made to order	5
2	TGM-12-656A-02	Angle lock cover	Made to order	1
3	CB6-16	Cap screw	Misumi	3
4	PWF6	Washer	Misumi	3
5	SLW6	Spring washing	Misumi	3
6	Base Back Boring	Holder	G/M1	1






DETAIL W
SCALE 2 : 3





SECTION H-H
SCALE 1 : 3



MinebeaMitsumi Inc.
Copy issued Uncontrolled
19/1/2569
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. BM-165 | Q'ty 1
MATERIAL See table
FINISH -
HEAT TREATMENT -

List Request No. 20/26
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 19 Jan' 26

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Ass'y Cover holder drill


PART No. TGM-12-656A-xx


1 REV.


PART No.
TGM-12-656A-02


1 REV.

Rt=12









Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

MinebeaMitsumi Inc.
Copy issued Uncontrolled
19/1/2569
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. BM-165 | Q'ty 1
MATERIAL SS 400
FINISH Black oxide
HEAT TREATMENT -

List Request No. 20/26
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 19 Jan' 26

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Angle lock cover


PART No. TGM-12-656A-02


1 REV.

PART No.
TGM-12-656A-01

1 REV.


Rt=12






MinebeaMitsumi Inc.
Copy issued Uncontrolled
19/1/2569
Engineering Design center
G/M.1 & M/A. Div.

Marking Dwg. No.





☑	Mat'l Tick by user
☐	Nylon blue
☐	PP Gray

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. BM-165 | Q'ty 1
MATERIAL See table
FINISH -
HEAT TREATMENT -

List Request No. 20/26
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 19 Jan' 26

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Cover holder drill

PART No. TGM-12-656A-01

1 REV.