
PART No.

TGM-15-645A-01

2 REV.

Note: 1. Break all Corner NO sharp edge
2. General Tolerance ±0.1
3. Welding All Way NO Leak, Burr



☑	Mat'l Tick by user
☐	SUS 304
☐	Steel + Bake colour gray No. Oxyplast FF160/8133/CW2 (Gray black)

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEA
2	----	15 Sep'25	Preecha	Change: 800 ==> 750 etc.; By M/M, Eng.

UNLESS SPECIFIED

MinebeaMitsumi Inc. Copy issued Uncontrolled 15/9/2568 Engineering Design center G/M.1 & M/A. Div.

0.8S 6.3S 25S 100S UNCUT

M/C.	Tornos
Q'ty	1
MATERIAL	See table
FINISH	See table
HEAT TREATMENT	-
List Request No.	195/25
SCALE :	
SHEET	/
UNIT (mm.)	
3 RD ANGLE	

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 3 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Tank (A)


PART No. TGM-15-645A-01

2 REV.

PART No.
TGM-15-645A-02

3 REV.





SECTION D-D

MinebeaMitsumi Inc.
Copy issued Uncontrolled
16/9/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	19 Aug'25	Preecha	Add: 222
3	----	15 Sep'25	Preecha	Change: M8x1.25 (x6) ==> M8x1.25 (x8)255 etc.; By M/M, Eng.

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. Tornos | Q'ty 1
MATERIAL SS
FINISH Electroless Nickel
HEAT TREATMENT -

List Request No. 195/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 3 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Plate pump (A)

PART No. TGM-15-645A-02

3 REV.

PART No.
TGM-15-645A-03

△3 REV.



Note:
1. Break all Corner NO Sharp edge
2. General Tolerance ±0.5
3. Bake Colour No. FF160/8133/CW2 Marker
   Oxyplast Power Coating
4. Welding All Way NO Burr

MinebeaMitsumi Inc.
Copy issued Uncontrolled
15/9/2568
Engineering
Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	13 Aug'25	Preecha	Change: ∅9 ==> ∅10.5
3	----	19 Aug'25	Preecha	Add: 248

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. -
Q'ty 1
MATERIAL SS 400
FINISH Bake Colour
HEAT TREATMENT -

List Request No. 195/25
3 RD ANGLE
SCALE :
SHEET /
UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 3 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Stand plate


PART No. TGM-15-645A-03


△3 REV.


PART No.
TGM-15-645A-04

2 REV.









MinebeaMitsumi Inc.
Copy issued Uncontrolled
15/9/2568
Engineering
Design center
G/M.1 & M/A. Div.

Note:
1. Break all Corner NO Sharp edge
2. General Tolerance ±0.5
3. Bake Colour No. FF160/8133/CW2 Marker
   Oxyplast Power Coating
4. Welding All Way NO Burr

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	15 Sep'25	Preecha	Change: 190 ==> 200 etc.; By M/M, Eng.

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. -
Q'ty 2
MATERIAL SS 400
FINISH Bake Colour
HEAT TREATMENT -

List Request No. 195/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 3 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate pump

PART No. TGM-15-645A-04


2 REV.


PART No.

TGM-15-645A-05


2 REV.


Rt=12





Note: 1. Break all Corner approx by C0.1
2. General Tolerance ±0.1





MinebeaMitsumi Inc.
Copy issued Uncontrolled
16/9/2568
Engineering
Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	15 Sep'25	Preecha	Add: 88 etc.; By M/M, Eng.

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. -

Q'ty 2

MATERIAL SS 400

FINISH Bake Golour

HEAT TREATMENT -

List Request No. 195/25

3 'RD ANGLE

SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 15 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Arm lock filter


PART No. TGM-15-645A-05


2 REV.

PART No.
TGM-15-645A-06


1 REV.








Marking Dwg. No.





MinebeaMitsumi Inc.
Copy issued Uncontrolled
15/7/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. -
Q'ty 2
MATERIAL SS 400
FINISH Bake Colour
HEAT TREATMENT -

List Request No. 195/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 3 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Stand


PART No. TGM-15-645A-06


1 REV.

PART No.
TGM-15-645A-07

1 REV.

Rt=12






DETAIL E
SCALE 1 : 1



SECTION D-D
SCALE 1 : 8



MinebeaMitsumi Inc.
Copy issued Uncontrolled
15/7/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. Tornos | Q'ty 1
MATERIAL SUS 304
FINISH -
HEAT TREATMENT -

List Request No. 195/25
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 3 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Cover


PART No. TGM-15-645A-07

1 REV.


PART No.
TGM-15-645A-08


1 REV.

Rt=12



Marking Dwg. No.





Note: 1. Break all Corner approx NO Sharp edge
2. General Tolerance ±0.2

MinebeaMitsumi Inc.
Copy issued Uncontrolled
13/8/2568
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. -
Q'ty 4
MATERIAL SS400
FINISH Black Oxide
HEAT TREATMENT -

List Request No. 195/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 31 Jul' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Plate Filter


PART No. TGM-15-645A-08


1 REV.


PART No.
TGM-15-645A-09


1 REV.

Note: 1. Break all Corner NO sharp edge
2. General Tolerance ±0.1
3. Welding All Way









MinebeaMitsumi Inc.
Copy issued Uncontrolled
16/9/2568
Engineering Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1
GENERAL TOLERANCE
JISB0405 MACHING WORKING

LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. Tornos
Q'ty 1
MATERIAL SS
FINISH Electroless Nickel
HEAT TREATMENT -

List Request No. 50/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha


DATE 16 Sep' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1


TITLE: Cover tank-1
PART No. TGM-15-645A-09
1 REV.


PART No.
TGM-15-645-03


1
REV.



DETAIL D
SCALE 2 : 1







MinebeaMitsumi Inc.
Copy issued Uncontrolled
15/7/2568
Engineering Design center
G/M.1 & M/A. Div.

Note: 1. Break all Corner approx by C0.1
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C.	Q'ty
Tornos	1

MATERIAL: SUS 304
FINISH: -
HEAT TREATMENT: -

List Request No. 50/25

3 RD ANGLE

SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 10 Feb' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Basket


PART No. TGM-15-645-03


1
REV.


PART No.
TGM-15-645-04


2
REV.

Note: 1. Break all Corner NO sharp edge
2. General Tolerance ±0.1
3. Welding All Way









MinebeaMitsumi Inc.
Copy issued Uncontrolled
16/9/2568
Engineering
Design center
G/M.1 & M/A. Div.

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	15 Sep'25	Preecha	Change: 280 ==> 255 etc.; By M/M, Eng.

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S UNCUT

M/C. Tornos
Q'ty 1
MATERIAL SS
FINISH Electroless Nickel
HEAT TREATMENT -

List Request No. 50/25
3 RD ANGLE
SCALE : SHEET / UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 10 Feb' 25

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Cover tank


PART No. TGM-15-645-04


2
REV.


PART No.
TGM-12-598A-14


3 REV.

Rt=12 (Rt=6)









MinebeaMitsumi Inc.
Copy issued Uncontrolled
4/7/2568
Engineering Design center
G/M.1 & M/A. Div.

☑	Mat'l Tick by user
☐	SUS 304
☐	SS 400 Nickel
☐	SCM 440

Note: 1. Break all Corner approx by C0.2
2. General Tolerance ±0.1

REV.	ECN No.	DATE	NAME	DESCRIPTION
1	----	----	---	ENGINEERING RELEASE
2	----	12 Jul'21	Preecha	Add: Spec. 120, 60 etc.;
3	----	12 Jul'21	Preecha	Change: 140 ==> 165

UNLESS SPECIFIED C0.1 OR R0.1	
GENERAL TOLERANCE	
JISB0405 MACHING WORKING	
LESS THAN 0.5	±0.05
0.5 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3
120 ~ 400	±0.4
400 ~ 1000	±0.8
ANGLE	±1°

0.8S 6.3S 25S 100S ~ UNCUT

M/C. BM-165 | Q'ty 2
MATERIAL See table
FINISH -
HEAT TREATMENT -

List Request No. 259/21
3 RD ANGLE
SCALE : | SHEET / | UNIT (mm.)

DETAILED	DESIGNED	CHECKED	APPROVED
Phalachai	Aphisek	Preecha	Preecha

DATE 10 Jun' 21

NMB MinebeaMitsumi Inc.
General Machining Parts Div. 1

TITLE: Angle -04

PART No. TGM-12-598A-14

3 REV.