



| REV. | ECN.NO. | DATE | NAME | Dtail |
|---|---|---|---|---|
| B | | 06-06-25 | Chairach | Change Bar Ø3 to Ø8 and Update Dwg. |

| UNLESS SPECIFIED | | 0.8 | M/C. | Qty. |
|---|---|---|---|---|
| C0.2 Max OR R0.2 Max (NO DENT & NO BURR ) | | 6.3 | Washing | - |
| GENERAL TOLERANCE | | 25 | MATERIAL | |
| JISB0405 MACHINING WORKING | | 100 | NOTE | |
| LESS THAN 6 | ±0.1 | | FINISH | |
| 6 ~ 30 | ±0.2 | | | |
| 30 ~ 120 | ±0.3 | | HEAT TREATMENT. | |
| 120 ~ 400 | ±0.5 | Angle ± 1° | | |
| 400 ~ 1000 | ±0.8 | | | |


NMB MinebeaMitsumi Inc.
Mechanical Ass'y DIV.


TITLE: BASKET


UNIT (mm.) | 3RD ANGLE | SCALE : FREE

| DETAILED | DESIGNED | CHECKED | APPROVED | DWG.NO | REV. |
|---|---|---|---|---|---|
| Chanon | Chairach | Artit | Artit | TMA-80-0006-XX | B |


DATE 11/12/2019 | UP DATE 06/06/2025 | SHEET: 1 OF 1








*DETAIL B*
*SCALE 3 : 1*




*DETAIL A*
*SCALE 1 : 2*




***NOTE*** : MATERIAL
Gm : TMA-XX-XXXX-XX-1 = SUS303,SUS303CU
: TMA-XX-XXXX-XX-2 = SUS304


Minebea Copy
27/5/2569
Issued G/M and M/A Div.
Uncontrolled

NAME
DATE
ECN.NO.
REV.

| | | | | | | |
|---|---|---|---|---|---|---|
| **UNLESS SPECIFIED** C0.2 Max OR R0.2 Max (NO DENT & NO BURR ) | 0.8 | **M/C.** WASHING | **Qty.** – | NMB MinebeaMitsumi Inc. Mechanical Ass'y DIV. | **TITLE** STEM WASHING | |
| **GENERAL TOLERANCE** JISB0405 MACHINING WORKING | 6.3 | **MATERIAL** NOTE | | UNIT (mm.) | 3RD ANGLE | SCALE : FREE |
| LESS THAN 6 ±0.1 | 25 | **FINISH** | | **DETAILED** Chanon | **DESIGNED** Chanon | **CHECKED** | **APPROVED** Artit | **DWG.NO** TMA-80-0008-XX | **REV.** NR |
| 6 ~ 30 ±0.2 | 100 | | | | | | | |
| 30 ~ 120 ±0.3 | | **HEAT TREATMENT.** | | **DATE** 16/12/2019 | **UP DATE** | SHEET: 1 OF 1 | |
| 120 ~ 400 ±0.5 | | | | | | | |
| 400 ~ 1000 ±0.8 | Angle ± 1° | | | | | | |

| REV. | ECN.NO. | DATE | NAME | |
|---|---|---|---|---|
| A | | 5-08-2021 | THONGCHAI | Change : Spec602==>590,16==>10 etc. |







Minebea Copy
27/5/2569
Issued G/M and M/A Div.
Uncontrolled

***NOTE*** : MATERIAL
: TMA-XX-XXXX-XX-1 = SUS303,SUS303CU
: TMA-XX-XXXX-XX-2 = SUS304

| UNLESS SPECIFIED C0.2 Max OR R0.2 Max (NO DENT & NO BURR) | | M/C. WASHING | Qty. – | NMB MinebeaMitsumi Inc. Mechanical Ass'y DIV. | TITLE HAND BACKET |
|---|---|---|---|---|---|
| GENERAL TOLERANCE JISB0405 MACHINING WORKING | | MATERIAL Note | | UNIT (mm.) 3RD ANGLE SCALE : FREE | |
| LESS THAN 6 | ±0.1 | FINISH | | DETAILED Chanon / DESIGNED Chanon / CHECKED ARTIT / APPROVED ARTIT | DWG.NO TMA-80-0015-XX |
| 6 ~ 30 | ±0.2 | | | | REV. A |
| 30 ~ 120 | ±0.3 | HEAT TREATMENT. | | DATE 16/03/2021 | UP DATE |
| 120 ~ 400 | ±0.5 | | | | SHEET: 1 OF 1 |
| 400 ~ 1000 | ±0.8 | | | | |






Minebea Copy
27/5/2569
Issued G/M and M/A Div.
Uncontrolled

***NOTE*** : MATERIAL
: TMA-XX-XXXX-XX-1 = SUS303,SUS303CU
: TMA-XX-XXXX-XX-2 = SUS304

| UNLESS SPECIFIED C0.2 Max OR R0.2 Max (NO DENT & NO BURR ) | | M/C. Washing | Qty. |
|---|---|---|---|
| GENERAL TOLERANCE JISB0405 MACHINING WORKING | | MATERIAL Note | |
| LESS THAN 6 | ±0.1 | FINISH | |
| 6 ~ 30 | ±0.2 | | |
| 30 ~ 120 | ±0.3 | HEAT TREATMENT. | |
| 120 ~ 400 | ±0.5 | | |
| 400 ~ 1000 | ±0.8 | | |


NMB MinebeaMitsumi Inc.
Mechanical Ass'y DIV.


UNIT (mm.) | 3RD ANGLE | SCALE : FREE


TITLE: Net Baeket

| DETAILED | DESIGNED | CHECKED | APPROVED | DWG.NO | REV. |
|---|---|---|---|---|---|
| Chairach | Chairach | Artit | Artit | TMA-80-0016A-xx | NR |
| DATE 24/02/2025 | | UP DATE | | SHEET: 1 OF 1 | |

NAME | DATE | ECN.NO. | REV.








***NOTE*** : MATERIAL
: TMA-XX-XXXX-XX-1 = SUS303,SUS303CU
: TMA-XX-XXXX-XX-2 = SUS304


Minebea Copy
27/5/2569
Issued G/M and M/A Div.
Uncontrolled

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| DATE | | | | | | | |
| ECN.NO. | | | | | | | |
| REV. | | | | | | | |

| UNLESS SPECIFIED C0.2 Max OR R0.2 Max (NO DENT & NO BURR ) | | 0.8 | M/C. WASHING | Qty. – | NMB MinebeaMitsumi Inc. Mechanical Ass'y DIV. | TITLE LOCK BACKET | |
|---|---|---|---|---|---|---|---|
| GENERAL TOLERANCE | | 6.3 | MATERIAL Note | | UNIT (mm.) | 3RD ANGLE | SCALE : FREE |
| JISB0405 MACHINING WORKING | | 25 | FINISH | | DETAILED Chanon | DESIGNED Chanon | CHECKED ARTIT |
| LESS THAN 6 | ±0.1 | 100 | | | APPROVED ARTIT | DWG.NO TMA-80-0020-XX | REV. NR |
| 6 ~ 30 | ±0.2 | | | | DATE 16/03/2021 | UP DATE | SHEET: 1 OF 1 |
| 30 ~ 120 | ±0.3 | | HEAT TREATMENT. | | | | |
| 120 ~ 400 | ±0.5 | | | | | | |
| 400 ~ 1000 | ±0.8 | Angle ±1° | | | | | |






Minebea Copy
27/5/2569
Issued G/M and M/A Div.
Uncontrolled

| UNLESS SPECIFIED | | M/C. | Qty. |
|---|---|---|---|
| C0.2 Max OR R0.2 Max (NO DENT & NO BURR ) | | WASHING | 2/SET |
| **GENERAL TOLERANCE** | | **MATERIAL** | |
| JISB0405 MACHINING WORKING | | SUS303 | |
| LESS THAN 6 | ±0.1 | **FINISH** | |
| 6 ~ 30 | ±0.2 | | |
| 30 ~ 120 | ±0.3 | **HEAT TREATMENT.** | |
| 120 ~ 400 | ±0.5 | | |
| 400 ~ 1000 | ±0.8 | | |

0.8 / 6.3 / 25 / 100 / ◇ / Angle ± 1°

NMB MinebeaMitsumi Inc.
Mechanical Ass'y DIV.

**TITLE** SCREWS

UNIT (mm.) | 3RD ANGLE | SCALE : FREE

| DETAILED | DESIGNED | CHECKED | APPROVED | DWG.NO | REV. |
|---|---|---|---|---|---|
| Chanon | Chanon | | | TMA-80-0021 | NR |
| DATE 22/03/2021 | | UP DATE | | SHEET: 1 OF 1 | |

NAME | DATE | ECN.NO. | REV.