
cc_all_high_n_spots_h2ax_mean
Test
Train
Count
30
20
10
0
−2
0
2
4
cc_all_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_all_large_notround_polynuclear_mean
Test
Train
Count
50
40
30
20
10
0
0
2
4
6
cc_all_large_notround_polynuclear_mean
Binary Recoding
0
1


cc_all_large_round_polyploid_mean
Test
Train
Count
60
40
20
0
0
3
6
9
0
3
6
9
cc_all_large_round_polyploid_mean
Binary Recoding
0
1


cc_all_n_objects
Test
Train
Count
20
15
10
5
0
−3
−2
−1
0
1
2
cc_all_n_objects
Binary Recoding
0
1


cc_all_n_spots_mean
Test
Train
Count
20
10
0
−2
0
2
cc_all_n_spots_mean
Binary Recoding
0
1


cc_all_n_spots_per_nucleus_area_mean
Test
Train
Count
30
20
10
0
−2
0
2
4
cc_all_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_all_nucleus_area_mean
Test
Train
Count
40
20
0
−2
0
2
4
6
cc_all_nucleus_area_mean
Binary Recoding
0
1


cc_cc_edu_pos_mean
Test
Train
Count
40
30
20
10
0
−4
−2
0
2
cc_cc_edu_pos_mean
Binary Recoding
0
1


cc_cc_g1_mean
Test
Train
Count
40
30
20
10
0
−2.5
0.0
2.5
cc_cc_g1_mean
Binary Recoding
0
1


cc_cc_g2_ph3_neg_mean
Test
Train
60
40
20
0
Count
−2.5
0.0
2.5
5.0
7.5
cc_cc_g2_ph3_neg_mean
Binary Recoding
0
1


cc_cc_g2_ph3_pos_early_mitosis_mean
Test
Train
30
20
10
0
Count
0
2
4
0
2
4
cc_cc_g2_ph3_pos_early_mitosis_mean
Binary Recoding
0
1


cc_cc_high_n_spots_h2ax_mean
Test
Train
Count
40
30
20
10
0
0.0
2.5
5.0
7.5
cc_cc_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_cc_n_objects
Test
Train
20
15
10
5
0
Count
−2
0
2
cc_cc_n_objects
Binary Recoding
0
1


cc_cc_n_spots_mean
Test
Train
Count
30
20
10
0
−2
0
2
4
cc_cc_n_spots_mean
Binary Recoding
0
1


cc_cc_n_spots_per_nucleus_area_mean
Test
Train
30
20
10
0
Count
0
2
4
0
2
4
cc_cc_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_cc_ph3_pos_hoechst_mitosis_mean
Test
Train
60
40
20
0
Count
0.0
2.5
5.0
7.5
cc_cc_ph3_pos_hoechst_mitosis_mean
Binary Recoding
0
1


cc_edu_pos_alexa647_intensity_nucleus_area_mean
Test
Train
Count
30
20
10
0
−2
−1
0
1
2
cc_edu_pos_alexa647_intensity_nucleus_area_mean
Binary Recoding
0
1


cc_edu_pos_alexa647_intensity_nucleus_area_sum
Test
Train
Count
20
15
10
5
0
−2
−1
0
1
2
cc_edu_pos_alexa647_intensity_nucleus_area_sum
Binary Recoding
0
1


cc_edu_pos_high_n_spots_h2ax_mean
Test
Train
Count
60
40
20
0
0
2
4
0
2
4
cc_edu_pos_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_edu_pos_n_objects
Test
Train
Count
20
15
10
5
0
−3
−2
−1
0
1
2
cc_edu_pos_n_objects
Binary Recoding
0
1


cc_edu_pos_n_spots_mean
Test
Train
Count
30
20
10
0
−2
0
2
4
cc_edu_pos_n_spots_mean
Binary Recoding
0
1


cc_edu_pos_n_spots_per_nucleus_area_mean
Test
Train
Count
30
20
10
0
−2
0
2
4
cc_edu_pos_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_g1_high_n_spots_h2ax_mean
Test
Train
60
40
20
0
Count
0.0
2.5
5.0
7.5
cc_g1_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_g1_n_objects
Test
Train
Count
20
10
0
−4
−2
0
2
cc_g1_n_objects
Binary Recoding
0
1


cc_g1_n_spots_mean
Test
Train
30
20
10
0
Count
0
2
4
0
2
4
cc_g1_n_spots_mean
Binary Recoding
0
1


cc_g1_n_spots_per_nucleus_area_mean
Test
Train
Count
20
15
10
5
0
−1
0
1
2
3
cc_g1_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_g1_plus_g2
Test
Train
Count
50
40
30
20
10
0
−5.0
−2.5
0.0
2.5
cc_g1_plus_g2
Binary Recoding
0
1


cc_g2_g1
Test
Train
Count
80
60
40
20
0
−2.5
0.0
2.5
5.0
7.5
cc_g2_g1
Binary Recoding
0
1


cc_g2_ph3_neg_high_n_spots_h2ax_mean
Test
Train
Count
40
30
20
10
0
−2
0
2
4
6
cc_g2_ph3_neg_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_g2_ph3_neg_n_objects
Test
Train
Count
20
15
10
5
0
−2
−1
0
1
2
cc_g2_ph3_neg_n_objects
Binary Recoding
0
1


cc_g2_ph3_neg_n_spots_mean
Test
Train
Count
30
20
10
0
0
2
4
6
0
2
4
6
cc_g2_ph3_neg_n_spots_mean
Binary Recoding
0
1


cc_g2_ph3_neg_n_spots_per_nucleus_area_mean
Test
Train
Count
30
20
10
0
0
2
4
6
0
2
4
6
cc_g2_ph3_neg_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_g2_ph3_pos_high_n_spots_h2ax_mean
Test
Train
Count
80
60
40
20
0
0
2
4
0
2
4
cc_g2_ph3_pos_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_g2_ph3_pos_n_objects
Test
Train
Count
20
15
10
5
0
−2
−1
0
1
2
cc_g2_ph3_pos_n_objects
Binary Recoding
0
1


cc_g2_ph3_pos_n_spots_mean
Test
Train
30
20
10
0
Count
−1
0
1
2
3
cc_g2_ph3_pos_n_spots_mean
Binary Recoding
0
1


cc_g2_ph3_pos_n_spots_per_nucleus_area_mean
Test
Train
Count
25
20
15
10
5
0
−1
0
1
2
3
cc_g2_ph3_pos_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_g2_plus_all_m
Test
Train
Count
40
20
0
−2
0
2
4
6
cc_g2_plus_all_m
Binary Recoding
0
1


cc_infection_percentage
Test
Train
Count
40
30
20
10
0
−3
−2
−1
0
1
cc_infection_percentage
Binary Recoding
0
1


cc_mitosis_ph3_neg_high_n_spots_h2ax_mean
Test
Train
Count
200
150
100
50
0
0
2
4
6
8
cc_mitosis_ph3_neg_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_mitosis_ph3_neg_n_objects
Test
Train
30
20
10
0
Count
0
2
4
6
cc_mitosis_ph3_neg_n_objects
Binary Recoding
0
1


cc_mitosis_ph3_neg_n_spots_mean
Test
Train
Count
60
40
20
0
−2
−1
0
1
2
3
cc_mitosis_ph3_neg_n_spots_mean
Binary Recoding
0
1


cc_mitosis_ph3_neg_n_spots_per_nucleus_area_me
Test
Train
60
40
20
0
Count
−2
−1
0
1
2
3
cc_mitosis_ph3_neg_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_mitosis_ph3_pos_high_n_spots_h2ax_mean
Test
Train
250
200
150
100
50
0
Count
0
1
2
3
cc_mitosis_ph3_pos_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_mitosis_ph3_pos_n_objects
Test
Train
Count
20
15
10
5
0
−2
−1
0
1
2
cc_mitosis_ph3_pos_n_objects
Binary Recoding
0
1


cc_mitosis_ph3_pos_n_spots_mean
Test
Train
Count
30
20
10
0
−2
0
2
4
cc_mitosis_ph3_pos_n_spots_mean
Binary Recoding
0
1


cc_mitosis_ph3_pos_n_spots_per_nucleus_area_me
Test
Train
Count
30
20
10
0
−2
0
2
4
cc_mitosis_ph3_pos_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_polynuclear_high_n_spots_h2ax_mean
Test
Train
Count
40
30
20
10
0
−2
0
2
4
cc_polynuclear_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_polynuclear_n_objects
Test
Train
Count
20
10
0
0
2
4
0
2
4
cc_polynuclear_n_objects
Binary Recoding
0
1


cc_polynuclear_n_spots_mean
Test
Train
30
20
10
0
Count
−1
0
1
2
3
4
cc_polynuclear_n_spots_mean
Binary Recoding
0
1


cc_polynuclear_n_spots_per_nucleus_area_mean
Test
Train
Count
20
10
0
−1
0
1
2
3
cc_polynuclear_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


cc_polyploid_high_n_spots_h2ax_mean
Test
Train
Count
20
15
10
5
0
−1
0
1
2
cc_polyploid_high_n_spots_h2ax_mean
Binary Recoding
0
1


cc_polyploid_n_objects
Test
Train
Count
25
20
15
10
5
0
−1
0
1
2
3
cc_polyploid_n_objects
Binary Recoding
0
1


cc_polyploid_n_spots_mean
Test
Train
Count
20
15
10
5
0
−1
0
1
2
cc_polyploid_n_spots_mean
Binary Recoding
0
1


cc_polyploid_n_spots_per_nucleus_area_mean
Test
Train
Count
20
15
10
5
0
−1
0
1
2
3
cc_polyploid_n_spots_per_nucleus_area_mean
Binary Recoding
0
1


vb_infection_percentage
Test
Train
Count
40
30
20
10
0
−3
−2
−1
0
1
vb_infection_percentage
Binary Recoding
0
1


vb_live_cell_area
Test
Train
Count
40
30
20
10
0
−2.5
0.0
2.5
vb_live_cell_area
Binary Recoding
0
1


vb_percent_all_apoptosis
Test
Train
100
75
50
25
0
Count
0
2
4
6
8
vb_percent_all_apoptosis
Binary Recoding
0
1


vb_percent_all_early_apoptosis
Test
Train
Count
60
40
20
0
−1
0
1
2
3
4
5
vb_percent_all_early_apoptosis
Binary Recoding
0
1


vb_percent_all_late_apoptosis
Test
Train
150
100
50
0
Count
0.0
2.5
5.0
7.5
vb_percent_all_late_apoptosis
Binary Recoding
0
1


vb_percent_caspase_dead_only
Test
Train
Count
30
20
10
0
−1
0
1
2
3
vb_percent_caspase_dead_only
Binary Recoding
0
1


vb_percent_dead
Test
Train
150
100
50
0
Count
0.0
2.5
5.0
7.5
vb_percent_dead
Binary Recoding
0
1


vb_percent_dead_only
Test
Train
80
60
40
20
0
Count
0
2
4
0
2
4
vb_percent_dead_only
Binary
Recoding
0
1


vb_ros_mean
Test
Train
100
75
50
25
0
Count
0.0
2.5
5.0
7.5
vb_ros_mean
Binary Recoding
0
1