

ABBREVIATED INJURY SCALE © 2005

UPDATE 2008

Editors:

Thomas A. Gennarelli, M.D.
Professor and Chair
Department of Neurosurgery
Medical College of Wisconsin
Milwaukee, Wisconsin

Elaine Wodzin
Des Plaines, Illinois
(Executive Director,
AAAM, 1981-2000)





Association for the Advancement
of Automotive Medicine

[Redacted text line]

[Redacted text line]

[Redacted text line]

[Redacted text line]

[Redacted text line]

[Redacted text line]

[Redacted text line]

[Redacted text line]

[Redacted text line]

Contents

Acknowledgement	iii	
INTRODUCTION		
Origins of Today’s AIS	1	
Philosophical Basis for the AIS	1	
Current Challenges for the AIS	2	
The Result – AIS 2005	4	
AIS, Severity and Mortality: A Conceptual Issue	4	
Future Objectives and Initiatives	6	
References	9	
THE DICTIONARY		
General Format	11	
Changes to Injury Descriptors	11	
Extremities and Pelvis	12	
Brain	12	
Face	13	
Thorax	13	
Bilaterality	13	
Matches between AIS 98 and AIS 2005	14	
Designation of “9” Unknown	14	
Organ Injury Scales	14	
Functional Capacity Index	15	
AIS CODING RULES AND GUIDELINES		17
LOCALIZERS IN AIS 2005		21
INJURY CAUSE DESCRIPTORS IN AIS 2005		25
ASSESSMENT OF MULTIPLE INJURIES		29
AIS DICTIONARY		
Head	31	
Face	53	
Neck	65	
Thorax	71	
Abdomen	83	
Spine	99	
Upper Extremity	113	
Lower Extremity, Pelvis and Buttocks	133	
External (Skin) and Thermal Injuries	163	
Other Trauma	166	

HEAD (cranium and brain)

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
WHOLE AREA				
Use one of the following two descriptors when such vague information, including traumatic brain injury or closed head injury, is the only information available. While these descriptors identify the occurrence of a head injury, they do not specify its severity.				
100099.9	Injuries to the Head NFS	115099.9	115099.9	
100999.9	Died of head injury without further substantiation of injuries or no autopsy confirmation of specific injuries.	115999.9	115999.9	
110009.1	Head Injury NFS involving only headache	160402.1	160402.1	5
113000.6	Crush Injury	113000.6	113000.6	1
Must involve massive destruction of skull, brain and intracranial contents.				
Code a penetrating injury to a specific anatomical site (e.g., brain stem, cerebellum or cerebrum) if site is known. If site is unknown or if more than one site is injured, code to one of the following three descriptors. If the skull is not penetrated, code as scalp laceration. Code a single gunshot wound with both entry and exit wounds as one injury. Assign the following three descriptors to Head/Neck body region for calculating an ISS.				
116000.3	Penetrating Injury to Skull NFS^a	116002.3	116002.3	5
116002.3	superficial; ≤ 2cm beneath entrance	116002.3	116002.3	5
116004.5	major; >2cm penetration	116004.5	116004.5	2

^a New descriptor in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use the following section for blunt soft tissue injury to the scalp (head). Assign to External Body Region for calculating an ISS.				
110099.1	Scalp NFS	110099.1	110099.1	5
110202.1	abrasion	110202.1	110202.1	5
110402.1	contusion; subgaleal hematoma if >6 months old	110402.1	110402.1	5
110403.2	subgaleal hematoma in infants ≤6 months old ^a	110402.1 ^b	None	5
110404.3	blood loss >20% by volume in infants ≤6 months old ^a	110402.1 ^b	None	5
110600.1	laceration NFS	110600.1	110600.1	5
110602.1	minor; superficial	110602.1	110602.1	5
110604.2	major; >10cm long <u>and</u> into subcutaneous tissue	110604.2	110604.2	5
110606.3	blood loss >20% by volume	110606.3	110606.3	5
110800.1	avulsion NFS	110800.1	110800.1	5
110802.1	superficial; minor; tissue loss ≤100cm ²	110802.1	110802.1	5
110804.2	major; tissue loss >100cm ²	110804.2	110804.2	5
110806.3	blood loss >20% by volume	110806.3	110806.3	5
110808.3	total scalp loss	110808.3	110808.3	5

VESSELS, INTRACRANIAL

Vessel injuries are coded separately from other injuries to the brain, except for crush-type injury, major penetrating injury to the skull or penetrating injury to the brain stem, cerebrum or cerebellum which include all accompanying brain injuries. If a vessel is not named specifically, code as Vascular Injury in Head NFS. Thrombosis includes any injury to a vessel resulting in its occlusion (e.g., intimal tear, dissection).

120099.9	Vascular Injury in Head NFS ^f	None	None	
----------	---	------	------	--

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
120199.3	Artery NFS^a	121299.3	None	5
120299.3	Anterior cerebral artery NFS	120299.3	120299.3	2
120202.5	laceration	120202.5	120202.5	5
120204.3	thrombosis; occlusion	120204.3	120204.3	2
120205.4	bilateral ^c	120204.3 ^b	None	1
120206.3	traumatic aneurysm	120206.3	120206.3	2
120499.4	Basilar artery NFS	120499.5 ^b	120499.5 ^b	1
120402.5	laceration	120402.5	120402.5	5
120404.5	thrombosis; occlusion	120404.5	120404.5	1
120406.5	traumatic aneurysm	120406.5	120406.5	1
121099.3	Internal carotid artery NFS	121099.3	121099.3	1
121002.5	laceration	121002.5	121002.5	5
121003.6	bilateral ^c	121002.5 ^b	None	1
121004.4	thrombosis; occlusion	121004.4	121004.4	1
121005.5	bilateral ^c	121004.4 ^b	None	1
121006.3	traumatic aneurysm	121006.3	121006.3	5
121499.3	Middle cerebral artery NFS	121499.3	121499.3	1
121402.5	laceration	121402.5	121402.5	5
121404.4	thrombosis; occlusion	121404.4	121404.4	1
121405.5	bilateral ^c	121404.4 ^b	None	1
121406.3	traumatic aneurysm	121406.3	121406.3	5

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
121699.3	Other artery NFS [branch of anterior, posterior or middle cerebral artery or branch of basilar or vertebral artery]	121699.3	121699.3	
121602.4	laceration	121602.4	121602.4	
121604.3	thrombosis; occlusion	121604.3	121604.3	
121606.3	traumatic aneurysm	121606.3	121606.3	
121899.3	Posterior cerebral artery NFS	121899.3	121899.3	2
121802.5	laceration	121802.5	121802.5	3
121804.3	thrombosis; occlusion	121804.3	121804.3	2
121805.4	bilateral ^c	121804.3 ^b	None	1
121806.3	traumatic aneurysm	121806.3	121806.3	5
122899.3	Vertebral artery NFS	122899.3	122899.3	5
122802.5	laceration	122802.5	122802.5	5
122803.6	bilateral ^c	122802.5 ^b	None	1
122804.3	thrombosis; occlusion	122804.3	122804.3	5
122805.4	bilateral ^c	122804.3 ^b	None	1
122806.3	traumatic aneurysm	122806.3	122806.3	5

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with these injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
122299.3	Sinus NFS^d	122299.3	122299.3	5
122202.4	laceration	122202.4	122202.4	5
122204.3	thrombosis; occlusion	122204.3	122204.3	5
120602.4	Carotid-cavernous fistula	120602.4	120602.4	3
120603.4	bilateral ^c	120602.4	None	2
	Do not code internal carotid artery injury separately.			
120899.3	Cavernous sinus NFS	120899.3	120899.3	3
120802.4	laceration	120802.4	120802.4	3
120804.5	open laceration (bleeding externally) or segmental loss	120804.5	120804.5	3
120806.3	thrombosis; occlusion	120806.3	120806.3	3
122099.4	Sigmoid sinus NFS	122099.4	122099.4	1
122002.4	laceration	122002.4	122002.4	1
122003.5	bilateral ^c	122002.4 ^b	None	1
122004.5	open laceration (bleeding externally) or segmental loss	122004.5	122004.5	2
122005.6	bilateral ^c	122004.5 ^b	None	2
122006.4	thrombosis; occlusion	122006.4	122006.4	2
122007.5	bilateral ^c	122006.4 ^b	None	1
123099.4	Straight sinus NFS^a	122299.3 ^b	None	
123002.4	laceration ^a	122202.4	None	
123003.5	open laceration (bleeding externally) or segmental loss ^a	122202.4 ^b	None	
123004.5	thrombosis; occlusion ^a	122204.3 ^b	None	

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with these injuries.

^d Major vein and sinus were combined as one descriptor in AIS 98. In AIS 2005, they are separate descriptors; hence, the duplication of AIS 98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
122499.3	Superior longitudinal (sagittal) sinus NFS	122499.4 ^b	122499.4 ^b	5
122402.4	laceration	122402.4	122402.4	5
122404.5	open laceration (bleeding externally) or segmental loss	122404.5	122404.5	5
122406.4	thrombosis; occlusion ^e	122406.4	122406.4	2
122407.4	anterior half of sinus ^a	122406.4	None	2
122408.5	posterior half of sinus ^a	122406.4 ^b	None	1
122699.3	Transverse sinus NFS	122699.4 ^b	122699.4 ^b	2
122602.4	laceration	122602.4	122602.4	5
122603.5	bilateral ^c	122602.4 ^b	None	5
122604.5	open laceration (bleeding externally) or segmental loss ^e	122604.5	122604.5	5
122605.6	bilateral ^c	122604.5 ^b	None	1
122607.6	torcular ^a	122604.5 ^b	None	
122606.4	thrombosis; occlusion	122606.4	122606.4	2
122608.5	bilateral ^c	122606.4 ^b	None	1
122399.3	Vein NFS ^a	121299.3	None	5
122599.3	Vein, major NFS [includes <i>Galen, Labbe, Trolard, Rosenthal</i> or internal cerebral] ^d	122299.3	122299.3	5
122502.4	laceration	122202.4	122202.4	5
122504.3	thrombosis; occlusion	122204.3	122204.3	2
122799.3	Vein, non-major NFS ^a [any named vein that is not major]	121299.3	None	
122702.4	laceration ^a	121202.4	None	
122704.3	thrombosis; occlusion ^a	121204.3	None	

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with these injuries.

^d Major Vein and Sinus were combined as one descriptor in AIS 98. In AIS 2005, they are separate descriptors; hence, the duplication of AIS 98 matching codes.

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

NERVES, CRANIAL

Because of limitations in diagnostic capabilities, cranial nerve injuries may be described only by the type of dysfunction that exists in normal nerve activity. Unless contusion or laceration is specified, code total loss of nerve function (paralysis) as a laceration and partial loss of function (paresis) as a contusion. Do not increase the severity for multiple injuries to the same nerve. Certain nerve injuries have a higher AIS code when they occur bilaterally; these are specifically indicated. Nerve injuries are coded separately from other injuries to the brain, except for crush-type or massive penetrating brain injuries which are inclusive of all injuries to the brain. If a nerve is not named specifically, code as cranial nerve NFS.

Use one of the following three descriptors if specific nerve is not named.

130299.2	Cranial nerve NFS	130299.2	130299.2	5
130202.2	contusion	130202.2	130202.2	5
130204.2	laceration	130204.2	130204.2	5
130499.2	I (Olfactory nerve, tract) NFS	130499.2	130499.2	5
130402.2	contusion	130402.2	130402.2	5
130404.2	laceration	130404.2	130404.2	5
130699.2	II (Optic nerve – intracranial and intracanalicular segments) NFS [includes chiasm and tracts]	130699.2	130699.2	3
	Code intraorbital segment under Face. If segment is unknown, code under Head.			
130602.2	contusion	130602.2	130602.2	3
130604.2	bilateral	130604.2	130604.2	3
130606.2	laceration	130606.2	130606.2	3
130608.2	bilateral	130608.2	130608.2	2

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
130899.2	III (Oculomotor nerve) NFS	130899.2	130899.2	3
130802.2	contusion or compression [includes injury due to transtentorial herniation]	130802.2	130802.2	5
130804.2	laceration	130804.2	130804.2	3
131099.2	IV (Trochlear nerve) NFS	131099.2	131099.2	3
131002.2	contusion	131002.2	131002.2	5
131004.2	laceration	131004.2	131004.2	3
131299.2	V (Trigeminal nerve) NFS	131299.2	131299.2	3
131202.2	contusion	131202.2	131202.2	5
131204.2	laceration	131204.2	131204.2	3
131499.2	VI (Abducens nerve) NFS	131499.2	131499.2	3
131402.2	contusion	131402.2	131402.2	5
131404.2	laceration	131404.2	131404.2	3
131699.2	VII (Facial nerve) NFS	131699.2	131699.2	3
131602.2	contusion	131602.2	131602.2	5
131604.2	laceration	131604.2	131604.2	3
131605.3	bilateral ^c	131604.2 ^b	None	2
131899.2	VIII (Vestibulocochlear nerve) NFS [includes auditory, acoustic and vestibular nerves]	131899.2	131899.2	4
131802.2	contusion	131802.2	131802.2	5
131804.2	laceration	131804.2	131804.2	4
131806.3	bilateral	131806.2 ^b	131806.2 ^b	2

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with these injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
132099.2	IX (Glossopharyngeal nerve) NFS	132099.2	132099.2	2
132002.2	contusion	132002.2	132002.2	5
132004.2	laceration	132004.2	132004.2	2
132299.2	X (Vagus nerve) NFS [excludes injury in neck, thorax or abdomen]	132299.2	132299.2	3
132202.2	contusion	132202.2	132202.2	5
132204.2	laceration	132204.2	132204.2	3
132499.2	XI (Spinal accessory nerve) NFS	132499.2	132499.2	5
132402.2	contusion	132402.2	132402.2	5
132404.2	laceration	132404.2	132404.2	5
132699.2	XII (Hypoglossal nerve) NFS	132699.2	132699.2	2
132602.2	contusion	132602.2	132602.2	5
132604.2	laceration	132604.2	132604.2	2

CODING RULES: Brain

Time to Code

Given current imaging and other radiological techniques in trauma care, virtually all brain injuries can be diagnosed within the first 24 hours. Surgical and other interventions, such as administering anticoagulants, can increase the size of a contusion or hemorrhage which would artificially inflate its severity. Therefore, coding of brain injuries should be done at 24 hours or at initial confirmed diagnosis if later than 24 hours.

Coma

Under Cerebrum, several descriptors of imaging findings include coma as a modifier (i.e., intraventricular hemorrhage, ischemic brain damage directly related to head trauma, subarachnoid hemorrhage and subpial hemorrhage). If a patient sustains more than one of these documented findings involving coma, assign the coma only once to the finding that will result in the highest AIS code. If there is no difference in the AIS code, add the coma to only one of the findings and code the other finding(s) as not further specified (NFS).

Example:

Coma > 6 hours, but no substantiated DAI

Trauma-related ischemic brain damage 140683.5

Subarachnoid hemorrhage 140693.2

Diffuse Axonal Injury

Patients with a substantiated clinical or pathological diagnosis of DAI may also have other imaging findings noted (e.g., intraventricular hemorrhage, petechial hemorrhage). In such cases, only the substantiated DAI is assigned an AIS severity code.

Example:

Mild DAI (LOC 6-24 hours) 161008.4

Intraventricular hemorrhage do not code

Note that a diagnosis of DAI must meet specific coding rules described in the text “Diffuse Axonal Injury” (page 50). Substantiated DAI by definition includes prolonged coma.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
----------	--------------------	--------	--------	-----

INTERNAL ORGANS

Injuries to Internal Organs (i.e., brain stem, cerebellum or cerebrum) must be verified by CT, MRI, surgery, x-ray, angiography or autopsy. Clinical diagnosis alone is not adequate for substantiating the existence of an anatomic lesion for coding purposes.

140299.5	Brain stem [hypothalamus, medulla, midbrain, pons] NFS	140299.5	140299.5	1
140202.5	compression [includes transtentorial (uncal) or cerebellar tonsillar herniation]	140202.5	140202.5	1
140204.5	contusion	140204.5	140204.5	1
140208.5	infarction	140208.5	140208.5	1
140210.5	injury involving hemorrhage	140210.5	140210.5	1
140212.6	laceration	140212.6	140212.6	1
140214.6	massive destruction (crush-type injury)	140214.6	140214.6	1
140216.6	penetrating injury	140216.6	140216.6	1
140218.6	transection	140218.6	140218.6	1

Use Cerebellum section only if cerebellum, infratentorial or posterior fossa are named. Otherwise, code under Cerebrum.

140499.3	Cerebellum NFS	140499.3	140499.3	5
140402.3	contusion, single or multiple, NFS [include perilesional edema for size]	140402.3	140402.3	5
140407.2	tiny; <1cm diameter ^a	140403.3 ^b	None	5
140403.3	small; superficial; ≤15cc; 1-3cm diameter	140403.3	140403.3	5
140404.4	large; 15-30cc; >3cm diameter	140404.4	140404.4	3
140405.5	extensive; massive; total volume >30cc	140405.5	140405.5	2

^a New descriptor in AIS 2005

^b Change in severity in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
140410.3	Cerebellum (continued) hematoma (hemorrhage) NFS	140410.4 ^b	140410.4 ^b	5
	Use above descriptor for “extra axial” unless further described as epidural or subdural.			
140414.3	epidural or extradural NFS [include perilesional edema for size]	140414.4 ^b	140414.4 ^b	5
140416.2	tiny; <0.6cm thick ^a	140418.4 ^b	None	5
140418.4	small; moderate; ≤30cc or ≤15cc if ≤age 10; 0.6-1cm thick	140418.4	140418.4	5
140422.5	large; massive; extensive; >30cc or >15cc if ≤ age 10; >1cm thick	140422.5	140422.5	1
140426.3	intracerebellar including petechial and subcortical NFS [include perilesional edema for size]	140426.4 ^b	140426.4 ^b	5
140428.2	tiny; <0.6cm diameter [includes radiographic “shearing” lesions] ^a	140430.4 ^b	None	5
140430.4	small; ≤15cc; 0.6-3cm diameter	140430.4	140430.4	5
140434.5	large; >15cc; >3cm diameter	140434.5	140434.5	2
140438.3	subdural NFS	140438.4 ^b	140438.4 ^b	5
140440.2	tiny; <0.6cm thick ^a	140442.4 ^b	None	5
140442.4	small; moderate; ≤30cc or ≤15cc if ≤age 10; 0.6-1cm thick	140442.4	140442.4	5
140446.5	large; massive; extensive; >30cc or >15cc if ≤age 10; >1cm thick	140446.5	140446.5	2
140474.3	laceration [not from penetrating injury] NFS ^e	140474.4 ^b	140474.4 ^b	5
140473.3	≤2cm length or depth	140474.4 ^b	None	5
140472.4	>2cm length or depth	140474.4	None	3

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	Cerebellum (continued)			
140478.3	penetrating injury NFS ^e	140478.5 ^b	140478.5 ^b	5
140477.3	≤2cm deep	140478.5 ^b	None	5
140476.5	>2cm deep	140478.5	None	2
140489.9	trauma-associated findings not related either to intervention or to anatomically-described head injury NFS ^f	None	None	
140450.3	brain swelling/edema NFS	140450.3	140450.3	5
	Must be directly related to head injury, not anoxia or perilesional. Read “Brain Edema and Brain Swelling” below for coding guidance.			
140458.3	infarction (acute due to traumatic vascular occlusion)	140458.3	140458.3	2
140462.3	ischemic brain damage directly related to head trauma	140462.3	140462.3	5
140466.2	subarachnoid hemorrhage	140466.3 ^b	140466.3 ^b	5
140470.2	subpial hemorrhage	140470.3 ^b	140470.3 ^b	5

Brain Edema and Brain Swelling

The terms brain edema (BE) and brain swelling (BS) are often confused because in many regions of the world, they are intentionally used interchangeably. However, in other regions BE and BS are considered to be separate entities. Thus, the following definitions are offered.

Brain Swelling is a generic description of a swollen brain whereas brain edema represents a specific type of brain swelling, that due to increased brain water content. In BE, the increased water may either be inside of cells or between cells. Both BE and BS may be documented by any of the following depending on the data source: increased brain weight (pathological observations), swelling of the brain beyond the usual dural margin (at surgery),

imaging studies that demonstrate any of the following: obscuration of the grey-white matter junctions; compression or obliteration of the ventricles; narrowing or obliteration of the basal cisterns.

Brain Edema is best distinguished from brain swelling by the presence of: hypodensity (more black than normal brain) on CT imaging, or hypointensity on T1 or hyperintensity on T2 or flair MRI imaging. Thus, brain edema should only be diagnosed if these conditions exist. Otherwise, the diagnosis of brain swelling should be made (isodense or slightly hyperdense on CT or isodense on MRI).

^b Change in severity code in AIS 2005

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
140699.3	Cerebrum NFS [includes basal ganglia, thalamus, putamen, globus pallidus] Use Cerebrum section for supratentorial, anterior or middle cranial fossa; also use if trauma is vaguely described as “brain injury”.	140699.3	140699.3	5
140602.3	contusion NFS [include perilesional edema for size]	140602.3	140602.3	5
140604.3	single NFS	140604.3	140604.3	5
140605.2	tiny; <1cm diameter ^a	140604.3 ^b	None	5
140606.3	small; superficial; ≤30cc or ≤15cc if ≤age 10; 1-4cm diameter or 1-2cm diameter if ≤age 10; midline shift ≤5mm	140606.3	140606.3	5
140608.4	large; deep; 30-50cc or 15-30cc if ≤age 10; >4cm diameter or 2-4cm diameter if ≤age 10; midline shift >5mm	140608.4	140608.4	2
140610.5	extensive; massive; total volume >50cc or >30cc if ≤age 10	140610.5	140610.5	1
140611.3	multiple NFS	140611.3	140611.3	3
140612.3	multiple, on same side but NFS	140612.3	140612.3	5
140613.2	tiny; each <1cm diameter ^a	140612.3 ^b	None	5
140614.3	small; superficial; total volume ≤30cc or ≤15cc if ≤age 10; midline shift ≤5mm	140614.3	140614.3	5
140616.4	large; total volume 30-50cc or 15-30cc if ≤age 10; midline shift >5mm	140616.4	140616.4	1
140618.5	extensive; massive; total volume >50cc or >30cc if ≤age 10	140618.5	140618.5	1
140620.3	multiple, at least one on each side but NFS	140620.3	140620.3	3
140621.2	tiny; each <1cm diameter ^a	140622.3 ^b	None	5
140622.3	small; superficial; total volume ≤30cc or ≤15cc if ≤age 10	140622.3	140622.3	3
140624.4	large; total volume 30-50cc or 15-30cc if ≤age 10	140624.4	140624.4	1
140626.5	extensive; massive; total volume >50cc or >30cc if ≤age 10	140626.5	140626.5	1

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	Cerebrum (continued)			
140628.4	diffuse axonal injury (DAI) NFS [requires coma >6 hours or, if fatal within 6 hours, diagnosis is made by pathological examination] ^e	140628.5 ^b	140628.5 ^b	1
140625.4	DAI confined to white matter or basal ganglia	140628.5 ^b	None	1
140627.5	DAI involving corpus callosum	140628.5	None	1
If white matter/basal ganglia <u>and</u> corpus callosum are involved, code only the more severe; do not code both. If coma exceeds 24 hours and diagnosis meets coding rules for DAI, use the codes on page 51 no matter what anatomic description is recorded. Read “Diffuse Axonal Injury” (page 50) for coding guidance.				
140629.3	hematoma (hemorrhage) NFS	140629.4 ^b	140629.4 ^b	5
Use above descriptor for “extra axial” unless described as epidural or subdural.				
140630.3	epidural or extradural NFS [include perilesional edema for size]	140630.4 ^b	140630.4 ^b	5
140631.2	tiny; <0.6cm thick ^a	140632.4 ^b	None	5
140632.4	small; moderate; ≤50cc or ≤25cc if ≤age 10; 0.6-1cm thick	140632.4	140632.4	5
140634.5	bilateral	140634.5	140634.5	5
140636.5	large; massive; extensive; >50cc or >25cc if ≤age 10; >1cm thick	140636.5	140636.5	1

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Cerebrum (continued)				
	hematoma			
140638.3	intracerebral NFS [include perilesional edema for size]	140638.4 ^b	140638.4 ^b	5
140639.2	tiny; single or multiple <1cm diameter ^a	140640.4 ^b	None	5
140642.2	petechial hemorrhage(s) [includes radiographic “shearing” lesions] ^e	140642.4 ^b	140642.4 ^b	5
140643.2	not associated with coma >6 hours	140642.4 ^b	None	5
140645.4	associated with coma >6 hours	140642.4	None	1
If DAI diagnosis is made, code as diffuse axonal injury to cerebrum, AIS codes 140628.4, 140625.4 or 140627.5, as appropriate, based on substantiation of injury. Do not code here. Read “Diffuse Axonal Injury” (page 50) for coding guidance.				
140640.4	small; ≤30cc or ≤15cc if ≤age 10; 1-4cm diameter or ≤1cm if ≤age 10; subcortical hemorrhage ^{e,g}	140640.4	140640.4	5
140647.3	not associated with coma >6 hours	140640.4 ^b	None	5
140649.4	associated with coma >6 hours	140640.4	None	1
If DAI diagnosis is made, code as diffuse axonal injury to cerebrum, AIS codes 140628.4, 140625.4 or 140627.5, as appropriate, based on substantiation of injury. Do not code here. Read “Diffuse Axonal Injury” (page 50) for coding guidance.				
140646.5	bilateral	140646.5	140646.5	1
140648.5	large; >30cc or >15cc if ≤age 10; >4cm or >1cm diameter if ≤age 10	140648.5	140648.5	1
140641.5	bilateral [each >4cm] ^c	140648.5	None	1
140650.3	subdural NFS	140650.4 ^b	140650.4 ^b	5
140651.3	tiny; <0.6cm thick [includes tentorial (subdural) blood one or both sides] ^a	140652.4 ^b	None	5
140652.4	small; moderate; ≤50cc or ≤25cc if ≤age 10; 0.6-1cm thick	140652.4	140652.4	5
140654.4	bilateral [both sides 0.6-1cm thick]	140654.5 ^b	140654.5 ^b	3
140656.5	large; massive; extensive; >50cc or >25cc if ≤age 10; >1cm thick	140656.5	140656.5	1
140655.5	bilateral [at least one side >1cm thick] ^c	140656.5	None	1
In cases of bilateral subdural hematoma where one side is tiny (i.e., <0.6cm thick) and the other side is ≥0.6cm thick, code only the larger one.				

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

^g Subcortical hemorrhage was a separate descriptor (140644.4) in AIS 98.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	Cerebrum (continued)			
140688.3	laceration NFS [not from penetrating injury] ^e	140688.4 ^b	140688.4 ^b	5
140687.3	≤2cm length or depth	140688.4 ^b	None	5
140686.4	>2cm length or depth	140688.4	None	2
140690.3	penetrating injury NFS ^e	140690.5 ^b	140690.5 ^b	1
140691.3	≤2 cm deep	140690.5 ^b	None	5
140692.5	>2cm deep	140690.5	None	1
140689.9	trauma-associated findings not related either to intervention or to anatomically-described head injury NFS ^f	None	None	
Use the following descriptors for brain swelling or brain edema directly related to head trauma, not anoxia or perilesional. Read “Brain Edema and Brain Swelling” (page 43) for coding guidance.				
140660.3	brain swelling NFS ^h	140660.3	140660.3	5
140662.3	mild; compressed ventricles without compressed brain stem cisterns	140662.3	140662.3	5
140664.4	moderate; compressed ventricles and brain stem cisterns	140664.4	140664.4	1
140666.5	severe; absent ventricles or brain stem cisterns	140666.5	140666.5	1
140668.3	brain edema NFS ^h	140660.3	140660.3	5
140670.3	mild; compressed ventricles without compressed brain stem cisterns	140662.3	140662.3	5
140672.4	moderate; compressed ventricles and brain stem cisterns	140664.4	140664.4	2
140674.5	severe; absent ventricles or brain stem cisterns	140666.5	140666.5	1
140701.9	hypoxic or ischemic brain damage secondary to systemic hypoxemia, hypotension or shock not directly related to head trauma ^f	None	None	
140702.9	not associated with coma >24 hours ^f	None	None	
140703.9	associated with coma >24 hours not secondary to primary brain injury; bilateral; multifocal ^f	None	None	

^b Change in severity code in AIS 2005

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

^h Brain swelling and brain edema were combined as one descriptor in AIS 98. In AIS 2005, they are separate descriptors; hence the duplication of AIS 98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	Cerebrum (continued)			
140676.3	infarction [acute due to traumatic vascular occlusion]	140676.3	140676.3	1
140678.2	intraventricular hemorrhage ^e	140678.4 ^b	140678.4 ^b	5
140675.2	not associated with coma >6 hours	140678.4 ^b	None	5
140677.4	associated with coma >6 hours	140678.4	None	1
If DAI diagnosis is made, code as diffuse axonal injury, AIS codes 161007.4, 161008.4, 161011.5, 161012.5 or 161013.5 as appropriate based on substantiation of the injury. Do not code this finding. Read coding rules for coma (page 40) and “Diffuse Axonal Injury” (page 50) for coding guidance.				
140680.3	ischemic brain damage directly related to head trauma ^e	140680.3	140680.3	1
140681.3	not associated with coma >6 hours	140680.3	None	
140683.5	associated with coma >6 hours	140680.3 ^b	None	
If DAI diagnosis is made, code as diffuse axonal injury, AIS codes 161007.4, 161008.4, 161011.5, 161012.5 or 161013.5 as appropriate based on substantiation of the injury. Do not code this finding. Read coding rules for coma (page 40) and “Diffuse Axonal Injury” (page 50) for coding guidance.				
140682.3	pneumocephalus directly related to head trauma	140682.3	140682.3	1
140693.2	subarachnoid hemorrhage NFS ^e	140684.3 ^b	140684.3 ^b	5
140694.2	not associated with coma >6 hours	140684.3 ^b	None	5
140695.3	associated with coma >6 hours	140684.3	None	1
If DAI diagnosis is made, code as diffuse axonal injury, AIS codes 161007.4, 161008.4, 161011.5, 161012.5 or 161013.5 as appropriate based on substantiation of the injury. Do not code this finding. Read coding rules for coma (page 40) and “Diffuse Axonal Injury” (page 50) for coding guidance.				
140696.2	subpial hemorrhage NFS ^e	140686.3 ^b	140686.3 ^b	5
140697.2	not associated with coma >6 hours	140686.3 ^b	None	5
140698.3	associated with coma >6 hours	140686.3	None	1
If DAI diagnosis is made, code as diffuse axonal injury, AIS codes 161007.4, 161008.4, 161011.5, 161012.5 or 161013.5 as appropriate based on substantiation of the injury. Do not code this finding. Read coding rules for coma (page 40) and “Diffuse Axonal Injury” (page 50) for coding guidance.				
140799.3	Pituitary injury	140799.3	140799.3	5

^b Change in severity code in AIS 2005

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
----------	--------------------	--------	--------	-----

SKELETAL

Skull fractures are divided into base and vault. Code all skull fractures under vault unless specified as base. If a single skull fracture involves both base and vault, code the more severe. If both are of equal severity, code the fracture to point of origin. Code associated brain, vascular and nerve injuries separately.

150000.2	Skull fracture NFS^a	150400.2	None	5
----------	---------------------------------------	----------	------	---

The skull base includes the following bones: orbital roof; ethmoid; sphenoid; basilar process of occipital bone; and petrous and mastoid portions of the temporal bone. The following clinical signs may be used to corroborate a diagnosis of a basilar skull fracture: hemotympanum; perforated tympanic membrane with blood in canal; mastoid hematoma ("*Battle's sign*"); CSF otorrhea; rhinorrhea; periorbital ecchymosis ("*raccoon eyes*").

150200.3	Base (basilar) fracture NFS	150200.3	150200.3	5
150202.3	without CSF leak	150202.3	150202.3	5
150204.3	with CSF leak	150204.3	150204.3	5
150206.4	complex; open with torn, exposed or loss of brain tissue; comminuted; ring; hinge	150206.4	150206.4	5

The skull vault includes the following bones: frontal, occipital, parietal and squamous portion of the temporal bone.

150400.2	Vault fracture NFS	150400.2	150400.2	5
150402.2	closed; simple; undisplaced; diastatic; linear	150402.2	150402.2	5
150404.3	comminuted; compound but dura intact; depressed ≤2cm; displaced	150404.3	150404.3	5
150406.4	complex; open with torn, exposed or loss of brain tissue	150406.4	150406.4	5
150408.4	massive; large areas of skull depressed >2cm	150408.4	150408.4	5

^a New descriptor in AIS 2005

Diffuse Axonal Injury

Diffuse axonal injury (DAI) is a clinicopathological complex defined as immediate and prolonged coma due to widespread damage to axons and other neuronal processes in the brain. For practical purposes, “prolonged” represents more than six hours. Coma is defined as the absence of eye opening to painful stimuli AND no following of commands AND no word utterances. For intubated patients, coma can be diagnosed based on the absence of eye opening to painful stimuli AND no following of commands. For intubated patients where local injury or hemorrhage prevents eye opening, coma can be diagnosed solely on the basis of no following of commands. If chemical paralysis or sedation preclude evaluation of these three responses, the diagnosis of coma cannot be made.

Other entities can be confused with DAI, but are not incorporated by the name DAI, including:

- imaging findings often found with DAI (see below) that are not associated with the clinical criteria of DAI or have unknown clinical findings,
- traumatic axonal damage associated with ischemia, hemorrhage or contusion irrespective of the clinical findings,
- any condition with coma less than six hours in duration.

Acceptable means of diagnosing DAI include:

- a neuropathological examination of the brain that demonstrates widespread damage to axons in the white matter of the cerebral hemispheres or cerebellum that is not associated with contusion, infarct, ischemia or mass lesions (intracerebral hematoma/hemorrhage),
- a clinical diagnosis of DAI made by a combination of clinical observations and a brain imaging study with CT or MRI. DAI can be diagnosed by a physician when a patient sustains coma from the time of the traumatic event AND remains in post-traumatic coma for more than six hours AND there is no ischemic damage (prolonged hypotension or infarction on imaging) or mass lesion (epidural, subdural or intracerebral hematoma) to explain the coma on imaging studies. Similar coma lasting less than six hours is called concussion (of various levels of severity).

DAI cannot be diagnosed on the basis of clinical observations only. There must be imaging validation. The presence of small contusions or small intracerebral hemorrhages does not preclude the diagnosis of DAI, if, in the judgment of the physician, these are insufficient in size or in location to be responsible for the observed coma. Similarly, imaging studies alone are insufficient to make the diagnosis of DAI unless clinical observations confirm that coma longer than six hours is present and there are no mass lesions to explain the coma.

Several imaging findings are commonly associated with DAI, but in themselves cannot make the diagnosis of DAI in the absence of clinical findings of immediate and prolonged coma. These include:

- small or petechial hemorrhages in the cerebral white matter, basal ganglia, thalamus, corpus callosum, fornix, septum pellucidum, periventricular regions or dorsal brainstem. These may be called “tissue tear hemorrhages”, “shear lesions”, “*Strich* lesions” or simply petechial hemorrhages.
- Small hemorrhages in the parasagittal frontal or parietal lobes. These may be called “gliding contusions”.
- Intraventricular hemorrhage.
- Evidence of small (petechial-sized) areas of non-hemorrhagic damage on sophisticated imaging studies such as magnetic transfer imaging or diffusion tensor imaging or other MRI methods that may be developed that show regions of axonal damage.

For patients who die within 24 hours, the diagnosis of DAI can be made only if:

- Coma has been present since the traumatic event AND,
- Imaging shows one or more small hemorrhages (sometimes called “tissue tear hemorrhages”, “shearing lesions” or petechiae) in the central (deepest) third of the brain (i.e., not cortical or subcortical).

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
CONCUSSIVE INJURYⁱ				
161000.1	Cerebral Concussion, NFS	161000.2 ^b	161000.2 ^b	5
161001.1	mild concussion; no loss of consciousness Use 161000.1 and 161001.1 where there is convincing evidence of head injury and where the medical diagnosis is given as “concussion” with no other description or clarification. Code loss of consciousness (LOC) only where there is convincing evidence of head trauma and the diagnosis of loss of consciousness is made by a physician or recorded by a physician based on EMS corroboration. The Glasgow Coma Score (GCS) is only one indicator of brain injury and should never be used as the sole indicator. Self-reported LOC or reports of bystanders are insufficient for coding and should be disregarded.	161000.2 ^b	161000.2 ^b	5
161002.2	brief loss of consciousness NFS	160406.2	None	5
161003.2	loss of consciousness <1 hour NFS	160202.2	160202.2	5
161004.2	loss of consciousness ≤ 30 mins	160202.2	160202.2	5
161005.2	loss of consciousness 31-59 mins	160202.2	160202.2	5
161006.3	loss of consciousness 1-6 hours (severe concussion)	160206.3	160206.3	5
Use this category to code a substantiated diagnosis of DAI if no anatomical description is recorded or if coma exceeds 24 hours and meets the coding rules for DAI. Read “Diffuse Axonal Injury” (page 50) for coding guidance.				
161007.4	Diffuse Axonal Injury (prolonged traumatic coma LOC >6 hours not due to mass lesion) NFS	160210.4	None	5
161008.4	LOC 6-24 hours (mild DAI)	160814.4	160814.4	5
161011.5	LOC >24 hours NFS	160818.5	160818.5	5
161012.5	without brainstem signs (moderate DAI)	160818.5	160818.5	1
161013.5	with brainstem signs (severe DAI) Brainstem signs: decerebrate; decorticate	160824.5	160824.5	1

^b Change in severity code in AIS 2005

ⁱ This section “Concussive Injury” reflects contemporary neurotrauma terminology in describing these types of brain injury. It replaces the sections “Length of Unconsciousness” and “Level of Consciousness” in AIS 98. Because this revision uses a significantly different framework for describing concussive injuries and diffuse axonal injury, the matching codes between AIS 2005 and AIS 98 are “best” choices.

FACE (includes Eye and Ear)

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
WHOLE AREA				
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of a facial injury, they do not specify its severity.				
200099.9	Injuries to the Face NFS	215099.9	215099.9	
200999.9	Died of facial injury without further substantiation of injuries or no autopsy confirmation of specific injuries	215999.9	215999.9	
Use this category if penetrating injury does not involve internal structures. Assign to External body region for calculating an ISS. If underlying anatomical structures are involved, code documented diagnoses only; do not use these generic descriptors.				
216000.1	Penetrating injury NFS	216000.1	216000.1	5
216002.1	minor; superficial	216002.1	216002.1	5
216004.2	with tissue loss >25cm ²	216004.2	216004.2	5
216006.3	with blood loss >20% by volume	216006.3	216006.3	5
216008.4	massive destruction of whole face including both eyes ^a	None	None	1
Assign AIS code 216008.4 to Face body region for calculating an ISS.				

^a New descriptor in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use the following section for blunt soft tissue injury to the face. Assign to External body region for calculating an ISS.				
210099.1	Skin/subcutaneous/muscle NFS	210099.1	210099.1	5
210202.1	abrasion	210202.1	210202.1	5
210402.1	contusion; hematoma	210402.1	210402.1	5
210600.1	laceration NFS	210600.1	210600.1	5
210602.1	minor; superficial	210602.1	210602.1	5
210604.2	major; >10cm long <u>and</u> into subcutaneous tissue	210604.2	210604.2	5
210606.3	blood loss >20% by volume	210606.3	210606.3	5
210800.1	avulsion NFS	210800.1	210800.1	5
210802.1	minor; superficial; ≤25cm ²	210802.1	210802.1	5
210804.2	major; >25cm ²	210804.2	210804.2	5
210806.3	blood loss >20% by volume	210806.3	210806.3	5
VESSELS				
220099.9	Vascular Injury in Face NFS[†]	None	None	
220200.1	External carotid artery branch(es) laceration NFS [includes facial, temporal, and internal maxillary]	220200.1	220200.1	5
220202.1	minor; superficial	220202.1	220202.1	5
220204.3	major; transection; blood loss >20% by volume	220204.3	220204.3	5

[†] New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
NERVES				
230299.1	Optic Nerve NFS Use this category for intraorbital portion only. For intracranial portion or if location is unknown, code under Cranial Nerves in Head.	230299.1	230299.1	3
230202.2	contusion	230202.2	230202.2	3
230203.2	bilateral ^c	230202.2	None	2
230204.2	laceration	230204.2	230204.2	2
230205.3	bilateral ^c	230204.2 ^b	None	2
230206.2	avulsion	230206.2	230206.2	2
230207.3	bilateral ^c	230206.2 ^b	None	2
INTERNAL ORGANS				
240299.1	Ear NFS Code ear amputation as skin avulsion according to its level of severity.	240299.1	240299.1	3
240204.1	Ear Canal injury	240204.1	240204.1	5
240208.1	Inner or Middle Ear injury NFS	240208.1	240208.1	2
240207.2	bilateral ^c	240208.1 ^b	None	2
240206.1	injury involving dizziness ^a	240208.1	None	4
240205.1	injury involving tinnitus ^a	240208.1	None	3
240212.1	Ossicular chain (ear bone) dislocation	240212.1	240212.1	2
240213.2	bilateral ^c	240212.1 ^b	None	2
240216.1	Tympanic membrane (eardrum) rupture	240216.1	240216.1	3
240220.1	Vestibular apparatus injury	240220.1	240220.1	4

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral”. Some bilateral injuries may affect severity levels, and, therefore, the ISS for patients with these injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
240499.1	Eye NFS	240499.1	240499.1	3
240402.2	Eye avulsion; enucleation	240402.2	240402.2	2
240403.3	bilateral ^c	240402.2 ^b	None	2
240408.1	Canaliculus (lacrimal/tear duct) laceration	240408.1	240408.1	5
240599.1	Choroid NFS	240412.1	None	5
240502.1	rupture ^e	240412.1	240412.1	5
240504.1	peripheral - not involving macula	240412.1	None	5
240506.1	central – involving macula	240412.1	None	3
240508.1	detachment ^a	240412.1	None	5
240510.1	hemorrhage ^a	240412.1	None	5
240416.1	Conjunctiva injury	240416.1	240416.1	5
240699.1	Cornea NFS	240699.1	240699.1	3
240602.1	abrasion	240602.1	240602.1	5
240603.1	burn, thermal or chemical ^a	240699.1	None	5
240604.1	contusion ^e	240604.1	240604.1	5
240610.1	hyphema NFS ^e	240604.1	240604.1	5
240611.1	minor; ≤50% of anterior chamber	240604.1	None	5
240612.1	major; >50% of anterior chamber	240604.1	None	5
240620.1	laceration NFS ^e	240606.1	240606.1	3
240621.1	not involving central 3mm of cornea	240606.1	None	3
240622.1	without prolapse	240606.1	None	3
240623.1	with prolapse	240606.1	None	3
240624.1	involving central 3mm of cornea	240606.1	None	3
240625.1	without prolapse	240606.1	None	3
240626.1	with prolapse	240606.1	None	3
240799.1	Injury with retained Intraocular Foreign Body ^a	240499.1	None	3
240789.1	anterior chamber ^a	240499.1	None	3
240779.1	posterior chamber ^a	240499.1	None	3

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral”. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	Eye (continued)			
240800.1	Lens NFS^a	240499.1	None	5
240802.1	capsular rupture NFS ^a	240499.1	None	5
240804.1	anterior capsule ^a	240499.1	None	5
240806.1	posterior capsule ^a	240499.1	None	5
240808.1	both anterior and posterior capsules ^a	240499.1	None	5
240812.1	dislocation; subluxation ^a	240499.1	None	5
240814.1	anterior segment ^a	240499.1	None	5
240816.1	posterior segment ^a	240499.1	None	5
240999.1	Macula NFS^a	240499.1	None	5
240902.1	contusion; edema ^a	240499.1	None	5
240904.2	hole ^a	240499.1	None	3
241099.1	Retina NFS^a	241000.1	None	5
241000.1	laceration; tear NFS ^e	241000.1	241000.1	3
241002.1	minor; ≤90°	241000.1	None	5
241004.1	major; >90°	241000.1	None	3
241006.2	detachment NFS ^e	241002.2	241002.2	5
241008.2	with macula attached	241002.2	None	5
241010.2	with macula detached	241002.2	None	3
241299.1	Sclera [includes globe] NFS	241200.1	None	5
241200.2	laceration; rupture ^e	241202.2	241202.2	5
241201.2	anterior to ora serrata	241202.2	None	5
241202.2	without prolapse	241202.2	None	5
241203.2	with prolapse	241202.2	None	5
241204.2	posterior to ora serrata but anterior to equator	241202.2	None	5
241205.2	without prolapse	241202.2	None	5
241206.2	with prolapse	241202.2	None	5
241207.2	posterior to equator	241202.2	None	5
241208.2	without prolapse	241202.2	None	5
241209.2	with prolapse NFS	241202.2	None	3

^a New descriptor in AIS 2005

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
241499.1	Eye (continued) Uvea injury	241499.1	241499.1	3
241699.1	Vitreous NFS ^e	241699.1	241699.1	3
241601.1	hemorrhage	241699.1	None	5
241602.1	retina visible	241699.1	None	5
241603.1	retina not visible	241699.1	None	5
241604.1	detachment	241699.1	None	5
243099.1	Mouth injury	243099.1	243099.1	5
243199.1	Palate NFS ^a	243099.1	None	5
243101.1	laceration ^a	243099.1	None	5
243102.2	fracture ^a	243099.1	None	5
243299.1	Gingiva (gum) NFS	243299.1	243299.1	5
243202.1	contusion	243202.1	243202.1	5
243204.1	laceration	243204.1	243204.1	5
243206.1	avulsion	243206.1	243206.1	5
243400.1	Tongue laceration NFS	243400.1	243400.1	5
243402.1	minor; superficial	243402.1	243402.1	5
243404.2	deep; extensive	243404.2	243404.2	3
JOINTS				
251699.1	Temporomandibular joint NFS	251699.1	251699.1	5
251604.2	dislocation	251604.2	251604.2	5


^a New descriptor in AIS 2005

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.


AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
SKELETAL				
250200.2	Alveolar ridge fracture with or without injury to teeth Do not code teeth separately when these occur simultaneously.	250200.2	250200.2	5
250400.1	Facial bone(s) fracture NFS	250400.1	250400.1	5
250600.1	Mandible fracture NFS Code bilateral as single injury.	250600.1	250600.1	5
250602.1	closed but NFS as to site	250602.1	250602.1	5
250603.1	condyle ^a	250602.1	None	5
250604.1	coronoid ^a	250602.1	None	5
250605.1	angle ^a	250602.1	None	5
250606.1	symphysis/parasymphysis ^a	250602.1	None	5
250607.1	body	250604.1	250604.1	5
250608.1	ramus	250606.1	250606.1	5
250610.2	open/displaced/comminuted but NFS as to site Any or combination. Displacement must be significant.	250610.2	250610.2	5
250611.2	condyle ^a	250610.2	None	5
250612.2	coronoid ^a	250610.2	None	5
250613.2	angle ^a	250610.2	None	5
250614.2	symphysis/parasymphysis ^a	250610.2	None	5
250615.2	body	250612.2	250612.2	5
250616.2	ramus	250614.2	250614.2	5

^a New descriptor in AIS 2005


LeFort I



LeFort II



LeFort III



Copyright protected material used with permission of the author and the University of Iowa's Virtual Hospital, www.vh.org

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
250800.2	Maxilla fracture [including maxillary sinus] Code bilateral maxilla fractures as a single injury.	250800.2	250800.2	5
250804.2	LeFort I	250804.2	250804.2	5
250806.2	LeFort II	250806.2	250806.2	5
250808.3	LeFort III	250808.3	250808.3	5
250810.4	blood loss >20% by volume If a LeFort fracture is bilateral, code as single fracture to the more severe. LeFort II and III fractures, by definition, include nasal fractures; the latter, therefore, are not coded separately. Read “LeFort Fractures” below for coding guidance.	250810.4	250810.4	5

LeFort Fractures

LeFort 1 – a transverse maxillary fracture through the lower maxilla including the maxillary alveolar process, portion of the maxillary sinus, the hard palate and the lower aspect of the pterygoid plates. Teeth are usually contained in the detached portion of the maxilla.

LeFort II – pyramidal fracture that passes through the nasal bone, lacrimal bone, floor of the orbit, infraorbital margin, across the upper portion of the zygomatic-maxillary suture line, maxillary sinus and pterygoid plate along the lateral wall of the maxilla into the pterygopalatine fossa. The fracture results in a floating maxilla and nose with a possible cribriform plate fracture.

LeFort III – complete separation of the facial bones from their cranial attachments [craniofacial dysjunction]. Fracture passes through the nasofrontal suture, the junction of the ethmoid and frontal bone, the superior orbital fissure, lateral wall of the orbit, zygomaticofrontal and temporal suture, with a high fracture of the pterygoid plate producing a dishface deformity.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
251099.1	Nose NFS	251099.1	251099.1	5
251000.1	fracture, closed or NFS	251002.1	251002.1	5
251002.2	open/displaced/comminuted	251004.2	251004.2	5
	Any or combination. Displacement must be significant.			
251004.1	ruptured mucosa/vessels (epistaxis)	251090.1	251090.1	5
	Use only in absence of nose or nasal septum fracture.			
251006.2	septum fracture	251000.1 ^b	None	5
251200.2	Orbit fracture, closed or NFS	251202.2	251202.2	5
	Code orbital roof under skull base.			
251201.2	open but NFS as to site	251204.3 ^b	251204.3 ^b	5
251205.2	multiple fractures of same orbit, closed or NFS ^a	251202.2	None	5
251206.2	open ^a	251204.3 ^b	None	5
251211.2	orbital rim, closed or NFS ^a	251202.2	None	5
251212.2	open NFS	251204.3 ^b	None	5
251213.2	inferior orbital rim	251202.2	None	5
251214.2	open	251204.3 ^b	None	5
251215.2	superior orbital rim	251202.2	None	5
251216.2	open	251204.3 ^b	None	5
251221.2	orbital floor, closed or NFS ^a	251202.2	None	5
251222.2	open	251204.3 ^b	None	5
251223.2	“blowout” fracture	251202.2	None	5
251224.2	open	251204.3 ^b	None	5
251231.2	medial wall, closed or NFS ^a	251202.2	None	5
251232.2	open	251204.3 ^b	None	5
251235.2	lateral wall, closed or NFS ^a	251202.2	None	5
251236.2	open	251204.3 ^b	None	5

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
251499.1	Teeth , any number but NFS as to injury See also Alveolar Ridge.	251499.1	251499.1	5
251402.1	dislocation; subluxation; loosened	251402.1	251402.1	5
251404.1	fracture	251404.1	251404.1	5
251406.1	avulsion	251406.1	251406.1	5
251408.1	any combination of dislocation/fracture/avulsion	251499.1	None	5
251800.1	Zygoma fracture [Includes tripod and malar fractures]	251800.2 ^b	251800.2 ^b	5
251802.1	non-displaced [<i>KN II</i>] ^a	251800.2 ^b	None	5
251804.1	displaced NFS ^a	251800.2 ^b	None	5
251806.1	arch [<i>KN III</i>] ^a	251800.2 ^b	None	5
251808.1	body ^a	251800.2 ^b	None	5
251810.1	unrotated [<i>KN III</i>] ^a	251800.2 ^b	None	5
251812.1	rotated [<i>KN IV, V</i>] ^a	251800.2 ^b	None	5
251814.2	complex [<i>KN VI</i>] ^a	251800.2	None	5
251900.3	Panfacial fracture ^a	None	None	3
251902.4	blood loss >20% by volume ^a Multiple and complex fractures that may involve middle and lower face, upper and middle face or all three, but not LeFort fractures.	None	None	3

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

NECK

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
WHOLE AREA				
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of a neck injury, they do not specify its severity.				
300099.9	Injuries to the Neck NFS	315099.9	315099.9	
300999.9	Died of neck injury without further substantiation of injuries or no autopsy confirmation of specific injuries	315999.9	315999.9	
311000.6	Decapitation	311000.6	311000.6	1
Use this category if penetrating injury does not involve internal structures. Assign to External body region for calculating an ISS. If underlying anatomical structures are involved, code documented diagnoses only; do not use these generic descriptors.				
316000.1	Penetrating injury NFS	316000.1	316000.1	5
316002.1	minor; superficial	316002.1	316002.1	5
316004.2	tissue loss >25cm ² ^j	316004.2	316004.2	5
316006.3	blood loss >20% by volume	316006.3	316006.3	5
Use the following section for blunt soft tissue injuries to the Neck. Assign to External body region for calculating an ISS.				
310099.1	Skin/subcutaneous tissue/muscle NFS	310099.1	310099.1	5
310202.1	abrasion	310202.1	310202.1	5
310402.1	contusion; hematoma	310402.1	310402.1	5
310600.1	laceration NFS	310600.1	310600.1	5
310602.1	minor; superficial	310602.1	310602.1	5
310604.2	major; >10cm long <u>and</u> into subcutaneous tissue ^j	310604.2	310604.2	5
310606.3	blood loss >20% by volume	310606.3	310606.3	5
310800.1	avulsion NFS	310800.1	310800.1	5
310802.1	minor; superficial; ≤25cm ² ^j	310802.1	310802.1	5
310804.2	major; tissue loss >25cm ² ^j	310804.2	310804.2	5
310806.3	blood loss >20% by volume	310806.3	310806.3	5

^j Change in size of injury in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
VESSELS				
320099.9	Vascular Injury in Neck NFS ^f	None	None	
320299.3	Carotid artery [common, internal] NFS	320299.3	320299.3	5
320202.3	intimal tear, no disruption	320202.3	320202.3	5
320204.4	neurological deficit (stroke) not head-injury related	320204.4	320204.4	1
320206.3	laceration; perforation; puncture NFS	320206.3	320206.3	5
320208.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	320208.3	320208.3	5
320209.3	bilateral ^c	320208.3	None	5
320210.4	neurological deficit (stroke) not head-injury related	320210.4	320210.4	1
320211.4	bilateral ^c	320210.4	None	1
320212.4	major; rupture; transection; segmental loss; blood loss >20% by volume	320212.4	320212.4	5
320213.4	bilateral ^c	320212.4	None	5
320214.5	neurological deficit (stroke) not head-injury related	320214.5	320214.5	1
320215.5	bilateral ^c	320214.5	None	1
320216.3	with thrombosis (occlusion) secondary to trauma	320216.3	320216.3	5
320217.3	bilateral ^c	320216.3	None	5
320218.4	neurological deficit (stroke) not head-injury related	320218.4	320218.4	1
320219.4	bilateral ^c	320218.4	None	1
320220.3	thrombosis (occlusion) secondary to trauma from any lesion but laceration	320220.3	320220.3	5
320221.3	bilateral ^c	320220.3	None	5
320222.4	neurological deficit (stroke) not head-injury related	320222.4	320222.4	1
320223.4	bilateral ^c	320222.4	None	1

^c In previous editions of AIS, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
320499.2	Carotid artery [external] NFS [includes thyroid]	320499.2	320499.2	5
320402.2	intimal tear, no disruption	320402.2	320402.2	5
320404.2	laceration; perforation; puncture NFS	320404.2	320404.2	5
320406.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	320406.2	320406.2	5
320408.3	major; rupture; transection; segmental loss; blood loss >20% by volume	320408.3	320408.3	5
320410.2	with thrombosis; (occlusion) secondary to trauma	320410.2	320410.2	5
320412.2	thrombosis (occlusion) secondary to trauma from any lesion but laceration	320412.2	320412.2	5
321099.2	Vertebral artery NFS	321099.2	321099.2	5
321002.2	intimal tear, no disruption	321002.2	321002.2	5
321004.3	neurological deficit (stroke) not head-injury related	321004.3	321004.3	2
321006.2	laceration; perforation; puncture NFS	321006.2	321006.2	5
321008.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	321008.2	321008.2	5
321010.3	neurological deficit (stroke) not head-injury related	321010.3	321010.3	2
321012.3	major; rupture; transection; blood loss >20% by volume	321012.3	321012.3	5
321014.4	neurological deficit (stroke) not head-injury related	321014.4	321014.4	2
321015.5	bilateral ^c	321014.4 ^b	None	1
321016.4	with thrombosis (occlusion) secondary to trauma	321016.3 ^b	321016.3 ^b	5
321017.5	bilateral ^c	321016.3 ^b	None	5
321018.3	thrombosis (occlusion) secondary to trauma from any lesion but laceration	321018.3	321018.3	5
321020.4	neurological deficit (stroke) not head-injury related	321020.4	321020.4	2
321021.5	bilateral ^c	321020.4 ^b	None	1

^b Change in severity code in AIS 2005

^c In previous editions of AIS, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptors. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
320699.1	Jugular vein [external] NFS	320699.1	320699.1	5
320602.1	laceration; perforation; puncture NFS	320602.1	320602.1	5
320604.1	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	320604.1	320604.1	5
320606.3	major; rupture; transection; segmental loss; blood loss >20% by volume	320606.3	320606.3	5
320899.1	Jugular vein [internal] NFS	320899.1	320899.1	5
320802.2	laceration; perforation; puncture NFS	320802.2	320802.2	5
320804.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	320804.2	320804.2	5
320806.3	major; rupture; transection; blood loss >20% by volume	320806.3	320806.3	5
NERVES				
330099.1	Nerve Injury in Neck NFS^a	None	None	5
330299.2	Phrenic nerve injury	330299.2	330299.2	4
330298.4	bilateral ^c	330299.2 ^b	None	2
330499.1	Vagus nerve injury	330499.1	330499.1	3
See also Head, Thorax and Abdomen body regions.				

^a New descriptor in AIS 2005

^b Change in severity level in AIS 2005

^c In previous editions of AIS, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with these injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
INTERNAL ORGANS				
340199.2	Esophagus injury in Neck NFS ^k See also Thorax body region. Code to Neck if site NFS. If injury occurs at junction of neck and thorax (i.e., at sternal notch), assign to Neck.	440899.2	None	5
340102.2	contusion; hematoma [OIS I]	440802.2	None	5
340103.3	ingestion injury NFS ^a	440899.2 ^b	None	5
340104.3	partial thickness necrosis ^a	440899.2 ^b	None	5
340105.4	full thickness necrosis ^a	440899.2 ^b	None	5
340106.3	laceration; tear NFS	440804.3	None	5
340107.3	no perforation; partial thickness; ≤50% circumference [OIS I, II]	440806.3	None	5
340108.4	perforation; full thickness; >50% circumference [OIS III]	440808.4	None	5
340109.5	avulsion; rupture; transection; massive destruction [OIS IV, V]	440810.5	None	2
340299.2	Larynx, including thyroid and cricoid cartilage, NFS	340299.2	340299.2	5
340202.2	contusion; hematoma	340202.2	340202.2	5
340204.2	laceration; puncture NFS	340204.2	340204.2	5
340206.2	no perforation; partial thickness; mucosal tear	340206.2	340206.2	5
340208.3	perforation; full thickness; "fracture"	340208.3	340208.3	5
340210.4	vocal cord involvement	340210.4	340210.4	2
340212.5	avulsion; rupture; transection; massive destruction; crush	340212.5	340212.5	2
340699.2	Pharynx or Retropharyngeal area, NFS	340699.3 ^b	340699.3 ^b	5
340602.2	contusion; hematoma NFS ^e	340602.3 ^b	340602.3 ^b	5
340603.2	minor; ≤75% airway involvement	340602.3 ^b	None	5
340605.3	major; >75% airway involvement	340602.3	None	3
340604.2	laceration; puncture NFS	340604.2	340604.2	5
340606.3	no perforation; partial thickness; mucosal tear	340606.3	340606.3	5
340608.4	perforation; full thickness	340608.4	340608.4	5
340610.5	avulsion; rupture; transection; massive destruction; crush	340610.5	340610.5	1

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^e In AIS 98, this injury description had only one severity level. In AIS 2005, it has several.

^k Differentiation of esophageal and tracheal injuries between Neck and Thorax may affect severity levels and/or body regions and, therefore, the ISS for patients with those injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
341099.2	Salivary gland NFS	341099.2	341099.2	5
341002.3	ductal involvement; transection	341002.3	341002.3	5
341499.1	Thyroid gland NFS	341499.1	341499.1	5
341402.1	contusion; hematoma	341402.1	341402.1	5
341404.2	laceration	341404.2	341404.2	5
341699.2	Trachea injury in Neck NFS ^k	442699.3 ^b	None	5
	See also Thorax body region. Code to Neck if site NFS. If injury occurs at junction of neck and thorax (i.e., at sternal notch), assign to Neck.			
341602.2	contusion; hematoma	442602.3 ^b	None	5
341604.2	laceration; tear NFS	442604.3 ^b	None	5
341606.2	no perforation; partial thickness	442606.3 ^b	None	5
341608.3	perforation; full thickness; "fracture"	442608.4 ^b	None	5
341610.4	avulsion; rupture; transection; massive destruction; crush; laryngeal-tracheal separation	442610.5 ^b	None	2
341899.2	Vocal cord NFS [not due to intubation]	341899.2	341899.2	5
341802.2	unilateral	341802.2	341802.2	3
341804.3	bilateral	341804.3	341804.3	2
	SKELETAL			
350200.2	Hyoid fracture	350200.2	350200.2	5

^b Change in severity code in AIS 2005

^k Differentiation of esophageal and tracheal injuries between Neck and Thorax may affect severity levels and/or body regions and, therefore, the ISS for patients with those injuries.

THORAX

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
WHOLE AREA				
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of a thoracic injury, they do not specify its severity.				
400099.9	Injuries to the Whole Thorax NFS	415099.9	415099.9	
400999.9	Died of thoracic injury without further substantiation of injuries or no autopsy confirmation of specific injuries	415999.9	415999.9	
411000.2	Breast avulsion, female	411000.2	411000.2	5
413000.6	Crush injury	413000.6	413000.6	1
Must involve massive bilateral destruction of skeletal, vascular, organ and tissue systems.				
415000.4	Open (“sucking”) chest wound	415000.4	415000.4	5
410102.2	Pectoral muscle tear; laceration ^a	410099.1	None	5
Use this category if penetrating injury does not involve internal structures. Assign to External body region for calculating an ISS. If underlying anatomical structures are involved, code documented diagnoses only; do not use these generic descriptors.				
416000.1	Penetrating injury NFS	416000.1	416000.1	5
416002.1	superficial; minor; into pleural cavity but not involving deeper structures	416002.1	416002.1	5
416004.2	with tissue loss >100cm ²	416004.2	416004.2	5
416006.3	with blood loss >20% by volume	416006.3	416006.3	5

^a New descriptor in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use the following section for blunt soft tissue injury to the thorax. Assign to External body region for calculating an ISS. If injury is described as “degloving”, code as avulsion.				
410099.1	Skin/subcutaneous/muscle NFS	410099.1	410099.1	5
410202.1	abrasion	410202.1	410202.1	5
410402.1	contusion; hematoma	410402.1	410402.1	5
410600.1	laceration NFS	410600.1	410600.1	5
410602.1	minor; superficial	410602.1	410602.1	5
410604.2	major; >20cm long <u>and</u> into subcutaneous tissue	410604.2	410604.2	5
410606.3	blood loss >20% by volume	410606.3	410606.3	5
410800.1	avulsion NFS	410800.1	410800.1	5
410802.1	minor; superficial; ≤100cm ²	410802.1	410802.1	5
410804.2	major; >100cm ²	410804.2	410804.2	5
410806.3	blood loss >20% by volume	410806.3	410806.3	5
VESSELS				
Vessel injuries are coded separately from other injuries to the chest, except for crush injury which includes all injuries to the chest.				
420099.9	Vascular Injury in Thorax NFS[†]	None	None	
420299.4	Aorta, thoracic NFS [OIS IV or V for entire category unless stated otherwise]	420299.4	420299.4	5
420202.4	intimal tear, no disruption	420202.4	420202.4	5
420204.5	with aortic valve involvement	420204.5	420204.5	5
420206.4	laceration; perforation; puncture NFS	420206.4	420206.4	5
420208.4	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	420208.4	420208.4	5
420210.5	major; rupture; transection; segmental loss; blood loss >20% by volume	420210.5	420210.5	5
420212.5	with aortic root or valve involvement	420212.5	420212.5	5
420216.5	with hemorrhage confined to mediastinum	420216.5	420216.5	5
420218.6	with hemorrhage not confined to mediastinum [OIS VI]	420218.6	420218.6	1

[†] New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
420499.3	Brachiocephalic (innominate) artery NFS [O/S III for entire category]	420499.3	420499.3	5
420402.3	intimal tear, no disruption	420402.3	420402.3	5
420404.3	laceration; perforation; puncture NFS	420404.3	420404.3	5
420406.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	420406.3	420406.3	5
420408.4	major; rupture; transection; segmental loss; blood loss >20% by volume	420408.4	420408.4	5
420800.5	Coronary artery laceration or thrombosis to left main, right main or left anterior descending artery; coronary sinus	420800.5	420800.5	2
421099.3	Pulmonary artery NFS [O/S IV, V for entire category]	421099.3	421099.3	5
421002.3	intimal tear, no disruption	421002.3	421002.3	5
421004.3	laceration; perforation; puncture NFS	421004.3	421004.3	5
421006.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	421006.3	421006.3	5
421008.5	major; rupture; transection; segmental loss; blood loss >20% by volume	421008.4 ^b	421008.4 ^b	5
421009.6	bilateral ^c	421008.4 ^b	None	1
421499.3	Subclavian artery NFS [O/S III for entire category]	421499.3	421499.3	5
421402.3	intimal tear, no disruption	421402.3	421402.3	5
421404.3	laceration; perforation; puncture NFS	421404.3	421404.3	5
421406.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	421406.3	421406.3	5
421408.4	major; rupture; transection; segmental loss; blood loss >20% by volume	421408.4	421408.4	5
422099.2	Other named arteries e.g., bronchial, esophageal, intercostal, internal mammary NFS [O/S I for entire category]	422099.2	422099.2	5
422002.2	intimal tear, no disruption	422002.2	422002.2	5
422004.2	laceration; perforation; puncture NFS	422004.2	422004.2	5
422006.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	422006.2	422006.2	5
422008.3	major; rupture; transection; segmental loss; blood loss >20% by volume	422008.3	422008.3	5

^b Change in severity in AIS 2005

^c In previous editions of AIS, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injury descriptions. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
420699.3	Brachiocephalic (innominate) vein NFS [<i>OIS II</i> for entire category]	420699.3	420699.3	5
420602.3	laceration; perforation; puncture NFS	420602.3	420602.3	5
420604.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	420604.3	420604.3	5
420606.4	major; rupture; transection; segmental loss; blood loss >20% by volume	420606.4	420606.4	5
420608.5	with air embolus right side	420608.5	420608.5	5
421299.3	Pulmonary vein NFS [<i>OIS IV, V</i> for entire category]	421299.3	421299.3	5
421202.3	laceration; perforation; puncture NFS	421202.3	421202.3	5
421204.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	421204.3	421204.3	5
421206.5	major; rupture; transection; segmental loss; blood loss >20% by volume	421206.4 ^b	421206.4 ^b	5
421207.6	bilateral ^c	421206.4 ^b	None	1
421699.3	Subclavian vein NFS [<i>OIS II</i> for entire category]	421699.3	421699.3	5
421602.3	laceration; perforation; puncture NFS	421602.3	421602.3	5
421604.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	421604.3	421604.3	5
421606.4	major; rupture; transection; segmental loss; blood loss >20% by volume	421606.4	421606.4	5
421899.3	Vena Cava, superior and thoracic portion of inferior , NFS [<i>OIS IV, V</i> for entire category]	421899.3	421899.3	5
421802.3	laceration; perforation; puncture NFS	421802.3	421802.3	5
421804.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume with or without thrombosis	421804.3	421804.3	5
421806.4	major; rupture; transection; segmental loss; blood loss >20% by volume	421806.4	421806.4	5
421808.5	with air embolus right side	421808.5	421808.5	5
422299.2	Other named veins, e.g., azygos, bronchial, esophageal, hemiazygos, intercostal, internal jugular, internal mammary [<i>OIS I</i> for entire category except azygos and internal jugular , <i>OIS II</i>]	422299.2	422299.2	5
422202.2	laceration; perforation; puncture NFS	422202.2	422202.2	5
422204.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	422204.2	422204.2	5
422206.3	major; rupture; transection; segmental loss; blood loss >20% by volume	422206.3	422206.3	5

^b Change in severity in AIS 2005

^c In previous editions of AIS, each injury was coded separately. AIS 2005 introduces “bilateral” for certain injuries. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	NERVES			
430499.1	Vagus nerve injury See also Head, Neck and Abdomen body regions.	430499.1	430499.1	5

CODING RULES: Thorax

Organ Injury Scales (OIS)

The organ injury grading system may be helpful in determining injury severity, but the grades should not be used as a substitute for clinical descriptions of injuries. For example, specific information recorded in the hospital chart about depth of laceration, vessel involvement or extent of penetration associated with an organ injury should take precedence over a surgeon's designation of a particular OIS grade for the injury. If no relevant detailed descriptive clinical information is available, however, it is reasonable to rely on the OIS grade recorded.

Multiple Trauma

Each documented diagnosis is assigned a separate AIS code. For example, if a patient sustains a left lung contusion, hemothorax and multiple rib fractures and all three diagnoses are substantiated, the appropriate codes are: lung contusion, unilateral NFS, 441406.2; hemothorax NFS, 442200.3; multiple rib fractures NFS, 450210.2.

Penetrating Injuries

An injury that penetrates the torso with both entry and exit wounds (i.e., through and through injury), but does not injure any internal anatomical structure is coded as a soft tissue injury under the Whole Area. If underlying structures or organs are injured, these are coded and not the soft tissue injury.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
INTERNAL ORGANS				
440099.9	Bronchus injury NFS ^f	None	None	
440199.3	Bronchus, main stem, NFS ^l	442699.3	442699.3	5
440102.3	contusion; hematoma	442602.3	442602.3	5
440104.3	laceration; tear NFS	442604.3	442604.3	5
440106.3	no perforation; partial thickness	442606.3	442606.3	5
440108.4	perforation; full thickness; "fracture"	442608.4	442608.4 ^m	5
440110.5	complex; avulsion; rupture; transection; with separation	442610.5	442610.5 ⁿ	5
440299.1	Bronchus, distal to main stem NFS	440299.1	440299.1	5
440202.1	contusion; hematoma	440202.1	440202.1	5
440204.2	laceration; tear NFS	440204.2	440204.2	5
440206.2	no perforation; partial thickness	440206.2	440206.2	5
440208.3	perforation; full thickness; "fracture"	440208.3	440208.3 ^o	5
440210.4	complex; avulsion; rupture; transection; with separation	440210.4	440210.4 ^p	5
440699.2	Diaphragm NFS	440699.2	440699.2	5
440602.2	contusion; hematoma [OIS I]	440602.2	440602.2	5
440604.2	laceration NFS ^e	440604.3 ^b	440604.3 ^b	5
440606.3	≤10cm [OIS II, III]	440604.3	None	5
440608.4	>10cm; with significant tissue loss [OIS IV, V]	440604.3 ^b	None	5
440610.4	rupture with herniation	440606.4	440606.4	5

^b Change in severity in AIS 2005

^e In AIS 98, this injury description had only one severity level; in AIS 2005, it has several.

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

^l Trachea and Main Stem Bronchus were combined as one descriptor in AIS 98. In AIS 2005, each is a separate category; hence, the duplication of AIS 98 matching codes.

^m Also matches with 442612.4 and 442614.4 in AIS 98

ⁿ Also matches with 442616.5 in AIS 98

^o Also matches with 440212.3 and 440214.3 in AIS 98

^p Also matches with 440216.4 in AIS 98

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
440899.2	Esophagus injury in Thorax NFS See also Neck body region. Code to Neck if site NFS. If injury occurs at junction of neck and thorax (i.e., at sternal notch), assign to Neck.	440899.2	440899.2	5
440802.2	contusion; hematoma [OIS I]	440802.2	440802.2	5
440805.3	ingestion injury NFS ^a	440899.2 ^b	None	5
440807.3	partial-thickness necrosis ^a	440899.2 ^b	None	5
440809.4	full-thickness necrosis ^a	440899.2 ^b	None	3
440804.3	laceration; tear NFS	440804.3	440804.3	5
440806.3	no perforation; partial thickness; ≤50% circumference [OIS I, II]	440806.3	440806.3	5
440808.4	perforation; full thickness; >50% circumference [OIS III]	440808.4	440808.4	5
440810.5	avulsion; rupture; transection; massive destruction [OIS IV, V]	440810.5	440810.5	3
441099.1	Heart (Myocardium) injury NFS	441099.1	441099.1	5
441089.9	with cardiac arrest NFS ^f	None	None	
441002.1	contusion NFS	441002.1	441002.1	5
441004.1	minor [OIS I] Patients presenting with dysrhythmia, wall motion abnormality, other ECG changes not related to CAD.	441004.1	441004.1	5
441006.4	major Must be substantiated e.g., by surgery, autopsy, EF<25% absent CAD.	441006.4	441006.4	5
441008.3	laceration NFS	441008.3	441008.3	5
441010.3	no perforation; no chamber involvement	441010.3	441010.3	5
441012.5	perforation, ventricular or atrial, with or without tamponade	441012.5	441012.5	5
441013.5	atrial rupture ^a	None	None	5
441014.6	ventricular rupture	441014.6	441014.6	1
441016.6	multiple lacerations; >50% tissue loss of a chamber	441016.6	441016.6	1
441018.6	avulsion	441018.6	441018.6	1

^a New descriptor in AIS 2005

^b Change in severity in AIS 2005

^f New descriptor in AIS 2005 that allows classification of trauma by body region but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
440400.5	Intracardiac chordae tendineae laceration; rupture	440400.5	440400.5	5
441300.5	Intracardiac septum laceration; rupture	441300.5	441300.5	4
441200.5	Intracardiac valve laceration; rupture	441200.5	441200.5	4
441499.3	Lung NFS	441499.3	441499.3	5
441420.3	blast injury (overpressure/explosive) NFS ^a	441499.3	None	5
441422.3	mild ^a	441499.3	None	5
441424.4	moderate; uni/bilateral with pulmonary peripheral hemorrhage ^a	441499.3 ^b	None	5
441426.5	severe; bilateral with air embolus ^a	441499.3 ^b	None	5
441402.3	contusion NFS	441402.3	441402.3	5
	Contusion should be coded only if there is history of chest trauma and a physician's diagnosis is documented by x-ray, CT, MRI, surgery or autopsy. Clinical pulmonary dysfunction (e.g., atelectasis or effusion) is insufficient evidence of a codeable injury.			
441406.2	unilateral NFS ^e	441406.3 ^b	441406.3 ^b	5
441407.2	minor; <1 lobe	441406.3 ^b	None	5
441408.3	major; ≥1 lobe	441406.3	None	5
441410.3	bilateral NFS ^e	441410.4 ^b	441410.4 ^b	5
441411.3	minor; <1 lobe	441410.4 ^b	None	5
441412.4	major; ≥1 lobe in at least one lung	441410.4	None	5
441414.3	laceration NFS	441414.3	441414.3	5
441430.3	unilateral NFS ^e	441430.3	441430.3	5
441431.3	minor; <1 lobe	441430.3	None	5
441432.4	major; ≥1 lobe	441430.3 ^b	None	5
441450.4	bilateral NFS ^e	441450.4	441450.4	5
441451.4	minor; <1 lobe	441450.4	None	5
441452.5	major; ≥1 lobe in at least one lung	441450.4 ^b	None	5

^a New descriptor in AIS 2005

^b Change in severity in AIS 2005

^e In AIS 98, this injury description had only one severity level; in AIS 2005, it has several.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	Lung (continued)			
419200.2	inhalation injury NFS (heat, particulate matter, noxious agents)	919200.2	919200.2	5
	Any one or combination of conditions may be present in the following injury descriptors.			
419201.2	absence of carbonaceous deposits, erythema, edema, bronchorrhea, obstruction	919201.2	919201.2	5
419202.3	minor or patchy areas of erythema, bronchorrhea, carbonaceous deposits in proximal or distal bronchi	919202.3	919202.3	5
419204.4	moderate degree of erythema, carbonaceous deposits, bronchorrhea with or without compromise of the bronchi	919204.4	919204.4	5
419206.5	severe inflammation with friability, copious carbonaceous deposits, bronchorrhea, bronchial obstruction, hypoxemia	919206.5	919206.5	5
419208.6	evidence of mucosal sloughing, necrosis, endoluminal obliteration	919208.6	919208.6	1
441699.2	Pericardium NFS	441699.2	441699.2	5
441602.2	laceration; puncture	441602.2	441602.2	5
441603.3	hemopericardium NFS ^a	441699.2 ^b	None	5
441604.3	without cardiac tamponade or heart injury ^a	441699.2 ^b	None	5
441605.4	with cardiac tamponade but without heart injury	441604.3 ^b	441604.3 ^b	5
441606.5	herniation of heart through pericardium	441606.5	441606.5	5
441800.2	Pleura laceration	441800.2	441800.2	5

^a New descriptors in AIS 2005

^b Change in severity in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Code the following types of thoracic trauma separate from and in addition to all documented thoracic injuries.				
442999.9	Thoracic injury NFS	442999.9	442999.9	
442200.3	Hemothorax NFS^q	442202.3	442202.3	5
442201.4	major; >1000cc blood loss on at least one side	442208.4	442208.4	5
442202.2	Pneumothorax NFS^q	442202.3 ^b	442202.3 ^b	5
442203.4	major; >50% collapse of lung documented on xray; persistent air leak	442202.3 ^b	None	5
442204.5	tension; massive air leak	442210.5	442210.5	5
442205.3	Hemopneumothorax NFS	442202.3	442202.3	5
442206.4	major; >1000cc blood loss on at least one side ^a	442202.3 ^b	None	5
442207.5	Air Embolus	442212.5	442212.5	5
442208.2	Hemomediastinum	442206.4 ^b	442206.4 ^b	5
442209.2	Pneumomediastinum	442204.3 ^b	442204.3 ^b	5
442210.3	with cardiac tamponade ^a	442204.3	None	5
442402.2	Thoracic duct laceration	442402.2	442402.2	5
442502.2	Thymus laceration; perforation ^a	None	None	5
442699.3	Trachea injury in Thorax NFS^l	442699.3	442699.3	5
See also Neck body region. Code to Neck if site NFS. If injury occurs at junction of neck and thorax (e.g., at sternal notch), assign to Neck.				
442602.3	contusion; hematoma	442602.3	442602.3	5
442604.3	laceration NFS	442604.3	442604.3	5
442606.3	no perforation; partial thickness	442606.3	442606.3	5
442608.4	perforation; full thickness; "fracture"	442608.4 ^m	442608.4 ^m	5
442610.5	avulsion; rupture; transection; massive destruction; crush; laryngeal-tracheal separation	442610.5 ⁿ	442610.5 ⁿ	4

^a New descriptor in AIS 2005

^b Change in AIS 2005

^l Trachea and Main Stem Bronchus were combined as one descriptor in AIS 98. In AIS 2005, each is a separate category; hence, the duplication of AIS 98 matching codes.

^m Also matches with 442612.4 or 442614.4 in AIS 98.

ⁿ Also matches with 442616.5 in AIS 98.

^q Hemo/pneumothorax were combined as one descriptor in AIS 98. In AIS 2005, each is a separate category; hence, the duplication of AIS 98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
----------	--------------------	--------	--------	-----

CODING RULES: Rib Fractures

The rib cage is treated as a single anatomical structure for coding fractures without flail and for bilateral flail. However, if a flail chest is documented on one side (unilateral) and fractured ribs without flail are documented on the other side, code as two separate injuries.

“Flail chest” is defined as three or more ribs fractured in more than one location (e.g., posterolateral and anterolateral) and/or resulting in paradoxical chest movement.

Multiple rib fractures, if documented but not further described, should be assigned 450210.2.

Costal cartilage fracture or tear is coded as a rib fracture.

For patients who die before any radiology is done and no autopsy is performed, a clinical diagnosis of multiple rib fractures made by detecting thoracic cage instability is acceptable for AIS coding. In such cases, use AIS code 450210.2. However, clinically diagnosed rib fractures in survivors are never coded; these must be substantiated radiologically.

SKELETAL including thoracic wall involvement

450299.1	Rib Cage NFS	450299.1	450299.1	5
450289.1	contusion	450202.1	450202.1	
Read “Rib Fractures” for coding rules.				
450210.2	multiple rib fractures NFS	450210.2	450210.2	5
450200.1	fracture(s) without flail, any location unilateral or bilateral NFS	450212.1	450212.1	5
450201.1	one rib [OIS I]	450212.1	450212.1	5
450202.2	two ribs [OIS I]	450220.2	450220.2	5
450203.3	≥3 ribs [OIS II]	450230.3	450230.3	5
450209.3	fractures with flail, NFS	450260.3	450260.3	5
450211.3	unilateral flail chest NFS [OIS IV]	450260.3	450260.3	5
450212.3	3-5 flail ribs [OIS IV]	450260.3	None	5
450213.4	>5 flail ribs [OIS IV]	450260.3 ^b	None	5
450214.5	bilateral flail chest [OIS V]	450266.5	450266.5	5
450899.1	Sternum NFS	450899.1	450899.1	5
450802.1	contusion	450802.1	450802.1	5
450804.2	fracture [OIS II, III]	450804.2	450804.2	5
451099.1	Thoracic Wall NFS ^a	None	None	5
451020.4	avulsion of chest wall tissues including rib cage [OIS IV for entire category] ^a	None	None	5
451021.4	minor; ≤15% of chest wall including rib cage ^a	None	None	5
451022.5	major; >15% of chest wall including rib cage ^a	None	None	5

^a New descriptor in AIS 2005

^b Change in severity in AIS 2005

ABDOMEN

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
WHOLE AREA				
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of an abdominal injury, they do not specify its severity.				
500099.9	Injuries to the Whole Abdomen NFS	515099.9	515099.9	
500999.9	Died of abdominal injury without further substantiation of injuries or no autopsy confirmation of specific injuries	515999.9	515999.9	
Use this category if penetrating injury does not involve internal structures. Assign to External body region for calculating an ISS. If underlying anatomical structures are involved, code documented diagnoses only; do not use these generic descriptors.				
516000.1	Penetrating injury NFS	516000.1	516000.1	5
516002.1	superficial; minor; into peritoneum but not involving underlying structures	516002.1	516002.1	5
516004.2	with tissue loss >100cm ²	516004.2	516004.2	5
516006.3	with blood loss >20% by volume	516006.3	516006.3	5
510100.2	Rectus Abdominus rupture NFS ^a	510099.1 ^b	None	5
511000.6	Torso transection ^a	None	None	1
Use the following section for blunt soft tissue injury to the abdomen. Assign to External body region for calculating an ISS. If injury is described as “degloving”, code as avulsion.				
510099.1	Skin/Subcutaneous/Muscle [except rectus abdominus] NFS	510099.1	510099.1	5
510202.1	abrasion	510202.1	510202.1	5
510402.1	contusion; hematoma	510402.1	510402.1	5
510600.1	laceration NFS	510600.1	510600.1	5
510602.1	minor; superficial	510602.1	510602.1	5
510604.2	major; >20cm long <u>and</u> into subcutaneous tissue	510604.2	510604.2	5
510606.3	blood loss >20% by volume	510606.3	510606.3	5
510800.1	avulsion NFS	510800.1	510800.1	5
510802.1	minor; superficial; ≤100cm ²	510802.1	510802.1	5
510804.2	major; >100cm ²	510804.2	510804.2	5
510806.3	blood loss >20% by volume	510806.3	510806.3	5

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
VESSELS				
Vessel injuries are coded separately from other injuries to the abdomen unless an organ injury descriptor includes the vessel injury. Branches of vessels are not coded unless they are named vessels and/or are listed within a specific vessel descriptor.				
520099.9	Vascular Injury in Abdomen NFS^f	None	None	
520299.4	Aorta, Abdominal NFS	520299.4	520299.4	5
520202.4	intimal tear, no disruption	520202.4	520202.4	5
520204.4	laceration; perforation; puncture NFS	520204.4	520204.4	5
520206.4	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	520206.4	520206.4	5
520208.5	major; rupture; transection; segmental loss; blood loss >20% by volume	520208.5	520208.5	5
520499.3	Celiac Artery NFS	520499.3	520499.3	5
520402.3	intimal tear; no disruption	520402.3	520402.3	5
520404.3	laceration; perforation; puncture NFS	520404.3	520404.3	5
520406.4	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	520406.4	520406.4	5
520408.5	major; rupture; transection; segmental loss; blood loss >20% by volume	520408.5	520408.5	5
520699.3	Iliac Artery [common, internal, external] and its named branches NFS	520699.3	520699.3	5
520698.4	bilateral ^c for common iliac artery only	520699.3 ^b	None	5
520602.3	intimal tear, no disruption	520602.3	520602.3	5
520604.3	laceration; perforation; puncture NFS	520604.3	520604.3	5
520606.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	520606.3	520606.3	5
520608.4	major; rupture; transection; segmental loss; blood loss >20% by volume	520608.4	520608.4	5

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral”. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

^f New descriptor in AIS 2005 that allows classification of trauma by body region but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
521199.3	Superior Mesenteric Artery NFS^r	521499.3	None	5
521102.3	intimal tear, no disruption	521402.3	None	5
521104.3	laceration; perforation; puncture NFS	521404.3	None	5
521106.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	521406.3	None	5
521108.4	major; rupture; transection; segmental loss; blood loss >20% by volume	521408.4	None	5
521499.3	Other named arteries NFS [e.g., hepatic, renal, splenic]	521499.3	521499.3	5
521402.3	intimal tear, no disruption	521402.3	521402.3	5
521404.3	laceration; perforation; puncture NFS	521404.3	521404.3	5
521406.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	521406.3	521406.3	5
521408.4	major; rupture; transection; segmental loss; blood loss >20% by volume	521408.4	521408.4	5
520899.3	Iliac Vein [common] NFS	520899.3	520899.3	5
520802.3	laceration; perforation; puncture NFS	520802.3	520802.3	5
520804.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	520804.3	520804.3	5
520806.4	major; rupture; transection; segmental loss; blood loss >20% by volume	520806.4	520806.4	4
521099.2	Iliac Vein [internal, external] NFS	521099.2	521099.2	5
521002.2	laceration; perforation; puncture NFS	521002.2	521002.2	5
521004.2	minor; superficial; incomplete circumferential involvement; blood loss ≤ 20% by volume	521004.2	521004.2	5
521006.3	major; rupture; transection; segmental loss; blood loss >20% by volume	521006.3	521006.3	4
521299.3	Vena Cava, inferior NFS	521299.3	521299.3	5
	See Liver for retrohepatic vena cava.			
521202.3	laceration; perforation; puncture NFS	521202.3	521202.3	5
521204.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	521204.3	521204.3	5
521206.4	major; rupture; transection; segmental loss; blood loss >20% by volume	521206.4	521206.4	5

^r The superior mesenteric artery was included in “other named arteries” in AIS 98. It is a separate injury descriptor in AIS 2005.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
521699.3	Other named veins NFS [e.g., portal, renal, splenic, superior mesenteric]	521699.3	521699.3	5
521602.3	laceration; perforation; puncture NFS	521602.3	521602.3	5
521604.3	minor with or without thrombosis; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	521604.3	521604.3	5
521606.4	major; rupture; transection; segmental loss; blood loss >20% by volume	521606.4	521606.4	5
NERVES				
530499.1	Vagus nerve injury	530499.1	530499.1	5
	See also Head, Neck and Thorax body regions.			

CODING RULES: Abdomen

Organ Injury Scales (OIS)

The organ injury grading system may be helpful in determining injury severity, but the grades should not be used as a substitute for clinical descriptions of injuries. For example, specific information recorded in the hospital chart about depth of laceration, vessel involvement or extent of penetration associated with an organ injury should take precedence over a surgeon's designation of a particular OIS grade for that injury. If no relevant detailed descriptive clinical information is available, however, it is reasonable to rely on the OIS grade recorded.

Organ Contusions, Lacerations

If an organ sustains both a contusion (i.e., perilesional) and a laceration that are directly related, code only the one of the two injuries that has the more severe AIS. If a contusion and a laceration are unrelated (i.e., located in different sites on/in the organ), code both injuries.

Duct Involvement

Duct involvement applies to gallbladder, liver and pancreas. Injuries to these organs, which share the same duct system, not infrequently involve injuries to the duct system of each organ. When only one ductal injury occurs, it should be assigned to either (not both) of the two involved organs. When separate ductal injuries (e.g., to the right hepatic duct and the pancreatic duct) occur, each should be assigned to the appropriate organ.

Penetrating Injury

An injury that penetrates the torso with both entry and exit wounds (i.e., through and through injury), but does not injure any internal anatomical structure is coded as a soft tissue injury under the Whole Area. If underlying structures or organs are injured, these are coded and not the soft tissue injury.

Injury Consequences

Abdominal compartment syndrome is a consequence of trauma, not an injury.

Fetal demise as a result of abdominal injury to a pregnant female is a consequence of trauma, not an injury itself.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
INTERNAL ORGANS				
540299.1	Adrenal Gland NFS	540299.1	540299.1	5
540210.1	contusion; hematoma NFS [O/S I]	540210.1	540210.1	5
540212.1	minor; superficial [O/S I]	540212.1	540212.1	5
540214.2	major; large [O/S I]	540214.2	540214.2	5
540220.1	laceration NFS	540220.1	540220.1	5
540222.1	minor; superficial; only cortex involvement; <2cm [O/S II]	540222.1	540222.1	5
540224.2	major; multiple lacerations; extending into medulla; ≥2cm [O/S III]	540224.2	540224.2	5
540226.3	massive; avulsion; complex; rupture; >50% parenchymal destruction [O/S IV, V]	540226.3	540226.3	5
540499.1	Anus NFS	540499.1	540499.1	5
540410.1	contusion; hematoma	540410.1	540410.1	5
540420.2	laceration NFS	540420.2	540420.2	5
540422.2	no perforation; partial thickness	540422.2	540422.2	5
540424.3	perforation; full thickness	540424.3	540424.3	5
540426.4	massive; avulsion; complex; rupture; major tissue loss	540426.4	540426.4	2
540322.2	Appendix laceration; perforation ^a	None	None	5
540699.2	Bladder (urinary) NFS	540699.2	540699.2	5
540610.2	contusion; hematoma [O/S I]	540610.2	540610.2	5
540620.2	laceration NFS	540620.2	540620.2	5
540622.2	no perforation; partial thickness [O/S I]	540622.3 ^b	540622.3 ^b	5
540623.2	extraperitoneal wall ≤2cm [O/S II] ^a	540622.3 ^b	None	5
540624.3	extraperitoneal wall >2cm; intraperitoneal wall ≤2cm [O/S III] ^a	540622.3	None	5
540625.3	intraperitoneal wall >2cm [O/S IV] ^a	540624.4 ^b	None	5
540626.4	massive; avulsion; complex, tissue loss; involving urethral orifice (trigone) or bladder neck [O/S V]	540626.4	540626.4	2
540640.3	rupture NFS	540640.3	540640.3	5
Use "rupture" only when a more detailed descriptor is not available.				

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
540899.2	Colon (large bowel) NFS	540899.2	540899.2	5
540810.2	contusion; hematoma [<i>OIS I</i>]	540810.2	540810.2	5
540820.2	laceration NFS	540820.2	540820.2	5
540822.2	no perforation; partial thickness; <50% circumference [<i>OIS I, II</i>]	540822.2	540822.2	5
540824.3	perforation; full thickness; ≥50% circumference without transection; multiple simple wounds [<i>OIS III</i>]	540824.3	540824.3	5
540826.4	massive; avulsion; complex; tissue loss; transection; large areas of tissue devitalization or devascularization [<i>OIS IV, V</i>]	540826.4	540826.4	2
541099.2	Duodenum NFS	541099.2	541099.2	5
	If an injury occurs at the junction of the duodenum and jejunum, code to the jejunum.			
541010.2	contusion; hematoma [<i>OIS I, II</i>]	541010.2	541010.2	5
541020.2	laceration NFS	541020.2	541020.2	5
541022.2	no perforation; partial thickness; serosal tear [<i>OIS I</i>]	541022.2	541022.2	5
541021.2	disruption <50% circumference [<i>OIS II</i>]	541022.2	541022.2	5
541023.3	disruption 50-100% circumference of D1 (superior or first part), D3 (transverse or third part) or D4 (ascending or fourth part) [<i>OIS III</i>]	541023.3	541023.3	5
541025.3	disruption 50-75% circumference of D2 (descending or second part) [<i>OIS III</i>]	541023.3	541023.3	5
541024.4	disruption >75% circumference of D2 (descending or second part); involving ampulla or distal common bile duct [<i>OIS IV</i>]	541024.4	541024.4	5
541028.5	massive; avulsion; complex; rupture; tissue loss; devascularization; massive disruption of duodenopancreatic complex [<i>OIS V</i>]	541028.5	541028.5	3

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
541299.2	Gallbladder NFS	541299.2	541299.2	5
	Read coding rule below for “Duct Involvement”.			
541210.2	contusion; hematoma [<i>OIS I</i>]	541210.2	541210.2	5
541220.2	laceration; perforation NFS [<i>OIS II</i>]	541220.2	541220.2	5
541222.2	minor; superficial; no cystic duct involvement [<i>OIS II</i>]	541222.2	541222.2	5
541224.3	massive; avulsion; complex; rupture; tissue loss; cystic duct laceration or transection [<i>OIS III</i>]	541224.3	541224.3	5
541226.4	with common bile or hepatic duct laceration or transection [<i>OIS IV, V</i>]	541226.4	541226.4	5
541499.2	Jejunum-Ileum (small bowel) NFS	541499.2	541499.2	5
	If an injury occurs at the junction of the duodenum and jejunum, code to the jejunum.			
541410.2	contusion; hematoma [<i>OIS I</i>]	541410.2	541410.2	5
541420.2	laceration NFS	541420.2	541420.2	5
541422.2	no perforation; partial thickness; <50% circumference [<i>OIS I, II</i>]	541422.2	541422.2	5
541424.3	perforation; full thickness; ≥50% circumference without transection; multiple simple wounds [<i>OIS III</i>]	541424.3	541424.3	5
541426.4	massive; avulsion; complex; tissue loss; transection; large areas of tissue devitalization or devascularization [<i>OIS IV, V</i>]	541426.4	541426.4	3

CODING RULE: Duct Involvement

Duct involvement applies to gallbladder, liver and pancreas. Injuries to these organs, which share the same duct system, not infrequently involve injuries to the duct system of each organ. When only one ductal injury occurs, it should be assigned to either (not both) of the two involved organs. When separate ductal injuries (e.g., to the right hepatic duct and the pancreatic duct) occur, each should be assigned to the appropriate organ.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
541699.2	Kidney NFS	541699.2	541699.2	5
541610.2	contusion; hematoma NFS	541610.2	541610.2	5
541612.2	subcapsular, nonexpanding; confined to renal retroperitoneum; minor; superficial [<i>OIS I, II</i>]	541612.2	541612.2	5
541614.3	subcapsular, >50% surface area or expanding; major; large [<i>OIS III</i>]	541614.3	541614.3	5
541620.2	laceration NFS	541620.2	541620.2	5
541622.2	≤1cm parenchymal depth of renal cortex, no urinary extravasation; minor; superficial [<i>OIS II</i>]	541622.2	541622.2	5
541624.3	>1cm parenchymal depth of renal cortex, no collecting system rupture or urinary extravasation; moderate [<i>OIS III</i>]	541624.3	541624.3	5
541626.4	extending through renal cortex, medulla and collecting system; main renal vessel injury with contained hemorrhage; major [<i>OIS IV</i>]	541626.4	541626.4	5
541628.5	hilum avulsion; total destruction of organ and its vascular system [<i>OIS V</i>]	541628.5	541628.5	5
541640.4	rupture	541640.4	541640.4	5
Use “rupture” only when a more detailed descriptor is not available.				

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
541899.2	Liver NFS	541899.2	541899.2	5
	Read coding rule for “Duct Involvement” (page 90).			
541810.2	contusion; hematoma NFS	541810.2	541810.2	5
541812.2	subcapsular, ≤50% surface area, or nonexpanding; intraparenchymal ≤10cm in diameter; minor; superficial [OIS I, II]	541812.2	541812.2	5
541814.3	subcapsular, >50% surface area or expanding; ruptured subcapsular or parenchymal; intraparenchymal >10cm or expanding; major [OIS III]	541814.3	541814.3	5
541820.2	laceration NFS	541820.2	541820.2	5
541822.2	simple capsular tears; ≤3cm parenchymal depth; ≤10cm long; minor; superficial [OIS II]	541822.2	541822.2	5
541824.3	>3cm parenchymal depth; major duct involvement; moderate [OIS III]	541824.3	541824.3	5
541826.4	parenchymal disruption ≤75% hepatic lobe; multiple lacerations >3cm deep; “burst” injury; major [OIS IV]	541826.4	541826.4	5
541828.5	parenchymal disruption of >75% of hepatic lobe or >3 Couinard’s segments within a single lobe; or involving retrohepatic vena cava/central hepatic veins; massive; complex [OIS V]	541828.5	541828.5	5
541830.6	hepatic avulsion (total separation of all vascular attachments) [OIS VI]	541830.6	541830.6	1
541840.4	rupture	541840.4	541840.4	5
	Use “rupture” only when a more detailed descriptor is not available.			
542099.2	Mesentery NFS	542099.2	542099.2	5
542010.2	contusion; hematoma	542010.2	542010.2	5
542020.2	laceration NFS	542020.2	542020.2	5
542022.2	minor; superficial	542022.2	542022.2	5
542024.3	major	542024.3	542024.3	5
542026.4	massive; avulsion; complex; tissue loss	542026.4	542026.4	5

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
542299.2	Omentum NFS	542299.2	542299.2	5
542210.2	contusion; hematoma	542210.2	542210.2	5
542220.2	laceration NFS	542220.2	542220.2	5
542222.2	minor; superficial	542222.2	542222.2	5
542224.3	major	542224.3	542224.3	5
542400.2	Ovarian (Fallopian) tube laceration	542400.2	542400.2	5
542699.1	Ovary NFS	542699.1	542699.1	5
542610.1	contusion; hematoma [O/S I]	542610.1	542610.1	5
542620.1	laceration; perforation NFS	542620.2 ^b	542620.2 ^b	5
542622.1	superficial; ≤ .5cm; minor [O/S II]	542622.2 ^b	542622.2 ^b	5
542623.2	deep; >.5cm [O/S III]	542624.3 ^b	542624.3 ^b	5
542624.2	complete parenchymal destruction; massive; avulsion; complex [O/S IV, V]	542624.3 ^b	542624.3 ^b	5
542899.2	Pancreas NFS	542899.2	542899.2	5
	Read coding rule for “Duct Involvement” (page 90).			
542810.2	contusion; hematoma NFS	542810.2	542810.2	5
542812.2	minor; superficial; no duct involvement [O/S I]	542812.2	542812.2	5
542814.3	major; large; extensive; with duct involvement [O/S II]	542814.3	542814.3	5
542820.2	laceration NFS	542820.2	542820.2	5
542822.2	minor; superficial; no duct involvement [O/S I]	542822.2	542822.2	5
542824.3	moderate; major vessel or major duct involvement; distal transection [O/S III]	542824.3	542824.3	5
542826.4	if involving ampulla [O/S IV]	542826.4	542826.4	5
542828.4	major; multiple lacerations; proximal transection [O/S IV]	542828.4	542828.4	3
542830.4	if involving ampulla [O/S IV]	542830.4	542830.4	3
542832.5	massive; avulsion; complex; tissue loss; massive disruption of pancreatic head [O/S V]	542832.5	542832.5	3

^b Change in severity in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
543099.1	Penis NFS	543099.1	543099.1	5
543010.1	contusion; hematoma [<i>OIS I</i>]	543010.1	543010.1	5
543020.1	laceration; perforation NFS	543020.1	543020.1	5
543022.1	minor; superficial [<i>OIS II, III</i>]	543022.1	543022.1	5
543024.2	major [<i>OIS IV</i>]	543024.2	543024.2	3
543026.2	massive; amputation; avulsion; complex; [<i>OIS V</i>]	543026.3 ^b	543026.3 ^b	2
543299.1	Perineum NFS	543299.1	543299.1	5
543210.1	contusion; hematoma	543210.1	543210.1	5
543220.1	laceration; perforation NFS	543220.1	543220.1	5
543222.1	minor; superficial	543222.1	543222.1	5
543224.2	major	543224.2	543224.2	5
543226.3	massive; avulsion; complex	543226.3	543226.3	2
543599.1	Prostate NFS^a	None	None	5
543510.1	contusion; hematoma ^a	None	None	5
543520.2	laceration NFS ^a	None	None	5
543522.3	involving urethra ^a	None	None	2
543699.2	Rectum NFS	543699.2	543699.2	5
543610.2	contusion; hematoma [<i>OIS I</i>]	543610.2	543610.2	5
543620.2	laceration NFS	543620.2	543620.2	5
543622.2	no perforation; partial thickness; ≤50% of circumference [<i>OIS I, II</i>]	543622.2	543622.2	5
543624.3	full thickness; >50% circumference [<i>OIS III</i>]	543624.3	543624.3	5
543625.4	extending into perineum [<i>OIS IV</i>]	543625.4	543625.4	2
543626.5	massive; avulsion; tissue loss; devascularization [<i>OIS V</i>]	543626.5	543626.5	2

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
543800.2	Retroperitoneum hemorrhage or hematoma Code retroperitoneum hemorrhage or hematoma separate from and in addition to anatomically-described injuries unless an associated injury accounts for the blood loss into the retroperitoneal space. The following organs or structures, when injured, may cause retroperitoneal hemorrhage: pancreas, duodenum, kidney, aorta, vena cava, mesenteric vessel, pelvic or vertebral fractures.	543800.3 ^b	543800.3 ^b	5
544099.1	Scrotum NFS	544099.1	544099.1	5
544010.1	contusion; hematoma [<i>OIS I</i>]	544010.1	544010.1	5
544020.1	laceration; perforation NFS	544020.1	544020.1	5
544022.1	minor; superficial; <25% diameter [<i>OIS II</i>]	544022.1	544022.1	5
544024.2	major; amputation; avulsion; complex [<i>OIS III, IV, V</i>]	544024.2	544024.2	5
544299.2	Spleen NFS	544299.2	544299.2	5
544210.2	contusion; hematoma NFS	544210.2	544210.2	5
544212.2	subcapsular, ≤50% surface area; intraparenchymal, ≤5cm in diameter; minor; superficial [<i>OIS I, II</i>]	544212.2	544212.2	5
544214.3	subcapsular, >50% surface area or expanding; ruptured subcapsular or parenchymal; intraparenchymal >5cm in diameter or expanding; major [<i>OIS III</i>]	544214.3	544214.3	5
544220.2	laceration NFS	544220.2	544220.2	5
544222.2	simple capsular tear ≤3cm parenchymal depth and no trabecular vessel involvement; minor; superficial [<i>OIS I, II</i>]	544222.2	544222.2	5
544224.3	no hilar or segmental parenchymal disruption or destruction; >3cm parenchymal depth or involving trabecular vessels; moderate [<i>OIS III</i>]	544224.3	544224.3	5
544226.4	involving segmental or hilar vessels producing major devascularization of >25% of spleen but no hilar injury; major [<i>OIS IV</i>]	544226.4	544226.4	5
544228.5	hilar disruption producing total devascularization; tissue loss; avulsion; massive [<i>OIS V</i>]	544228.5	544228.5	5
544240.3	rupture NFS Use “rupture” only when a more detailed description is not available.	544240.3	544240.3	5

^b Change in severity in AIS 2005


AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
544499.2	Stomach NFS	544499.2	544499.2	5
544410.2	contusion; hematoma [<i>OIS I</i>]	544410.2	544410.2	5
544414.3	ingestion injury ^a	544499.2 ^b	None	5
544415.3	partial thickness necrosis ^a	544499.2 ^b	None	5
544416.4	full thickness necrosis ^a	544499.2 ^b	None	3
544420.2	laceration NFS	544420.2	544420.2	5
544422.2	no perforation; partial thickness [<i>OIS I</i>]	544422.2	544422.2	5
544424.3	perforation; full thickness [<i>OIS II, III</i>]	544424.3	544424.3	5
544426.4	avulsion; complex; rupture; tissue loss; massive; devascularization [<i>OIS IV, V</i>]	544426.4	544426.4	3
544699.1	Testes NFS	544699.1	544699.1	5
544610.1	contusion; hematoma [<i>OIS I</i>]	544610.1	544610.1	5
544620.1	laceration NFS	544620.1	544620.1	5
544622.1	minor; superficial [<i>OIS II, III</i>]	544622.1	544622.1	5
544624.2	avulsion; amputation; complex; massive [<i>OIS IV, V</i>]	544624.2	544624.2	5
544899.2	Ureter NFS	544899.2	544899.2	5
544810.2	contusion; hematoma [<i>OIS I</i>]	544810.2	544810.2	5
544820.2	laceration NFS	544820.2	544820.2	5
544822.2	no perforation; partial thickness [<i>OIS II</i>]	544822.2	544822.2	5
544824.3	perforation; full thickness [<i>OIS III</i>]	544824.3	544824.3	5
544826.3	massive; avulsion; complex; rupture; tissue loss; transection [<i>OIS IV, V</i>]	544826.3	544826.3	5
545099.2	Urethra NFS	545099.2	545099.2	5
545010.2	contusion; hematoma [<i>OIS I</i>]	545010.2	545010.2	5
545020.2	laceration NFS	545020.2	545020.2	5
545022.2	no perforation; partial thickness [<i>OIS III</i>]	545022.2	545022.2	5
545024.2	perforation; full thickness; urethral separation <2cm [<i>OIS IV</i>]	545024.3 ^b	545024.3 ^b	2
545026.2	avulsion; complex; tissue loss; massive [<i>OIS IV</i>]	545026.3 ^b	545026.3 ^b	1
545028.3	posterior tissue loss; transection; urethral separation >2cm [<i>OIS V</i>]	545028.4 ^b	545028.4 ^b	1
545030.2	stretch injury [<i>OIS II</i>] ^a	None	None	5

^a New descriptor in AIS 2005


^b Change in severity code in AIS 2005

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
545299.1	Uterus NFS	545299.1	545299.1	5
545210.1	contusion; hematoma	545210.2 ^b	545210.2 ^b	5
545220.2	laceration; perforation NFS	545220.2	545220.2	5
545222.2	≤1cm; minor; superficial [<i>OIS II</i>]	545222.2	545222.2	5
545224.3	>1cm; placental abruption ≤50%; major; deep [<i>OIS III</i>]	545230.3	545230.3	5
545226.4	involving uterine artery; placental abruption >50% but not complete [<i>OIS IV</i>]	545240.3 ^b	545240.3 ^b	5
545228.5	uterine rupture; avulsion; devascularization; complete placental abruption	545240.3 ^b	545240.3 ^b	5
Note: Fetal demise as a result of abdominal injury to a pregnant female is a consequence of trauma, not an injury itself. Term of pregnancy, per se, is not a factor in determining AIS severity code.				
545499.1	Vagina NFS	545499.1	545499.1	5
545410.1	contusion; hematoma [<i>OIS I</i>]	545410.1	545410.1	5
545420.1	laceration; perforation NFS	545420.1	545420.1	5
545422.1	minor; superficial; mucosa only [<i>OIS II</i>]	545422.1	545422.1	5
545424.2	major; deep into fat/muscle [<i>OIS III</i>]	545424.2	545424.2	5
545426.3	massive; avulsion; complex; into cervix or peritoneum [<i>OIS IV, V</i>]	545426.3	545426.3	3
545699.1	Vulva NFS	545699.1	545699.1	5
545610.1	contusion; hematoma	545610.1	545610.1	5
545620.1	laceration; perforation NFS	545620.1	545620.1	5
545622.1	minor; superficial; skin only [<i>OIS II</i>]	545622.1	545622.1	5
545624.2	major; deep into fat/muscle [<i>OIS III</i>]	545624.2	545624.2	5
545626.3	massive; avulsion; complex [<i>OIS IV, V</i>]	545626.3	545626.3	3


^b Change in severity code in AIS 2005




C1-atlas




L-5




Lumbar Vertebra




C2




C-7



C-2 (lateral view)



T-Spine



T-Spine (lateral view)

Source: www.bartleby.com - Gray's Anatomy

Update 2008

CODING RULES: **Spine**

Coexisting injuries to the spinal cord and to the vertebral column are coded as a single injury; for example, cord contusion with paraplegia and associated fracture/dislocation is a single injury and is assigned only one AIS code. In such cases, the fracture/dislocation is not coded separately.

When a cord injury is continuous only the highest level is coded. When the cord is injured in more than one region and the injuries are separate and distinct, then all the injuries are coded.

Paralysis is coded according to its status at 24 hours post-injury. In cases where the patient dies within the first 24 hours, code the status of documented paralysis at the time of death.

“Spinal cord injury without radiological abnormality” [SCIWORA] was coined in 1982 to describe a syndrome of post-traumatic neurologic injury without evidence of fracture or ligamentous instability on plain radiographs or CT. With the advent of MRI, however, most patients who previously would have been diagnosed with SCIWORA have demonstrable radiographic findings. SCIWORA as a diagnosis is still used in some clinical settings. It should be coded as spinal cord contusion not further specified. This diagnosis is most commonly attributed to the cervical region rather than to either the thoracic or lumbar regions.

CERVICAL SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of an injury to the cervical spine, they do not specify its severity.				
600099.9	Injuries to the Cervical Spine NFS	615099.9	615099.9	
600999.9	Died of cervical spine injury without further substantiation of injuries or no autopsy confirmation of specific injuries.	615999.9	615999.9	
630299.2	Brachial Plexus injury NFS [includes trunks, divisions or cords]	630299.2	630299.2	2
630210.2	incomplete plexus injury NFS	630210.2	630210.2	2
630212.2	contusion; stretch injury	630212.2	630212.2	2
630214.2	laceration	630214.2	630214.2	4
630216.2	avulsion	630216.2	630216.2	4
630220.3	complete plexus injury NFS	630220.2 ^b	630220.2 ^b	1
630221.4	bilateral ^c	630220.2 ^b	None	1
630222.3	contusion; stretch injury	630222.3	630222.3	1
630224.3	laceration	630224.3	630224.3	1
630226.3	avulsion	630226.3	630226.3	1
630227.4	bilateral ^c	630226.3 ^b	None	1

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral”. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

CERVICAL SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
640200.3	Cord contusion NFS [includes the diagnosis of compression, or epidural or subdural hemorrhage within spinal canal documented by imaging studies or autopsy]	640200.3	640200.3	5
640201.3	with transient neurological signs (paresthesia), but NFS as to fracture/dislocation	640201.3	640201.3	5
640202.3	with no fracture or dislocation	640202.3	640202.3	5
640204.3	with fracture	640204.3	640204.3	5
640206.3	with dislocation	640206.3	640206.3	5
640208.3	with both fracture and dislocation	640208.3	640208.3	5
640210.4	incomplete cord syndrome (preservation of some sensation or motor function; includes anterior cord, central cord, lateral cord (<i>Brown-Sequard</i>) syndromes), but NFS as to fracture/dislocation	640210.4	640210.4	1
640212.4	with no fracture or dislocation	640212.4	640212.4	1
640214.4	with fracture	640214.4	640214.4	1
640216.4	with dislocation	640216.4	640216.4	1
640218.4	with both fracture and dislocation	640218.4	640218.4	1
640220.5	complete cord syndrome (quadriplegia or paraplegia with no sensation)	640220.5	640220.5	1
640221.5	C-4 or below, but NFS as to fracture/dislocation or NFS as to site	640221.5	640221.5	1
640222.5	with no fracture or dislocation	640222.5	640222.5	1
640224.5	with fracture	640224.5	640224.5	1
640226.5	with dislocation	640226.5	640226.5	1
640228.5	with both fracture and dislocation	640228.5	640228.5	1
640229.6	C-3 or above, but NFS as to fracture/dislocation	640229.6	640229.6	1
640230.6	with no fracture or dislocation	640230.6	640230.6	1
640232.6	with fracture	640232.6	640232.6	1
640234.6	with dislocation	640234.6	640234.6	1
640236.6	with both fracture and dislocation	640236.6	640236.6	1

CERVICAL SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
640240.5	Cord laceration NFS [includes penetrating injury, transection or crush]	640240.5	640240.5	2
640242.5	incomplete (preservation of some sensation or motor function), but NFS as to fracture/dislocation	640242.5	640242.5	2
640244.5	with no fracture or dislocation	640244.5	640244.5	2
640246.5	with fracture	640246.5	640246.5	2
640248.5	with dislocation	640248.5	640248.5	2
640250.5	with both fracture and dislocation	640250.5	640250.5	2
640260.5	complete cord syndrome NFS (quadriplegia or paraplegia with no sensation or motor function)	640260.5	640260.5	1
640261.5	C-4 or below, but NFS as to fracture/dislocation	640261.5	640261.5	1
640262.5	with no fracture or dislocation	640262.5	640262.5	1
640264.5	with fracture	640264.5	640264.5	1
640266.5	with dislocation	640266.5	640266.5	1
640268.5	with both fracture and dislocation	640268.5	640268.5	1
640269.6	C-3 or above, but NFS as to fracture/dislocation	640269.6	640269.6	1
640270.6	with no fracture or dislocation	640270.6	640270.6	1
640272.6	with fracture	640272.6	640272.6	1
640274.6	with dislocation	640274.6	640274.6	1
640276.6	with both fracture and dislocation	640276.6	640276.6	1
650299.2	Disc injury NFS	650299.2	650299.2	5
650200.2	herniation NFS	650200.2	650200.2	5
650202.2	no nerve root damage (radiculopathy)	650202.2	650202.2	5
650203.3	with nerve root damage (radiculopathy)	650203.3	650203.3	5
650205.3	rupture	650203.3	650203.3	
650204.2	Dislocation [subluxation], no fracture, no cord involvement NFS	650204.2	650204.2	5
	Code as one injury and assign to superior vertebra.			
650206.3	atlanto-axial (odontoid)	650206.3	650206.3	5
650208.2	atlanto-occipital	650208.2	650208.2	5
650209.2	facet NFS	650209.2	650209.2	5
650210.2	unilateral	650210.2	650210.2	5
650212.3	bilateral	650212.3	650212.3	5

CERVICAL SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
650216.2	Fracture with or without dislocation but no cord involvement NFS Code each vertebra separately. Note instructions at lamina, pedicle and vertebral body for coding fractures of the atlas (C1).	650216.2	650216.2	5
650217.2	multiple fractures of same vertebra ^a Exceptions: odontoid or major compression fracture which are coded additionally.	650216.2	None	5
650218.2	spinous process	650218.2	650218.2	5
650220.2	transverse process	650220.2	650220.2	5
650222.2	facet	650222.3 ^b	650222.3 ^b	5
650224.2	lamina code C1 posterior arch here	650224.3 ^b	650224.3 ^b	5
650226.2	pedicle code C1 lateral mass here	650226.3 ^b	650226.3 ^b	5
650228.3	odontoid (dens)	650228.3	650228.3	5
650230.2	vertebral body NFS ["burst" fracture] code C1 anterior arch here	650230.2	650230.2	5
650232.2	minor compression (≤20% loss of anterior height)	650232.2	650232.2	5
650234.3	major compression (>20% loss of anterior height)	650234.3	650234.3	5
640284.1	Spinous ligament injury	640284.1	640284.1	5
630260.2	Nerve root , single or multiple NFS	630260.2	630260.2	2
630202.2	contusion; stretch injury	630202.2	630202.2	2
630204.2	laceration NFS	630204.2	630204.2	2
630206.2	single nerve root	630206.2	630206.2	2
630208.3	multiple nerve roots	630208.3	630208.3	2
630262.2	avulsion NFS	630262.2	630262.2	2
630264.2	single nerve root	630264.2	630264.2	2
630266.3	multiple nerve roots	630266.3	630266.3	2
640278.1	Strain, acute, with no fracture or dislocation	640278.1	640278.1	5

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

THORACIC SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of an injury to the thoracic spine, they do not specify its severity.				
620099.9	Injuries to the Thoracic Spine NFS	616099.9	616099.9	
620999.9	Died of thoracic spine injury without further substantiation of injuries or no autopsy confirmation of specific injuries.	616999.9	616999.9	
640400.3	Cord contusion [includes the diagnosis of compression, or epidural or subdural hemorrhage within spinal canal documented by imaging studies or autopsy]	640400.3	640400.3	5
640401.3	with transient neurological signs (paresthesia) but NFS as to fracture/dislocation	640401.3	640401.3	5
640402.3	with no fracture or dislocation	640402.3	640402.3	5
640404.3	with fracture	640404.3	640404.3	5
640406.3	with dislocation	640406.3	640406.3	5
640408.3	with both fracture and dislocation	640408.3	640408.3	1
640410.4	incomplete cord syndrome (preservation of some sensation or motor function; includes anterior cord, central cord, lateral cord (<i>Brown-Sequard</i>) syndromes) but NFS as to fracture/dislocation	640410.4	640410.4	2
640412.4	with no fracture or dislocation	640412.4	640412.4	2
640414.4	with fracture	640414.4	640414.4	2
640416.4	with dislocation	640416.4	640416.4	2
640418.4	with both fracture and dislocation	640418.4	640418.4	2
640420.5	complete cord syndrome (paraplegia with no sensation) but NFS as to fracture/dislocation	640420.5	640420.5	1
640422.5	with no fracture or dislocation	640422.5	640422.5	1
640424.5	with fracture	640424.5	640424.5	1
640426.5	with dislocation	640426.5	640426.5	1
640428.5	with both fracture and dislocation	640428.5	640428.5	1

THORACIC SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
640440.5	Cord laceration NFS [includes penetrating injury, transection or crush]	640440.5	640440.5	5
640442.5	incomplete (preservation of some sensation or motor function), but NFS as to fracture/dislocation	640442.5	640442.5	5
640444.5	with no fracture or dislocation	640444.5	640444.5	5
640446.5	with fracture	640446.5	640446.5	5
640448.5	with dislocation	640448.5	640448.5	5
640450.5	with both fracture and dislocation	640450.5	640450.5	5
640460.5	complete cord syndrome NFS (paraplegia with no sensation or motor function) but NFS as to fracture/dislocation	640460.5	640460.5	1
640462.5	with no fracture or dislocation	640462.5	640462.5	1
640464.5	with fracture	640464.5	640464.5	1
640466.5	with dislocation	640466.5	640466.5	1
640468.5	with both fracture and dislocation	640468.5	640468.5	1
650499.2	Disc injury NFS	650499.2	650499.2	5
650400.2	herniation NFS	650400.2	650400.2	5
650402.2	no nerve root damage (radiculopathy)	650402.2	650402.2	5
650403.3	with nerve root damage (radiculopathy)	650403.3	650403.3	5
650405.3	rupture	650403.3	650403.3	
650404.2	Dislocation [subluxation], no fracture, no cord involvement NFS Code as one injury and assign to superior vertebra.	650404.2	650404.2	5
650409.2	facet NFS	650409.2	650409.2	5
650410.2	unilateral	650410.2	650410.2	5
650412.3	bilateral	650412.3	650412.3	5

THORACIC SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
650416.2	Fracture with or without dislocation but no cord involvement NFS	650416.2	650416.2	5
	Code each vertebra separately.			
650417.2	multiple fractures of same vertebra ^a	650416.2	None	5
	Exception: major compression fracture which is coded additionally.			
650418.2	spinous process	650418.2	650418.2	5
650420.2	transverse process	650420.2	650420.2	5
650422.2	facet	650422.3 ^b	650422.3 ^b	5
650424.2	lamina	650424.3 ^b	650424.3 ^b	5
650426.2	pedicle	650426.3 ^b	650426.3 ^b	5
650430.2	vertebral body NFS ["burst fracture"]	650430.2	650430.2	5
650432.2	minor compression (≤20% loss of anterior height)	650432.2	650432.2	5
650434.3	major compression (>20% loss of anterior height)	650434.3	650434.3	5
640484.1	Spinous ligament injury	640484.1	640484.1	5
630499.2	Nerve root , single or multiple NFS	630499.2	630499.2	5
630402.2	contusion; stretch injury	630402.2	630402.2	5
630404.2	laceration NFS	630404.2	630404.2	5
630406.2	single nerve root	630406.2	630406.2	5
630408.3	multiple nerve roots	630408.3	630408.3	3
630410.2	avulsion NFS	630410.2	630410.2	5
630412.2	single nerve root	630412.2	630412.2	5
630414.3	multiple nerve roots	630414.3	630414.3	3
640478.1	Strain, acute with no fracture or dislocation	640478.1	640478.1	5

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

LUMBAR SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of an injury to the lumbar spine, they do not specify its severity.				
630099.9	Injuries to the Lumbar Spine NFS	617099.9	617099.9	
630999.9	Died of lumbar spine injury without further substantiation of injuries or no autopsy confirmation of specific injuries.	617999.9	617999.9	
630600.3	Cauda equina contusion NFS	630600.3	630600.3	5
630602.3	with transient neurological signs (paresthesia), but NFS as to fracture/dislocation	630602.3	630602.3	5
630604.3	with no fracture or dislocation	630604.3	630604.3	5
630606.3	with fracture	630606.3	630606.3	5
630608.3	with dislocation	630608.3	630608.3	5
630610.3	with both fracture and dislocation	630610.3	630610.3	5
630620.3	incomplete cauda equina syndrome, but NFS as to fracture/dislocation	630620.3	630620.3	5
630622.3	with no fracture or dislocation	630622.3	630622.3	5
630624.3	with fracture	630624.3	630624.3	5
630626.3	with dislocation	630626.3	630626.3	5
630628.3	with both fracture and dislocation	630628.3	630628.3	5
630630.4	complete cauda equina syndrome, but NFS as to fracture/dislocation	630630.4	630630.4	1
630632.4	with no fracture or dislocation	630632.4	630632.4	1
630634.4	with fracture	630634.4	630634.4	1
630636.4	with dislocation	630636.4	630636.4	1
630638.4	with both fracture and dislocation	630638.4	630638.4	1

LUMBAR SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
640600.3	Cord contusion [includes the diagnosis of compression, or epidural or subdural hemorrhage within spinal canal documented by imaging studies or autopsy]	640600.3	640600.3	5
640601.3	with transient neurological signs (paresthesia), but NFS as to fracture/dislocation	640601.3	640601.3	5
640602.3	with no fracture or dislocation	640602.3	640602.3	5
640604.3	with fracture	640604.3	640604.3	5
640606.3	with dislocation	640606.3	640606.3	5
640608.3	with both fracture and dislocation	640608.3	640608.3	5
640610.4	incomplete cord syndrome (preservation of some sensation or motor function; includes lateral cord (<i>Brown-Sequard</i>) syndrome) but NFS as to fracture/dislocation	640610.4	640610.4	5
640612.4	with no fracture or dislocation	640612.4	640612.4	5
640614.4	with fracture	640614.4	640614.4	5
640616.4	with dislocation	640616.4	640616.4	5
640618.4	with both fracture and dislocation	640618.4	640618.4	5
640620.5	complete cord syndrome (paraplegia with no sensation) but NFS as to fracture/dislocation	640620.5	640620.5	1
640622.5	with no fracture or dislocation	640622.5	640622.5	1
640624.5	with fracture	640624.5	640624.5	1
640626.5	with dislocation	640626.5	640626.5	1
640628.5	with both fracture and dislocation	640628.5	640628.5	1

LUMBAR SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
640640.5	Cord laceration NFS [includes penetrating injury, transection or crush]	640640.5	640640.5	5
640642.5	incomplete (preservation of some sensation or motor function), but NFS as to fracture/dislocation	640642.5	640642.5	5
640644.5	with no fracture or dislocation	640644.5	640644.5	5
640646.5	with fracture	640646.5	640646.5	5
640648.5	with dislocation	640648.5	640648.5	5
640650.5	with both fracture and dislocation	640650.5	640650.5	5
640660.5	complete cord syndrome NFS (paraplegia with no sensation or motor function) but NFS as to fracture/dislocation	640660.5	640660.5	1
640662.5	with no fracture or dislocation	640662.5	640662.5	1
640664.5	with fracture	640664.5	640664.5	1
640666.5	with dislocation	640666.5	640666.5	1
640668.5	with both fracture and dislocation	640668.5	640668.5	1
650699.2	Disc injury NFS	650699.2	650699.2	5
650600.2	herniation NFS	650600.2	650600.2	5
650602.2	no nerve root damage (radiculopathy)	650602.2	650602.2	5
650603.3	with nerve root damage (radiculopathy)	650603.3	650603.3	5
650605.3	rupture	650603.3	650603.3	
650604.2	Dislocation [subluxation], no fracture, no cord involvement NFS	650604.2	650604.2	5
	Code as one injury and assign to superior vertebra.			
650609.2	facet NFS	650609.2	650609.2	5
650610.2	unilateral	650610.2	650610.2	5
650612.3	bilateral	650612.3	650612.3	5

LUMBAR SPINE

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
650616.2	Fracture with or without dislocation but no cord involvement NFS	650616.2	650616.2	5
	Code each vertebra separately.			
650617.2	multiple fractures of same vertebra ^a	650616.2	None	5
	Exception: major compression fracture which is coded additionally.			
650618.2	spinous process	650618.2	650618.2	5
650620.2	transverse process	650620.2	650620.2	5
650622.2	facet	650622.3 ^b	650622.3 ^b	5
650624.2	lamina	650624.3 ^b	650624.3 ^b	5
650626.2	pedicle	650626.3 ^b	650626.3 ^b	5
650630.2	vertebral body NFS ["burst fracture"]	650630.2	650630.2	5
650632.2	minor compression (≤20% loss of anterior height)	650632.2	650632.2	5
650634.3	major compression (>20% loss of anterior height)	650634.3	650634.3	5
640684.1	Spinous ligament injury	640684.1	640684.1	5
630699.2	Nerve root or sacral plexus , single or multiple NFS	630699.2	630699.2	5
630660.2	contusion; stretch injury	630660.2	630660.2	5
630662.2	laceration NFS	630662.2	630662.2	5
630664.2	single nerve root	630664.2	630664.2	5
630666.3	multiple nerve roots	630666.3	630666.3	4
630668.2	avulsion NFS	630668.2	630668.2	5
630612.2	single nerve root	630612.2	630612.2	5
630614.3	multiple nerve roots	630614.3	630614.3	4
640678.1	Strain, acute with no fracture or dislocation	640678.1	640678.1	5

UPPER EXTREMITY

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
WHOLE AREA				
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of an upper extremity injury, they do not specify its severity.				
700099.9	Injuries to the Whole Upper Extremity NFS	715099.9	715099.9	
700999.9	Died of upper extremity injury without further substantiation of injuries or no autopsy confirmation of specific injuries	715999.9	715999.9	
711000.3	Amputation [traumatic], partial or complete between shoulder and hand, but NFS as to specific anatomical site ^s	711000.3	711000.3	2
The above description does not apply to hands, thumbs or fingers.				
711001.4	at shoulder	711000.3 ^b	None	1
711010.5	bilateral ^c	711000.3 ^b	None	1
711002.4	at or above elbow, below shoulder	711000.3 ^b	None	1
711012.5	bilateral ^c	711000.3 ^b	None	1
711003.3	below elbow, at or above wrist	711000.3	None	1
711004.2	hand, partial or complete	711000.3 ^b	None	2
711005.2	thumb	752402.2	None	2
711006.1	other fingers, single or multiple	752402.2 ^b	752402.2 ^b	4

^b Change in severity code in AIS 2005

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral”. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

^s Differentiation of specific anatomical sites in this injury category was less detailed in AIS98 than in AIS 2005; hence the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	Use this category only if no specific injuries to the upper extremity are documented.			
712000.2	Compartment syndrome from trauma to soft tissue only, not involving fracture or massive destruction of bone or other anatomical structures, NFS	715000.2	715000.2	
712001.2	arm NFS	715000.2	None	5
712002.2	no muscle loss	715000.2	None	5
712003.3	with muscle loss	715000.2 ^b	None	3
712004.2	forearm	715000.2	None	5
712005.2	no muscle loss	715000.2	None	5
712006.2	with muscle loss	715000.2	None	3
712007.2	hand	715000.2	None	4
712008.2	no muscle loss	715000.2	None	4
712009.2	with muscle loss	715000.2	None	4
713000.2	Crush Injury to limb between shoulder and wrist, but NFS as to specific anatomical site ^s	713000.3 ^b	713000.3 ^b	4
	Must involve massive destruction of skeletal, vascular, nervous and tissue systems. Do not use the above description for hands or fingers.			
713001.4	at shoulder	713000.3 ^b	None	2
713002.4	at or above elbow, below shoulder	713000.3 ^b	None	2
713003.3	below elbow, at or above wrist	713000.3	None	4
713004.2	hand, partial or complete	713000.3 ^b	None	4
713005.2	thumb	752406.2	None	4
713006.1	non-thumb finger, single or multiple	752406.2 ^b	752406.2 ^b	4
	Assign degloving injuries to External body region for calculating an ISS.			
714000.2	Degloving injury NFS as to specific anatomical site ^s	None	None	4
714001.3	entire extremity	714006.3	714006.3	4
714002.2	arm or forearm, including elbow	714002.2	714002.2	5
714003.2	wrist or hand	714006.3 ^b	714006.3 ^b	4
714004.2	finger, single or multiple	714004.2	714004.2	4

^b Change in severity code in AIS 2005

^s The differentiation of specific anatomical sites in this injury category was less detailed in AIS98 than in AIS 2005; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use this category if penetrating injury does not involve bone or internal structures. Assign to External body region for calculating an ISS. If underlying anatomical structures are involved, code documented diagnoses only; do not use these generic descriptors. Penetrating injury involving a bone is coded as open fracture to the specific bone.				
716000.1	Penetrating injury NFS as to specific anatomical site ^s	716000.1	716000.1	5
716002.1	superficial; minor	716002.1	716002.1	5
716004.2	with tissue loss >25cm ²	716004.2	716004.2	3
716006.3	with blood loss >20% by volume	716006.3	716006.3	5
716010.1	Penetrating injury at shoulder, NFS as to severity	716000.1	None	5
716011.1	superficial; minor	716002.1	None	5
716012.2	with tissue loss >25cm ²	716004.2	None	3
716013.3	with blood loss >20% by volume	716006.3	None	5
716014.1	Penetrating injury at or above elbow, below shoulder, NFS as to severity	716000.1	None	5
716015.1	superficial; minor	716002.1	None	5
716016.2	with tissue loss >25cm ²	716004.2	None	2
716017.3	with blood loss >20% by volume	716006.3	None	5
716018.1	Penetrating injury below elbow, at or above wrist, NFS as to severity	716000.1	None	5
716019.1	superficial; minor	716002.1	None	5
716020.2	with tissue loss >25cm ²	716004.2	None	3
716022.1	Penetrating injury hand, partial or complete, NFS as to severity	716000.1	None	5
716023.1	superficial; minor	716002.1	None	5
716024.2	with tissue loss >25cm ²	716004.2	None	3
716026.1	Penetrating injury thumb, NFS as to severity	716000.1	None	5
716027.1	superficial; minor	716002.1	None	5
716028.2	with tissue loss >25cm ²	716004.2	None	2
716030.1	Penetrating injury non-thumb finger, NFS as to severity	716000.1	None	5
716031.1	superficial; minor	716002.1	None	5
716032.2	with tissue loss >25cm ²	716004.2	None	4

^s Differentiation of specific anatomical sites of this injury description was less detailed in AIS98 than in AIS 2005; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use the following section for blunt soft tissue injury to the upper extremity. Assign to External body region for calculating an ISS.				
710099.1	Skin/subcutaneous/muscle NFS	710099.1	710099.1	5
710202.1	abrasion	710202.1	710202.1	5
710402.1	contusion; hematoma	710402.1	710402.1	5
710600.1	laceration NFS	710600.1	710600.1	5
710602.1	minor; superficial	710602.1	710602.1	5
710604.2	major; >10cm long on hand or >20cm long on entire extremity <u>and</u> into subcutaneous tissue	710604.2	710604.2	5
710606.3	blood loss >20% by volume	710606.3	710606.3	5
710800.1	avulsion NFS	710800.1	710800.1	5
710802.1	minor; superficial; ≤25cm ² on hand or ≤100cm ² on entire extremity	710802.1	710802.1	5
710804.2	major; tissue loss >25cm ² on hand or >100cm ² on entire extremity	710804.2	710804.2	4
710806.3	blood loss >20% by volume	710806.3	710806.3	5

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
VESSELS				
Do not code upper extremity vessel injuries separately when they are directly involved in crush-type injuries or amputation of an upper extremity unless a vascular injury is higher in severity than the crush-type injury or amputation. Branches of vessels are not coded unless they are named vessels and/or are listed within a specific vessel descriptor.				
720099.9	Vascular Injury in Upper Extremity NFS[†]	None	None	
720299.2	Axillary artery NFS	720299.2	720299.2	5
720202.2	intimal tear, no disruption	720202.2	720202.2	5
720204.2	laceration; perforation; puncture NFS	720204.2	720204.2	5
720206.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	720206.2	720206.2	5
720208.3	major; rupture; transection; segmental loss; blood loss >20% by volume	720208.3	720208.3	5
720499.2	Axillary vein NFS	720499.2	720499.2	5
720402.2	laceration; perforation; puncture NFS	720402.2	720402.2	5
720404.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	720404.2	720404.2	5
720406.3	major; rupture; transection; segmental loss; blood loss >20% by volume	720406.3	720406.3	5
720699.2	Brachial artery NFS	720699.2	720699.2	5
720602.2	intimal tear, no disruption	720602.2	720602.2	5
720604.2	laceration; puncture; perforation NFS	720604.2	720604.2	5
720606.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	720606.2	720606.2	5
720608.3	major; rupture; transection; segmental loss; blood loss >20% by volume	720608.3	720608.3	5

[†] New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
720899.1	Brachial vein NFS	720899.1	720899.1	5
720802.1	laceration; perforation; puncture NFS	720802.1	720802.1	5
720804.1	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	720804.1	720804.1	5
720806.3	major; rupture; transection; segmental loss; blood loss >20% by volume	720806.3	720806.3	5
721099.1	Other named arteries NFS [e.g., radial, ulnar]	721099.1	721099.1	5
721002.1	intimal tear, no disruption	721002.1	721002.1	5
721004.1	laceration; perforation; puncture NFS	721004.1	721004.1	5
721006.1	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	721006.1	721006.1	5
721008.3	major; rupture; transection; segmental loss; blood loss >20% by volume	721008.3	721008.3	5
721299.1	Other named veins NFS [e.g., cephalic, basilic]	721299.1	721299.1	5
721202.1	laceration; perforation; puncture NFS	721202.1	721202.1	5
721204.1	minor; superficial; incomplete circumferential involvement;	721204.1	721204.1	5
721206.3	major; rupture; transection; segmental loss; blood loss >20% by volume	721206.3	721206.3	5

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
NERVES				
A diagnosis of nerve palsy or neuropraxia should be coded as a contusion to the specific nerve.				
730099.9	Nerve injury in upper extremity NFS ^t	None	None	
730299.1	Digital nerve NFS	730299.1	730299.1	5
730202.1	contusion	730202.1	730202.1	5
730204.1	laceration	730204.1	730204.1	5
730499.1	Median nerve NFS ^t	730499.1	730499.1	5
730402.1	contusion	730410.1	730410.1	5
730404.2	laceration; avulsion NFS	730420.1 ^b	730420.1 ^b	5
730406.2	with motor loss	730450.2	730450.2	4
730699.1	Radial nerve NFS ^t	730499.1	730499.1	5
730602.1	contusion	730410.1	730410.1	5
730604.2	laceration; avulsion NFS	730420.1 ^b	730420.1 ^b	5
730606.2	with motor loss	730450.2	730450.2	4
730899.1	Ulnar nerve NFS ^t	730499.1	730499.1	5
730802.1	contusion	730410.1	730410.1	5
730804.2	laceration; avulsion NFS	730420.1 ^b	730420.1 ^b	5
730806.2	with motor loss	730450.2	730450.2	4
MUSCLES, TENDONS, LIGAMENTS				
740099.9	Muscle, tendon or ligament injury NFS ^f	None	None	
740600.1	Joint capsule ; rupture; tear; avulsion	740600.2 ^b	740600.2 ^b	5
740400.1	Muscle tear; avulsion NFS	740400.2 ^b	740400.2 ^b	5
740401.1	partial disruption	740400.2 ^b	None	5
740403.2	complete disruption	740400.2	740400.2	5
740402.1	contusion; strain	740402.1	740402.1	5
740200.1	Tendon tear; avulsion	740200.1	740200.1	4
740210.1	multiple tendons in hand	740210.1	740210.1	2
740220.1	multiple tendons other than hand	740220.1	740220.1	4

^b Change in severity in AIS 2005

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

^t Median, radial and ulnar nerves were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury descriptor; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
JOINTS				
770099.9	Upper extremity joint injury NFS ^f	None	None	
770799.1	Acromioclavicular joint NFS	750299.1	750299.1	5
770789.1	open ^a	750299.1	None	5
770710.1	sprain	750220.1	750220.1	5
770720.1	subluxation	750230.2 ^b	None	5
770730.2	dislocation	750230.2	750230.2	5
770731.2	open ^a	750230.2	None	5
772499.1	Carpal (wrist) joint NFS	751499.1	751499.1	5
772489.1	open ^a	751499.1	None	5
772410.1	sprain	751420.1	751420.1	5
772420.1	subluxation	751430.2 ^b	None	5
772430.1	dislocation [carpal]	751430.2 ^b	None	4
772431.1	open ^a	751430.2 ^b	None	4
772230.1	dislocation [distal radioulnar]	751430.2 ^b	None	4
772231.1	open ^a	751430.2 ^b	None	4
772330.2	dislocation [radiocarpal]	751430.2	None	4
772331.2	open ^a	751430.2	None	4
772099.1	Elbow joint NFS	750699.1	750699.1	5
772089.1	open ^a	750699.1	None	5
772010.1	sprain	750620.1	750620.1	5
772020.1	subluxation	750630.1	None	5
772030.1	dislocation NFS	750630.1	750630.1	5
772031.1	open ^a	750630.1	None	5
772032.1	with radial head involvement [proximal radioulnar]	750630.1	750630.1	4
772033.2	open ^a	750630.1 ^b	None	4

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
772599.1	Metacarpophalangeal or Interphalangeal joint NFS^s	750499.1	750499.1	5
772589.1	open ^a	750499.1	None	5
772540.1	Thumb NFS	750499.1	750499.1	5
772541.1	open ^a	750499.1	None	5
772510.1	sprain	750402.1	750402.1	5
772520.1	dislocation/subluxation	750404.1	750404.1	5
772521.1	open ^a	750404.1	None	5
772550.1	Non-thumb phalange NFS	750499.1	750499.1	5
772551.1	open ^a	750499.1	None	5
772560.1	sprain	750402.1	750402.1	5
772570.1	dislocation/subluxation	750404.1	750404.1	5
772571.1	open ^a	750404.1	None	5
771099.1	Shoulder (glenohumeral) joint NFS	751099.1	751099.1	5
771089.1	open ^a	751099.1	None	5
771010.1	sprain	751020.1	751020.1	5
771020.1	subluxation	751030.2 ^b	None	5
771030.2	dislocation	751030.2	751030.2	5
771031.2	open ^a	751030.2	None	5
770599.1	Sternoclavicular joint NFS	751299.1	751299.1	5
770589.1	open ^a	751299.1	None	5
770510.1	sprain	751220.1	751220.1	5
770520.1	subluxation	751230.2 ^b	None	5
770530.2	dislocation	751230.2	751230.2	5
770531.2	open ^a	751230.2	None	5

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^s Differentiation of specific anatomical site for this injury descriptor was less detailed in AIS98 than in AIS 2005; hence, the duplication of AIS98 matching codes.

SKELETAL**Classification of Long Bone Fractures**

Long bone fractures are classified as to their location on the bone (i.e., proximal, shaft [diaphyseal] or distal). Proximal and distal fractures are further classified by the extent of articular (joint) involvement, and shaft fractures are classified by their degree of complexity. For long bone shaft fractures, “complex” means multifragmentary. Other clinical descriptors are: spiral, segmental, irregular or comminuted. Selected anatomical drawings and a sample of specific long bone fractures are included to aid the AIS user in becoming familiar with these classification changes and with contemporary orthopedic trauma terminology. The Introduction to the AIS dictionary includes further notes describing the changes.

CODING RULE: Upper Extremities

For patients who die before any radiology is done and no autopsy is performed, a clinical diagnosis of a fracture made by detecting obvious instability of an extremity is acceptable for AIS coding. In such cases, the least severe AIS code should be assigned. (Example: forearm fracture NFS, 751900.2, if neither ulna nor radius is named. Alternatively, radius fracture NFS, 752800.2 or ulna fracture NFS, 753200.2, if known.


Use one of the following seven descriptors if specific anatomical information is unknown.

750099.9	Upper Extremity fracture NFS^f	None	None	
751800.2	Arm fracture NFS	751800.2	751800.2	5
751801.2	open	751800.2	None	5
751900.2	Forearm fracture NFS	751900.2	751900.2	5
751901.2	open	751900.2	None	5
752000.2	Hand fracture NFS	752500.2	752500.2	5
752001.2	open	752500.2	None	5


^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
750500.2	Clavicle fracture NFS	752200.2	752200.2	5
750501.2	open	752200.2	752200.2	5
750511.2	Proximal clavicle fracture	752200.2	None	5
750512.2	open	752200.2	None	5
750621.2	Clavicle shaft fracture	752200.2	None	5
750622.2	open	752200.2	None	5
750651.2	simple	752200.2	None	5
750652.2	open	752200.2	None	5
750661.2	wedge; "butterfly" fragment	752200.2	None	5
750662.2	open	752200.2	None	5
750671.2	comminuted; segmental	752200.2	None	5
750672.2	open	752200.2	None	5
750731.2	Distal (lateral end) clavicle fracture	752200.2	None	5
750732.2	open	752200.2	None	5
750751.2	extra-articular	752200.2	None	5
750752.2	open	752200.2	None	5
750761.2	intra-articular	752200.2	None	5
750762.2	open	752200.2	None	5
750900.2	Scapula fracture NFS	753000.2	753000.2	5
750901.2	open	753000.2	None	5
750951.2	body	753000.2	None	5
750952.2	open	753000.2	None	5
750961.2	neck with or without body	753000.2	None	5
750962.2	open	753000.2	None	4
750971.2	glenoid with or without neck or body	753000.2	None	4
750972.2	open	753000.2	None	5


BONE:
Humerus




LOCATION:
Proximal segment



TYPES:
Extra-articular,
Unifocal




LOCATION:
Shaft [diaphyseal] segment




TYPES:
Simple




LOCATION:
Distal segment




TYPES:
Extra-articular →



Examples:





**Partial articular,
Bifocal**




Wedge



Partial articular →




Articular



Complex




Complete articular →




AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
751100.2	Humerus fracture NFS	752600.2	752600.2	5
751101.2	open	752604.3 ^b	752604.3 ^b	5
751111.2	Proximal humerus NFS	752600.2	None	4
751112.2	open	752604.3 ^b	None	4
751151.2	extra-articular; unifocal [either one of the tuberosities <u>or</u> the metaphysis]; single fracture line	752600.2	None	5
751152.2	open	752604.3 ^b	None	5
751161.2	extra-articular; bifocal [either one of the tuberosities <u>and</u> the metaphysis]; ≥2 fracture lines	752600.2	None	5
751162.3	open	752604.3	None	5
751171.2	articular; head or anatomical neck	752600.2	None	4
751172.3	open	752604.3	None	4
751221.2	Humerus shaft fracture	752600.2	None	5
751222.2	open	752604.3 ^b	None	5
751251.2	simple; oblique; transverse	752600.2	None	5
751252.2	open	752604.3 ^b	None	5
751261.2	wedge; “butterfly” segment	752600.2	None	5
751262.3	open	752604.3	None	5
751271.2	complex; comminuted; segmental	752604.3 ^b	None	5
751272.3	open	752604.3	None	5
751331.2	Distal humerus fracture	752600.2	None	5
751332.2	open	752604.3 ^b	None	5
751351.2	extra-articular; supracondylar	752600.2	None	5
751352.2	open	752604.3 ^b	None	5
751361.2	partial articular; capitular	752600.2	None	5
751362.3	open	752604.3	None	5
751371.2	complete articular; T-shaped; Y-shaped; T-condylar	752600.2	None	3
751372.3	open	752604.3	None	3

^b Change in severity in AIS 2005


BONE:
Radius/
Ulna




LOCATION:
Proximal segment




TYPES:
Extra-articular




Partial articular




Complete Articular




LOCATION:
Shaft [diaphyseal] segment



TYPES:
Simple




Wedge




Complex




LOCATION:
Distal segment




TYPES:
Extra-articular →






Partial articular →



Complete articular →




Examples:




AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
752800.2	Radius fracture NFS	752800.2	752800.2	5
752801.2	open	752804.3 ^b	752804.3 ^b	5
752111.2	Proximal radius fracture	752800.2	None	4
752112.2	open	752804.3 ^b	None	4
752151.2	extra-articular; radial neck	752800.2	None	4
752152.2	open	752804.3 ^b	None	4
752161.2	partial articular; radial head	752800.2	None	4
752162.3	open	752804.3	None	4
752171.2	complete articular	752800.2	None	4
752172.3	open	752804.3	None	4
752211.2	Radius shaft fracture	752800.2	None	5
752212.2	open	752804.3 ^b	None	5
752251.2	simple; oblique; transverse	752800.2	None	5
752252.2	open	752804.3 ^b	None	5
752261.2	wedge; "butterfly" fragment	752800.2	None	5
752262.3	open	752804.3	None	5
752271.2	complex; comminuted; segmental	752804.3 ^b	None	4
752272.3	open	752804.3	None	4
752311.2	Distal Radius fracture	752800.2	None	5
752312.2	open	752804.3 ^b	None	5
752351.2	extra-articular [includes styloid]	752800.2	None	5
752352.2	open	752804.3 ^b	None	5
752361.2	partial articular; <i>Colles</i>	752800.2	None	4
752362.3	open	752804.3	None	4
752371.2	complete articular; T-shaped; Y-shaped; T-condylar; <i>Barton</i>	752800.2	None	4
752372.3	open	752804.3	None	4

^b Change in severity code in AIS 2005


BONE:
Radius/
Ulna




LOCATION:
Proximal segment




TYPES:
Extra-articular




Partial articular



Complete Articular



LOCATION:
Shaft [diaphyseal] segment



TYPES:
Simple




Wedge




Complex




LOCATION:
Distal segment




TYPES:
Extra-articular →






Partial articular →



Complete articular →




Examples:




AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
753200.2	Ulna fracture NFS	753200.2	753200.2	4
753201.2	open	753204.3 ^b	753204.3 ^b	4
752113.2	Proximal Ulna fracture [olecranon]	753200.2	None	4
752114.2	open	753204.3 ^b	None	4
752153.2	extra-articular	753200.2	None	4
752154.2	open	753204.3 ^b	None	4
752163.2	partial articular	753200.2	None	3
752164.3	open	753204.3	None	3
752173.2	complete articular	753200.2	None	3
752174.3	open	753204.3	None	3
752213.2	Ulna Shaft fracture	753200.2	753200.2	5
752214.2	open	753204.3 ^b	753204.3 ^b	5
752253.2	simple; oblique; transverse	753200.2	None	5
752254.2	open	753204.3 ^b	None	5
752263.2	wedge; "butterfly" fragment	753200.2	None	5
752264.3	open	753204.3	None	5
752273.2	complex; comminuted; segmental	753204.3 ^b	None	5
752274.3	open	753204.3	None	5
752313.2	Distal Ulna fracture	753200.2	None	5
752314.2	open	753204.3 ^b	None	5
752353.2	extra-articular [includes styloid]	753200.2	None	5
752354.2	open	753204.3 ^b	None	5
752363.2	partial articular	753200.2	None	5
752364.3	open	753204.3	None	5
752373.2	complete articular	753200.2	None	5
752374.3	open	753204.3	None	5

^b Change in severity code in AIS 2005

Bones of the Hand



A. PALMAR ASPECT



B. DORSAL ASPECT

Netter illustrations used with permission from Icon Learning Systems, a division of MediMedia USA, Inc. All rights reserved.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
752400.2	Carpus fracture NFS ^u	752002.2	752002.2	5
752401.2	open	752002.2	None	5
752451.2	scaphoid only	752002.2	None	5
752452.2	open	752002.2	None	5
752461.2	bone other than scaphoid	752002.2	None	5
752462.2	open	752002.2	None	5
752471.2	≥2 carpal bones	752002.2	None	5
752472.2	open	752002.2	None	5
752500.2	Metacarpus fracture NFS ^u	752002.2	752002.2	5
752501.2	open	752002.2	None	5
752511.2	Thumb ^v	752002.2	None	5
752512.2	open	752002.2	None	5
752551.2	extra-articular or shaft	752002.2	None	5
752552.2	open	752002.2	None	5
752561.2	partial articular	752002.2	None	5
752562.2	open	752002.2	None	5
752571.2	complete articular	752002.2	None	5
752572.2	open	752002.2	None	5
752521.2	One of Lateral Four Fingers ^v	752002.2	None	5
752522.2	open	752002.2	None	5
752553.2	extra-articular or shaft	752002.2	None	5
752554.2	open	752002.2	None	5
752563.2	partial articular	752002.2	None	5
752564.2	open	752002.2	None	5
752573.2	complete articular	752002.2	None	5
752574.2	open	752002.2	None	5

^u Carpus and metacarpus were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence the duplication of AIS98 matching codes.

^v Thumb and non-thumb fingers were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
752600.1	Phalange fracture NFS ^v	752404.1	752404.1	5
752601.1	open	752404.1	None	5
752611.1	Thumb ^v	752404.1	752404.1	5
752612.1	open	752404.1	None	5
752651.1	extra-articular or shaft	752404.1	None	5
752652.1	open	752404.1	None	5
752661.1	partial articular	752404.1	None	5
752662.1	open	752404.1	None	5
752671.1	complete articular	752404.1	None	5
752672.1	open	752404.1	None	5
752621.1	One of Lateral Four Fingers ^v	752404.1	752404.1	5
752622.1	open	752404.1	None	5
752653.1	extra-articular or shaft	752404.1	None	5
752654.1	open	752404.1	None	5
752663.1	partial articular	752404.1	None	5
752664.1	open	752404.1	None	5
752673.1	complete articular	752404.1	None	5
752674.1	open	752404.1	None	5

^v Thumb and non-thumb finger were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence, the duplication of AIS98 matching codes.

LOWER EXTREMITY, PELVIS and BUTTOCKS

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
WHOLE AREA				
Use one of the following two descriptors when such vague information is the only information available. While these descriptors identify the occurrence of a lower extremity injury, they do not specify its severity.				
800099.9	Injuries to the Whole Lower Extremity NFS	815099.9	815099.9	
800999.9	Died of lower extremity injury without further substantiation of injuries or no autopsy confirmation of specific injuries	815999.9	815999.9	
811000.3	Amputation [traumatic], partial or complete between hip and foot, but NFS as to specific anatomical site ^s	811000.3	811000.3	2
The above descriptor does not apply to feet or toes.				
811001.4	at hip or at buttock	811004.4	811004.4	1
811010.5	bilateral ^c	811004.4 ^b	None	1
811002.4	at or above knee, below hip	811004.4	811004.4	2
811012.5	bilateral ^c	811004.4 ^b	None	1
811003.3	below knee, at or above ankle	811002.3	811002.3	2
811004.2	foot, partial or complete	811002.3 ^b	811002.3 ^b	2
811005.2	great toe	853604.2	853604.2	4
811006.2	other toes, single or multiple	853604.2	853604.2	4

^b Change in severity code in AIS 2005.

^c In previous editions of AIS, with few exceptions, each injury was coded separately. AIS 2005 introduces “bilateral”. Some bilateral injuries may affect severity levels and, therefore, the ISS for patients with those injuries.

^s Differentiation of specific anatomical sites for this injury category was less detailed in AIS98 than in AIS 2005; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	Use this category only if no specific injuries to the lower extremity are documented.			
812000.2	Compartment syndrome resulting from trauma to soft tissue only, not involving fracture or massive destruction of bone and other anatomical structures, NFS as to specific anatomical site ^s	815000.2	815000.2	5
812001.2	thigh	815000.2	None	5
812002.2	no muscle loss	815000.2	None	5
812003.3	with muscle loss	815000.2 ^b	None	5
812004.2	leg	815000.2	None	5
812005.2	no muscle loss	815000.2	None	5
812006.3	with muscle loss	815000.2 ^b	None	5
812007.2	foot	815000.2	None	5
812008.2	no muscle loss	815000.2	None	5
812009.3	with muscle loss	815000.2 ^b	None	5
813000.3	Crush Injury to limb between hip and foot, but NFS as to specific anatomical site ^s	813000.2 ^b	813000.2 ^b	2
	Must involve massive destruction of skeletal, vascular, nervous and tissue systems. Do not use the above description for feet or toes.			
813001.4	at hip or at buttock	813004.3 ^b	813004.3 ^b	1
813002.4	at or above knee, below hip	813004.3 ^b	813004.3 ^b	2
813003.3	below knee, at or above ankle	813002.2 ^b	813002.2 ^b	2
813004.2	foot, partial or complete	813002.2	813002.2	2
813005.2	great toe	853606.2	853606.2	4
813006.2	other toes, single or multiple	853606.2	853606.2	4
	Assign degloving injuries to External body region for calculating an ISS.			
814000.2	Degloving injury NFS	None	None	5
814002.3	entire extremity	814006.3	814006.3	5
814004.2	thigh or calf	814004.2	814004.2	5
814006.2	knee, ankle or foot	814006.3 ^b	814006.3 ^b	5
814008.2	toe, single or multiple	814002.2	814002.2	5

^b Change in severity code in AIS 2005

^s Differentiation of specific anatomical sites for this injury category was less detailed in AIS98 than in AIS 2005; hence, the duplication of AIS98 matching codes

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use this category if penetrating injury does not involve bone or internal structures. Assign to External body region for calculating an ISS. If underlying anatomical structures are involved, code documented diagnoses only and do not use these generic descriptors. Penetrating injury involving a bone is coded as open fracture to the specific bone.				
816000.1	Penetrating injury NFS as to specific anatomical site or severity ^s	816000.1	816000.1	5
816002.1	superficial; minor	816002.1	816002.1	5
816004.2	with tissue loss >25cm ²	816004.2	816004.2	4
816006.3	with blood loss >20% by volume	816006.3	816006.3	4
816010.1	Penetrating injury at hip or buttock, NFS as to severity	816000.1	None	5
816011.1	superficial; minor	816002.1	None	5
816012.2	with tissue loss >25cm ²	816004.2	None	5
816013.3	with blood loss >20% by volume	816006.3	None	5
816014.1	Penetrating injury at or above knee, below hip NFS as to severity	816000.1	None	5
816015.1	superficial; minor	816002.1	None	5
816016.2	with tissue loss >25cm ²	816004.2	None	5
816017.3	blood loss >20% by volume	816006.3	None	5
816018.1	Penetrating injury below knee, at or above ankle NFS as to severity	816000.1	None	5
816019.1	superficial; minor	816002.1	None	5
816020.2	with tissue loss >25cm ²	816004.2	None	5
816022.1	Penetrating injury foot, partial or complete NFS as to severity	816000.1	None	5
816023.1	superficial; minor	816002.1	None	5
816024.2	with tissue loss >25cm ²	816004.2	None	5
816026.1	Penetrating injury great toe, NFS as to severity	816000.1	None	5
816027.1	superficial; minor	816002.1	None	5
816028.2	with tissue loss >25cm ²	816004.2	None	5
816030.1	Penetrating injury toe, single or multiple	816000.1	None	5
816031.1	superficial; minor	816002.1	None	5
816032.2	with tissue loss >25cm ²	816004.2	None	5

^s Differentiation of specific anatomical sites for the injury category was less detailed in AIS98 than in AIS 2005; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use the following section for blunt soft tissue injury to the lower extremity. Assign to External Body Region for calculating an ISS.				
810099.1	Skin/subcutaneous/muscle NFS	810099.1	810099.1	5
810202.1	abrasion	810202.1	810202.1	5
810402.1	contusion; hematoma	810402.1	810402.1	5
810600.1	laceration NFS	810600.1	810600.1	5
810602.1	minor; superficial	810602.1	810602.1	5
810604.2	major; >20cm long <u>and</u> into subcutaneous tissue	810604.2	810604.2	5
810606.3	blood loss >20% by volume	810606.3	810606.3	5
810800.1	avulsion NFS	810800.1	810800.1	5
810802.1	superficial; minor; ≤100cm ²	810802.1	810802.1	5
810804.2	major; >100cm ²	810804.2	810804.2	5
810806.3	blood loss >20% by volume	810806.3	810806.3	5

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
VESSELS				
Do not code lower extremity vessel injuries separately when they are directly involved in crush injuries or amputation of a lower extremity unless a vascular injury is higher in severity than the crush injury or amputation. Branches of vessels are not coded unless they are named vessels and/or are listed within a specific vessel descriptor.				
820099.9	Vascular Injury in Lower Extremity NFS^f	None	None	
820299.3	Femoral artery and its named branches NFS	820299.3	820299.3	5
820202.3	intimal tear, no disruption	820202.3	820202.3	5
820204.3	laceration; perforation; puncture NFS	820204.3	820204.3	5
820206.3	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	820206.3	820206.3	5
820208.4	major; rupture; transection; segmental loss; blood loss >20% by volume	820208.4	820208.4	5
820499.2	Femoral vein NFS	820499.2	820499.2	5
820402.2	laceration; perforation; puncture NFS	820402.2	820402.2	5
820404.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	820404.2	820404.2	5
820406.3	major; rupture; transection; segmental loss; blood loss >20% by volume	820406.3	820406.3	4
820699.2	Popliteal artery NFS	820699.2	820699.2	5
820602.2	intimal tear, no disruption	820602.2	820602.2	5
820604.2	laceration; perforation; puncture NFS	820604.2	820604.2	5
820606.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	820606.2	820606.2	5
820608.3	major; rupture; transection; segmental loss; blood loss >20% by volume	820608.3	820608.3	5
820899.2	Popliteal vein NFS	820899.2	820899.2	5
820802.2	laceration; perforation; puncture NFS	820802.2	820802.2	5
820804.2	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	820804.2	820804.2	5
820806.3	major; rupture; transection; segmental loss; blood loss >20% by volume	820806.3	820806.3	4

^f New descriptor in AIS 2005 that allows classification of trauma by body region but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
821099.1	Other named arteries NFS [e.g., tibial, peroneal]	821099.1	821099.1	5
821002.1	intimal tear, no disruption	821002.1	821002.1	5
821004.1	laceration; perforation; puncture NFS	821004.1	821004.1	5
821006.1	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	821006.1	821006.1	5
821008.3	major; rupture; transection; segmental loss; blood loss >20% by volume	821008.3	821008.3	5
821299.1	Other named veins NFS [e.g., saphenous]	821299.1	821299.1	5
821202.1	laceration; perforation; puncture NFS	821202.1	821202.1	5
821204.1	minor; superficial; incomplete circumferential involvement; blood loss ≤20% by volume	821204.1	821204.1	5
821206.3	major; rupture; transection; segmental loss; blood loss >20% by volume	821206.3	821206.3	4

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
NERVES				
A diagnosis of nerve palsy or neuropraxia should be coded as a contusion to the specific nerve.				
830099.9	Nerve injury in lower extremity NFS ^f	None	None	
830299.1	Digital nerve NFS	830299.1	830299.1	5
830202.1	contusion	830202.1	830202.1	5
830204.1	laceration	830204.1	830204.1	5
830399.2	Femoral nerve NFS ^w	830699.2	830699.2	5
830302.2	contusion	830602.2	830602.2	5
830304.2	laceration; avulsion NFS	830604.2	830604.2	3
830306.2	with motor loss	830610.2	830610.2	2
830599.2	Peroneal nerve NFS ^w	830699.2	830699.2	5
830502.2	contusion	830602.2	830602.2	5
830504.2	laceration; avulsion NFS	830604.2	830604.2	3
830506.2	with motor loss	830610.2	830610.2	2
830499.2	Sciatic nerve NFS	830499.2	830499.2	1
830402.2	contusion	830402.2	830402.2	3
830404.3	laceration NFS	830404.3	830404.3	5
830406.3	incomplete	830406.3	830406.3	2
830408.3	complete	830408.3	830408.3	1
830699.2	Tibial nerve NFS ^w	830699.2	830699.2	5
830602.2	contusion	830602.2	830602.2	5
830604.2	laceration; avulsion NFS	830604.2	830604.2	3
830606.2	with motor loss	830610.2	830610.2	2

^f New descriptor in AIS 2005 that allows classification of trauma by body region but does not allow assigning a severity code.

^w Femoral, peroneal and tibial nerves were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
	MUSCLES, TENDONS, LIGAMENTS			
840099.9	Muscle, tendon, ligament injury NFS^f	None	None	
840200.2	Achilles tendon tear; avulsion NFS	840200.2	840200.2	4
840202.2	partial disruption	840202.2	840202.2	5
840204.2	complete disruption	840204.2	840204.2	4
840400.2	Collateral ligament tear; avulsion NFS ^x	None	None	5
840402.2	ankle	840402.2	840402.2	5
840403.2	partial disruption	840402.2	None	4
840404.2	complete disruption	840402.2	None	4
840405.2	knee	840404.2	840404.2	5
840406.2	partial disruption	840404.2	None	5
840407.2	complete disruption	840404.2	None	5
840500.2	Cruciate ligament [anterior or posterior] tear; avulsion NFS ^x	840404.2	None	5
840501.2	partial disruption	840404.2	None	5
840502.2	complete disruption	840404.2	None	5
840300.2	Meniscus tear; avulsion NFS	850822.2	850822.2	5
840600.1	Muscle tear; avulsion NFS	840600.2 ^b	840600.2 ^b	5
840601.1	partial disruption	840600.2 ^b	None	5
840603.2	complete disruption	840600.2	840600.2	4
840602.1	contusion; strain	840602.1	840602.1	
840800.2	Tendon [other than Achilles or patellar] tear; avulsion	840802.2	840802.2	4
840801.2	partial disruption	840802.2	None	4
840802.2	complete disruption	840802.2	None	3
841000.2	Patellar tendon tear; avulsion	841002.2	841002.2	4
841001.2	partial disruption	841002.2	None	4
841002.2	complete disruption	841004.2	841004.2	4

^b Change in severity code in AIS 2005

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

^x Collateral and cruciate ligaments were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
JOINTS				
870099.9	Lower extremity joint injury NFS^f	None	None	
873099.1	Hip joint NFS	850699.1	850699.1	5
873089.1	open ^a	850699.1	None	2
873010.1	sprain	850606.1	850606.1	5
873020.1	subluxation	850610.2 ^b	None	5
873030.2	dislocation	850610.2	850610.2	4
873031.2	open ^a	850610.2	None	2
873032.2	no articular cartilage involvement	850614.2	850614.2	4
873033.2	open ^a	850614.2	None	2
873034.2	with articular cartilage involvement	850618.2	850618.2	4
873035.2	open ^a	850618.2	None	2
874099.1	Knee joint NFS	850899.1	850899.1	5
874089.1	open ^a	850899.1	None	5
874010.1	sprain	850826.2 ^b	850826.2 ^b	5
874020.1	subluxation	850806.2 ^b	None	5
874030.2	dislocation NFS	850806.2	850806.2	2
874031.2	open ^a	850806.2	None	2
874032.2	no articular cartilage involvement	850810.2	850810.2	2
874033.2	open ^a	850810.2	None	2
874034.2	with articular cartilage involvement	850814.2	850814.2	2
874035.2	open ^a	850814.2	None	2
877199.1	Ankle joint NFS	850299.1	850299.1	5
877189.1	open NFS ^a	850299.1	None	4
877110.1	sprain	850206.1	850206.1	5
877120.1	subluxation	850210.2 ^b	None	5
877130.2	dislocation NFS	850210.2	850210.2	4
877131.2	open ^a	850210.2	None	4
877132.2	no articular cartilage involvement	850214.2	850214.2	4
877133.2	open ^a	850214.2	None	4
877134.2	with articular cartilage involvement	850218.2	850218.2	4
877135.2	open ^a	850218.2	None	3

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use the following category if no specific joint of the foot is described.				
870499.1	Forefoot joint NFS	850400.1	850400.1	3
870489.1	open ^a	850400.1	None	3
870410.1	sprain	850404.1	850404.1	5
870420.1	subluxation	850402.1	None	5
870430.1	dislocation NFS	850402.1	850402.1	3
870431.1	open ^a	850402.1	None	3
877799.1	Midtarsal joint NFS^z	851299.1	851299.1	4
877789.1	open ^a	851299.1	None	4
877710.1	sprain	851202.1	851202.1	5
877720.1	subluxation	851203.1	None	5
877730.1	dislocation NFS [<i>Chopart's</i>]	851203.1	851203.1	4
877731.1	open ^a	851203.1	None	4
877732.1	no articular cartilage involvement	851204.1	851204.1	4
877733.1	open ^a	851204.1	None	4
877734.1	with articular cartilage involvement	851206.1	851206.1	4
877735.1	open ^a	851206.1	None	4
877299.1	Subtalar joint NFS^z	851299.1	851299.1	4
877289.1	open ^a	851299.1	None	4
877210.1	sprain	851202.1	851202.1	4
877220.1	subluxation	851203.1	None	5
877230.1	dislocation NFS	851203.1	851203.1	4
877231.1	open ^a	851203.1	None	4
877232.1	no articular cartilage involvement	851204.1	851204.1	4
877233.1	open ^a	851204.1	None	4
877234.1	with articular cartilage involvement	851206.1	851206.1	4
877235.1	open ^a	851206.1	None	4

^a New descriptor in AIS 2005

^z Midtarsal (transtarsal or transverse tarsal), subtalar and tarsometatarsal (transmetatarsal) joints were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
878099.1	Tarsometatarsal joint NFS^z	851299.1	851299.1	3
878089.1	open ^a	851299.1	None	3
878010.1	sprain	851202.1	851202.1	4
878020.1	subluxation	851203.1	None	5
878030.1	dislocation NFS [<i>Lisfranc</i>]	851203.1	851203.1	3
878031.1	open ^a	851203.1	None	3
878032.1	no articular cartilage involvement	851204.1	851204.1	3
878033.1	open ^a	851204.1	None	3
878034.1	with articular cartilage involvement	851206.1	851206.1	3
878035.1	open ^a	851206.1	None	3
878199.1	Metatarsophalangeal or interphalangeal joint NFS	851099.1	851099.1	5
878189.1	open ^a	851099.1	851099.1	5
878150.1	Great Toe NFS^y	851099.1	851099.1	4
878151.1	sprain	851002.1	851002.1	5
878153.1	subluxation	851006.1	None	5
878154.1	dislocation NFS	851006.1	851006.1	4
878155.1	open ^a	851006.1	None	4
878156.1	no articular cartilage involvement	851010.1	851010.1	4
878157.1	open ^a	851010.1	None	4
878158.1	with articular cartilage involvement	851014.1	851014.1	4
878159.1	open ^a	851014.1	None	4
878160.1	Other Toe, single or multiple, NFS^y	851099.1	851099.1	5
878161.1	sprain	851002.1	851002.1	5
878163.1	subluxation	851006.1	None	5
878164.1	dislocation NFS	851006.1	851006.1	5
878165.1	open ^a	851006.1	None	5
878166.1	no articular cartilage involvement	851010.1	851010.1	5
878167.1	open ^a	851010.1	None	5
878168.1	with articular cartilage involvement	851014.1	851014.1	5
878169.1	open ^a	851014.1	None	5

^a New descriptor in AIS 2005

^y Great toe and other toes were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence, the duplication of AIS98 matching codes.

^z Midtarsal (transtarsal or transverse tarsal), subtalar and tarsometatarsal (transmetatarsal) joints were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence, the duplication of AIS98 matching codes.

SKELETAL**Classification of Long Bone Fractures**

Long bone fractures are classified as to their location on the bone (i.e., proximal, shaft [diaphyseal] or distal). Proximal and distal fractures are further classified by the extent of articular (joint) involvement, and shaft fractures are classified by their degree of complexity. For long bone shaft fractures, “complex” means multifragmentary. Other clinical descriptions are: spiral, segmental, irregular or comminuted. Selected anatomical drawings and a sample of specific long bone fractures are included to aid the AIS user in becoming familiar with these classification changes and with contemporary orthopedic trauma terminology. The Introduction to the AIS dictionary includes further notes describing the changes.

CODING RULES: Lower Extremities

For patients who die before any radiology is done and no autopsy is performed, a clinical diagnosis of a fracture made by detecting obvious instability of an extremity is acceptable for AIS coding. (Example: leg fracture NFS, 852002.2, if neither tibia nor fibula is named. Alternatively, tibia fracture NFS, 854000.2, or fibula fracture NFS, 854441.2, if known.)


An ankle fracture is a poorly-stated diagnosis. The ankle is a joint and, strictly speaking, cannot be fractured. A diagnosis of ankle fracture with no further detail should be coded as a leg fracture NFS, 852002.2.

Use one of the following three descriptors if specific anatomical information is unknown.


850099.9	Lower Extremity fracture NFS ^f	None	None	
852002.2	Leg fracture NFS	852002.2	852002.2	5
852004.2	Foot fracture NFS	852000.2	852000.2	5

^f New descriptor in AIS 2005 that allows classification of trauma by body region, but does not allow assigning a severity code.


BONE:
Femur




LOCATION: Proximal segment




TYPES:
Trochanteric area




Neck




Head




LOCATION: Shaft [diaphyseal] segment



TYPES:
Simple




Wedge




Complex




LOCATION:
Distal segment





TYPES:
Extra-articular →





Examples:



Partial articular →




Complete articular →




AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
853000.3	Femur fracture, NFS	851800.3	851800.3	5
853001.3	open NFS	851801.3	851801.3	5
853111.3	Proximal Femur fracture NFS	851800.3	851800.3	4
853112.3	open NFS	851801.3	851801.3	4
853151.3	trochanteric; intertrochanteric	851810.3	851810.3	4
853152.3	open	851810.3 ^{aa}	851810.3 ^{aa}	4
853161.3	femoral neck	851812.3	851812.3	4
853162.3	open	851812.3 ^{aa}	851812.3 ^{aa}	4
853171.3	femoral head; <i>Pipkin</i>	851808.3	851808.3	2
853172.3	open	851808.3 ^{aa}	851808.3 ^{aa}	2
853221.3	Femur Shaft fracture NFS	851814.3	851814.3	5
853222.3	open	851814.3 ^{aa}	851814.3 ^{aa}	5
853251.3	simple; spiral; oblique; transverse; <i>Winquist I</i>	851814.3	851814.3	5
853252.3	open	851814.3 ^{aa}	851814.3 ^{aa}	5
853261.3	wedge; "butterfly"; <i>Winquist II or III</i>	851814.3	851814.3	5
853262.3	open	851814.3 ^{aa}	851814.3 ^{aa}	5
853271.3	complex; comminuted; segmental; <i>Winquist IV</i>	851814.3 ^{aa}	851814.3 ^{aa}	4
853272.3	open	851814.3 ^{aa}	851814.3 ^{aa}	4
853331.3	Distal Femur fracture NFS	851800.3	851800.3	3
853332.3	open	851801.3	851801.3	3
853351.3	extra-articular; supracondylar	851822.3	851822.3	3
853352.3	open	851822.3 ^{aa}	851822.3 ^{aa}	3
853361.3	partial articular; condylar; <i>Hoffa</i>	851804.3	851804.3	3
853362.3	open	851804.3 ^{aa}	851804.3 ^{aa}	3
853371.3	complete articular; bicondylar; T-shaped; Y-shaped	851800.3	851800.3	2
853372.3	open	851801.3 ^{aa}	851801.3 ^{aa}	2

^{aa} Also matches with 851801.3


BONE:
Tibia/
Fibula




LOCATION: Tibia
Proximal segment




TYPES:
Extra-articular




Partial articular



Complete articular




LOCATION: Tibia
Shaft [diaphyseal]
segment




TYPES:
Simple




Wedge




Complex



LOCATION: Tibia
Distal segment




TYPES:
Extra-articular →






Partial articular →



Complete articular →



Examples:




AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
854000.2	Tibia fracture NFS	853404.2	853404.2	4
854001.3	open	853405.3	853405.3	4
854111.2	Proximal Tibia fracture NFS	853404.2	853404.2	4
854112.3	open	853405.3	853405.3	4
854151.2	extra-articular	853404.2	853404.2	4
854152.3	open	853405.3	853405.3	4
854161.2	partial articular; <i>Schatzker 1, 2, 3</i>	853404.2	853404.2	4
854162.3	open	853405.3	853405.3	4
854171.2	complete articular; plateau; bicondylar; <i>Schatzker 4,5,6</i>	853406.2	853406.2	2
854172.3	open	853408.3	853408.3	2
854221.2	Tibia Shaft fracture NFS	853420.2	853420.2	4
854222.3	open	853422.3	853422.3	4
854251.2	simple; spiral; oblique; transverse; <i>Winquist I</i>	853420.2	853420.2	4
854252.3	open	853422.3	853422.3	4
854261.2	wedge; "butterfly"; <i>Winquist II or III</i>	853420.2	853420.2	4
854262.3	open	853422.3	853422.3	4
854271.2	complex; comminuted; segmental; <i>Winquist IV</i>	853422.3 ^b	853422.3 ^b	4
854272.3	open	853422.3	853422.3	4
854331.2	Distal Tibia fracture NFS [includes medial malleolus; also pilon fracture*]	853404.2	853404.2	2
854332.3	open	853405.3	853405.3	2
854351.2	extra-articular; isolated medial malleolus	853404.2	853404.2	4
854352.3	open	853405.3	853405.3	4
854361.2	partial articular	853404.2	853404.2	2
854362.3	open	853405.3	853405.3	2
854371.2	complete articular	853404.2	853404.2	2
854372.3	open	853405.3	853405.3	2


^b Change in severity code in AIS 2005

* **Pilon fracture is an intra-articular fracture of the distal end of the tibia that occurs as a result of the talus being pushed upward into the tibial plafond.**


BONE:
Fibula




LOCATION:
Malleolar segment




TYPES:
Infrasyndesmotic



Transsyndesmotic




Suprasyndesmotic





BONE:
Patella


TYPES:
Extra-articular



Partial articular



Complete articular



AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
854441.2	Fibula [malleoli] fracture NFS	851605.2	851605.2	5
Also use this descriptor if specific anatomic location of a bimalleolar fracture is not known.				
854442.2	open	851605.2	851605.2	5
854453.2	below ankle joint (infrasyndesmotoc); isolated lateral malleolus; <i>Weber A</i>	851608.2	851608.2	5
854454.2	open	851610.2	851610.2	4
854455.2	lateral <u>and</u> medial malleoli (bimalleolar)	851612.2	851612.2	4
854456.3	open	851614.3	851614.3	4
854461.2	through joint (transsyndesmotoc); <i>Weber B</i>	851608.2	None	4
854462.2	open	851610.2	None	4
854463.2	lateral <u>and</u> medial malleoli (bimalleolar)	851612.2	851612.2	4
854464.3	open	851614.3	851614.3	4
854465.2	trimalleolar	851612.2	851612.2	4
854466.3	open	851614.3	851614.3	4
854471.2	above joint (suprasyndesmotoc); isolated shaft, head or neck; <i>Weber C</i>	851606.2	851606.2	4
854472.2	open	851606.2	None	4
854500.2	Patella fracture NFS	852400.2	852400.2	4
854501.2	open	852400.2	852400.2	4
854551.2	extra-articular	852400.2	852400.2	5
854552.2	open	852400.2	852400.2	5
854561.2	partial articular or extensor mechanism intact	852400.2	852400.2	4
854562.2	open	852400.2	852400.2	4
854571.2	complete articular or extensor mechanism disrupted	852400.2	852400.2	3
854572.2	open	852400.2	852400.2	3

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
857200.2	Talus fracture NFS ^s	853200.2	853200.2	4
857201.2	open	853200.2	853200.2	3
857251.2	extra articular; talus neck	853200.2	None	4
857252.2	open	853200.2	None	3
857261.2	fracture line into one joint surface; talus body	853200.2	None	3
857262.2	open	853200.2	None	3
857271.2	fracture line into ≥2 joint surfaces	853200.2	None	3
857272.2	open	853200.2	None	3
857300.2	Calcaneus fracture NFS ^s	851400.2	851400.2	3
857301.2	open	851400.2	851400.2	3
857351.2	extra articular	851400.2	None	3
857352.2	open	851400.2	None	3
857361.2	fracture line into one joint surface	851400.2	None	3
857362.2	open	851400.2	None	3
857371.2	fracture line into ≥2 joint surfaces	851400.2	None	3
857372.2	open	851400.2	None	3
857400.2	Navicular fracture NFS ^{bb}	852200.2	None	3
857401.2	open	852200.2	None	3
857451.2	extra articular [coronal body split, no joint involvement]	852200.2	None	4
857452.2	open	852200.2	None	4
857461.2	fracture line into one joint surface	852200.2	None	3
857462.2	open	852200.2	None	3
857471.2	fracture line into ≥2 joint surfaces	852200.2	None	3
857472.2	open	852200.2	None	3

^s Differentiation of specific anatomical sites for this injury category was less detailed in AIS98 than in AIS 2005; hence, the duplication of matching codes.


^{bb} Tarsal and metatarsal fractures were combined as one descriptor in AIS98. In AIS 2005, tarsal (navicular, cuboid and cuneiform) and metatarsal fractures are separate categories; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
857600.2	Cuboid fracture NFS ^{bb}	852200.2	None	5
857601.2	open	852200.2	None	5
857651.2	extra articular [coronal body split, no joint involvement]	852200.2	None	5
857652.2	open	852200.2	None	5
857661.2	fracture line into one joint surface	852200.2	None	5
857662.2	open	852200.2	None	5
857671.2	fracture line into ≥2 joint surfaces	852200.2	None	4
857672.2	open	852200.2	None	4
857500.2	Cuneiform fracture NFS ^{bb}	852200.2	None	3
857501.2	open	852200.2	None	5
857551.2	extra articular [coronal body split, no joint involvement]	852200.2	None	5
857552.2	open	852200.2	None	5
857561.2	fracture line into one joint surface	852200.2	None	5
857562.2	open	852200.2	None	5
857571.2	fracture line into ≥2 joint surfaces	852200.2	None	4
857572.2	open	852200.2	None	4
858100.2	Metatarsal fracture NFS ^{bb}	852200.2	852200.2	4
858101.2	open	852200.2	852200.2	4
858111.2	First Metatarsal fracture NFS	852200.2	None	4
858112.2	open	852200.2	None	4
858151.2	extra articular or shaft	852200.2	None	5
858152.2	open	852200.2	None	5
858161.2	partial articular	852200.2	None	4
858162.2	open	852200.2	None	4
858171.2	complete articular	852200.2	None	4
858172.2	open	852200.2	None	4
858121.2	One of Four Lateral Metatarsals fracture NFS	852200.2	None	4
858122.2	open	852200.2	None	4
858153.2	extra articular or shaft	852200.2	None	4
858154.2	open	852200.2	None	4
858163.2	partial articular	852200.2	None	4
858164.2	open	852200.2	None	4
858173.2	complete articular	852200.2	None	4
858174.2	open	852200.2	None	4

^{bb} Tarsal and metatarsal fractures were combined as one descriptor in AIS98. In AIS 2005, tarsal [navicular, cuboid and cuneiform] and metatarsal fractures are separate categories; hence, the duplication of AIS98 matching codes.

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
858200.1	Phalange fracture NFS	853602.1	None	5
858201.1	open	853602.1	None	5
858211.1	Great Toe NFS ^y	853602.1	None	4
858212.1	open	853602.1	None	4
858251.1	extra articular or shaft	853602.1	None	5
858252.1	open	853602.1	None	5
858261.1	partial articular	853602.1	None	4
858262.1	open	853602.1	None	4
858271.1	complete articular	853602.1	None	4
858272.1	open	853602.1	None	4
858221.1	One of Lateral Four Toes NFS ^y	853602.1	None	5
858222.1	open	853602.1	None	5
858253.1	extra articular or shaft	853602.1	None	5
858254.1	open	853602.1	None	5
858263.1	partial articular	853602.1	None	5
858264.1	open	853602.1	None	5
858273.1	complete articular	853602.1	None	5
858274.1	open	853602.1	None	5

^y Great toe and other toes were combined as one descriptor in AIS98. In AIS 2005, each is a separate injury category; hence, the duplication of AIS98 matching codes.



Coding Guidelines: PELVIS

The Pelvis is divided into two anatomic structures for AIS coding: the Pelvic Ring and the Acetabulum. The Pelvic Ring is a single anatomical structure and is assigned only one fracture code depending upon the specific nature of the injury according to each fracture category as described in the dictionary. The Acetabulum may be assigned two fracture codes depending upon whether the injury is unilateral or bilateral.

Pelvic Ring

The Pelvic Ring has two arches: the posterior arch is behind the acetabular surface and includes the sacrum, sacroiliac joints and their ligaments, and posterior ilium; the anterior arch is in front of the acetabular surface and includes the pubic rami and the symphyseal joint (i.e., the line of union of the bodies of the pubic bones in the median plane).

The severity of a pelvic ring fracture is directly related to the extent of damage to the posterior arch rather than solely to which specific anatomic components are involved. However, because the recording of pelvic ring fractures is not standardized globally, some examples of anatomic descriptors are included in each injury category. These examples are not exhaustive and should be used only as guidelines. To the extent possible, the coder should seek information about the stability or instability of the fracture, described as follows, in assigning an AIS code.

Stable: fracture not involving the posterior arch; pelvic floor intact and able to withstand normal physiological stresses without displacement.

Partially Stable: posterior osteoligamentous integrity partially maintained and pelvic floor intact.

Unstable: complete loss of posterior osteoligamentous integrity; pelvic floor disrupted.


CODING RULE: Pelvis

For patients who die before any radiology is done and no autopsy is performed, a clinical diagnosis of a pelvic fracture made by detecting obvious instability is acceptable for AIS coding. In such cases, use pelvic ring fracture NFS, 856100.2.


PELVIC RING FRACTURES

Types:


Fracture, posterior
Arch intact



Fracture, incomplete
Disruption of
Posterior arch




Fracture, complete
Disruption of
Posterior arch




Examples:


Innominate bone
Avulsion fracture




Unilateral, "open
Book" fracture




Vertical
Instability




Transverse fracture
Sacrum and coccyx



Unilateral, lateral
Compression fracture



Bilateral, complete
Pelvic floor disruption




AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
856100.2	Pelvic ring fracture NFS	852600.2	852600.2	4
856101.3	open but NFS	852604.3	852604.3	2
Use one of the following two descriptors for any one or combination of the following fracture descriptions <u>if the fracture is stable</u>: ischial tuberosity; pubic ramus with or without symphysis pubis involvement; undisplaced sacrum; transverse fracture of sacrum and coccyx with or without sacrococcygeal dislocation.				
856151.2	Pelvic ring fracture, posterior arch intact; isolated fracture not destroying the integrity of the pelvic ring	852600.2	None	5
856152.3	open	852604.3	None	5
Use one of the following four descriptors for any one or combination of the following fracture descriptions <u>if the fracture is partially or vertically stable</u>: lateral compression; “open book”; symphysis pubis separation; sacroiliac joint anterior disruption; anterior compression of sacrum.				
856161.3	Pelvic ring fracture, incomplete disruption of posterior arch NFS	852604.3	None	4
856162.4	open	852604.3 ^b	None	2
856163.4	blood loss ≤ 20% by volume	852608.4	None	
856164.5	blood loss > 20% by volume	852610.5	None	
Use one of the following four descriptors for any one or combination of the following fracture descriptions <u>if the fracture is totally unstable</u>: vertical shear; pubic rami fractures with sacroiliac fracture/dislocation.				
856171.4	Pelvic ring fracture, complete disruption of posterior arch and pelvic floor NFS	852606.4	None	2
856172.4	blood loss ≤ 20% by volume	852608.4	None	
856173.5	blood loss > 20% by volume	852610.5	None	
856174.5	open	None	None	2


ACETABULUM FRACTURES

Types:


Partial articular, One column



Partial articular,
Transverse




Complete articular,
Both columns




Examples:


Posterior wall




Transverse




High




Posterior column




T-shaped




Low




Anterior



Anterior column,
Posterior hemitransverse



Involving sacroiliac joint



AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
856200.2	Acetabulum fracture NFS	852600.2	852600.2	5
856202.3	open, but NFS	852604.3	852604.3	5
856251.2	partial articular (involving one column)	852600.2	None	3
856252.3	open	852604.3	None	3
856261.2	partial articular (transverse, “T” shaped)	852600.2	None	3
856262.3	open	852604.3	None	3
856271.2	complete articular (involving both columns, with or without sacroiliac joint involvement)	852600.2	None	2
856272.3	open	852604.3	None	2

Coding Guidelines: ACETABULUM

The acetabulum is classified by anterior or posterior column. The anterior column extends from the anterior half of the iliac crest to the pubis (iliopubic). The posterior column extends from the greater sciatic notch to the ischium (ilioischial).

A partial articular fracture can be one of two types: (a) a fracture involving only one column, either anterior or posterior, with the other column remaining intact; or (b) a fracture with a transverse component but with a part of the articular surface remaining attached to the ilium.

A complete articular fracture is one in which both columns are disrupted from each other and the attachment between the articular surface and the posterior ilium no longer exists.

EXTERNAL (Skin) and THERMAL INJURIES

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
Use the following External section if specific lesion or lesion site is unknown, or if assignment of soft tissue (skin) injury to a specific body region is not required. However, the assignment of these injuries to specific body regions, where the information is available, is strongly encouraged. Assign all descriptors in External (Skin) and Thermal Injuries and Other Trauma to External body region for calculating an ISS, unless otherwise stated.				
EXTERNAL				
910000.1	Soft tissue (skin) injury NFS ^a	None	None	5
	If specific lesion (abrasion, contusion, laceration or avulsion) is unknown or not required, use above for coding any one or more collectively.			
910200.1	abrasion	910200.1	910200.1	5
910400.1	contusion; hematoma	910400.1	910400.1	5
910600.1	laceration	910600.1	910600.1	5
910800.1	avulsion	910800.2 ^b	910800.2 ^b	5
914000.1	Degloving injury	914000.1	914000.1	5
915000.1	Frostbite NFS ^a	None	None	5
915002.1	1 st degree; superficial	None	None	5
915004.2	deep; full thickness	None	None	5
915006.3	multiple body sites e.g., fingers, toes, ears	None	None	5
916000.1	Penetrating injury	916000.1	916000.1	5

^a New descriptor in AIS 2005

^b Change in severity code in AIS 2005

EXTERNAL (Skin) and THERMAL INJURIES

AIS 2005 Injury Description

⇒ AIS98

⇐ AIS98

FCI

CODING RULES: Burns

The following burn descriptions are not a substitute for a comprehensive burn scale, but are only intended as gross estimates of severity. Burns are assigned to the External body region for an ISS. Total body surface area [TBSA] is assessed by using the Diagram of Nines; e.g., one entire upper extremity is 9% of TBSA.

If burns are **only** described as **combined degrees** (e.g., 15% first and second degree) code to the most severe.

When burns occur in **varying degrees** assign an AIS code to the first degree burns separately from second and third degree burns. If second degree burns are less than 10% TBSA and/or third degree burns are $\leq 100 \text{ cm}^2$ or $> 100 \text{ cm}^2$ but $< 10\%$, then both the second and the third degree burns should be coded separately. If the combined second and third degree burns cover $\geq 10\%$ TBSA, assign the AIS code based on their combined TBSA.

Example 1: Adult sustains 40% first degree burns, 5% second degree burns and 2% third degree burns.

Code: **912002.1 for the 1st degree burns**
912006.1 for the 2nd degree burns
912008.2 for the 3rd degree burns

Example 2: Adult sustains 40% first degree burns, 15% second degree burns and 5% third degree burns.

Code: **912002.1 for the 1st degree burns**
912018.3 for the combined 2nd and 3rd degree burns

If a burn-related amputation occurs at the time of the traumatic event [direct result], code as an amputation in the Extremity body region; do not code the burn separately. If amputation is required after the event, the burn and not the amputation, which is considered treatment, is coded using this section.

Note age breaks at 1 year old for first degree and <5 years old for second and third degree burns.




Diagram of Nines

Reprinted with permission of:
American Burn Association
American College of Surgeons

EXTERNAL (Skin) and THERMAL INJURIES

AIS 2005	Injury Description		⇒AIS98	⇐AIS98	FCI
BURNS					
	<u>Degree</u>	<u>TBSA</u>			
912000.1	NFS	NFS	912000.1	912000.1	
912002.1	1 st degree; superficial if >1yo	any	912002.1	912002.1	
912003.1	≤1yo	≤50%	912003.1	912003.1	
912004.2	≤1yo	>50%	912004.2	912004.2	
912006.1	2 nd degree; partial thickness	<10%	912006.1	912006.1	
912007.1	3 rd degree; full thickness	≤100cm ² [face ≤25cm ²]	912007.1	912007.1	
912008.2	3 rd degree; full thickness	>100cm ² ; <10% [face >25cm ²]	912008.2	912008.2	
912012.2	2 nd or 3 rd degree; partial or full thickness	10-19% ^{cc}	912012.2	912012.2	
912014.3	<5yo	10-19% ^{cc}	912014.3	912014.3	
912018.3	2 nd or 3 rd degree; partial or full thickness	20-29% ^{cc}	912018.3	912018.3	
912020.4	<5yo	20-29% ^{cc}	912020.4	912020.4	
912024.4	2 nd or 3 rd degree; partial or full thickness	30-39% ^{cc}	912024.4	912024.4	
912026.5	<5yo	30-39% ^{cc}	912026.5	912026.5	
912030.5	2 nd or 3 rd degree; partial or full thickness	40-89%	912030.5	912030.5	
912032.6	2 nd or 3 rd degree; partial or full thickness including incineration	≥90%	912032.6	912032.6	

^{cc} Any body region

OTHER TRAUMA

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
020000.3	Asphyxia/Suffocation NFS ^a	None	None	
	Assign this category of injury to Head body region for calculating an ISS.			
020002.3	without neurological deficit	None	None	
020004.4	with neurological deficit	None	None	
020006.5	with cardiac arrest documented by medical personnel	None	None	
040099.9	Caustic Agents NFS ^f	None	None	
	Inhalation injury			
	Code under Thorax.			
	Ingestion injury			
	Code to specific organ; e.g., esophagus, stomach.			
060000.3	Drowning NFS ^a	None	None	
	Assign this category of injury to Chest body region for calculating an ISS.			
060002.3	near drowning, no neurological deficit	None	None	
060004.4	near drowning with neurological deficit	None	None	
060006.5	with cardiac arrest documented by medical personnel	None	None	
080000.2	Electrical injury NFS	919400.2	919400.2	
080002.3	with muscle necrosis	919402.3	919402.3	
080004.5	with cardiac arrest documented by medical personnel	919404.5	919404.5	
	If electrical burns involve flash, code only the electrical injury and not the associated flash skin burns.			

^a New descriptor in AIS 2005

^f New descriptor in AIS 2005 that allows classification of trauma, but does not allow assigning a severity code

AIS 2005	Injury Description	⇒AIS98	⇐AIS98	FCI
010000.1	Hypothermia NFS (primary injury, not treatment-related or sequela) ^a	None	None	
010002.1	34-35°C	None	None	
010004.2	33-32°C	None	None	
010006.3	31-30°C	None	None	
010008.4	29-28°C	None	None	
010010.5	<28°C	None	None	
012002.2	Whole Body (explosion-type) Injury NFS ^a	None	None	
012004.2	minor or superficial to skin, subcutaneous tissue and muscle with or without minor fracture(s)	None	None	
012006.4	major or extensive (>25% TBSA) to skin, subcutaneous tissue and muscle with multiple fractures and/or multiple organ injuries	None	None	
012008.6	massive; multiple organ injury to brain, thorax and/or abdomen with loss of one or more limbs and/or decapitation	None	None	

^a New descriptor in AIS 2005

DICTIONARY INDEX

Page	Anatomical Description	Section
83	Abdomen, whole area [use for Abdominal injury NFS, Penetrating or Skin]	Abdomen
38	Abducens nerve	Head
161	Acetabulum [see Pelvis]	Lower Extremity
140	Achilles tendon	Lower Extremity
38	Acoustic nerve [see Vestibulocochlear nerve]	Head
120	Acromioclavicular joint	Upper Extremity
123	Acromion [see Scapula]	Upper Extremity
88	Adrenal gland	Abdomen
59	Alveolar ridge [see also Teeth]	Face
141	Ankle	Lower Extremity
88	Anus	Abdomen
	Aorta	
84	abdominal	Abdomen
72	thoracic	Thorax
122	Arm NFS	Upper Extremity
38	Auditory nerve [see Vestibulocochlear nerve]	Head
117	Axillary artery	Upper Extremity
117	Axillary vein	Upper Extremity
45	Basal ganglion [see Cerebrum]	Head
33	Basilar artery	Head
88	Bladder (urinary)	Abdomen
117	Brachial artery	Upper Extremity
101	Brachial plexus	Spine
118	Brachial vein	Upper Extremity
73	Brachiocephalic artery	Thorax
74	Brachiocephalic vein	Thorax
41	Brain stem	Head
71	Breast	Thorax
	Bronchus	
76	distal to main stem	Thorax
76	main stem	Thorax
153	Calcaneus	Lower Extremity
56	Canaliculus (tear duct)	Face
	Carotid artery	
66	common	Neck
54	external	Face
67	“	Neck
33	internal	Head
66	“	Neck

Page	Anatomical Description	Section
35	Carotid - cavernous fistula	Head
120	Carpal [wrist] joint	Upper Extremity
131	Carpus	Upper Extremity
108	Cauda equina	Spine
35	Cavernous sinus	Head
84	Celiac artery	Abdomen
41	Cerebellum	Head
	Cerebral artery	
33	anterior	Head
33	middle	Head
34	posterior	Head
44	Cerebrum	Head
	Chest [see Thorax]	
78	Chordae tendineae [see Intracardiac chordae tendineae]	Thorax
56	Choroid	Face
123	Clavicle	Upper Extremity
159	Coccyx [see Pelvis]	Lower Extremity
140	Collateral ligament	Lower Extremity
89	Colon (large bowel)	Abdomen
56	Conjunctiva	Face
56	Cornea	Face
73	Coronary artery	Thorax
37	Cranial nerve NFS	Head
69	Cricoid cartilage [see Larynx]	Neck
140	Cruciate ligament	Lower Extremity
154	Cuboid	Lower Extremity
154	Cuneiform	Lower Extremity
76	Diaphragm	Thorax
	Digital nerve	
119	hand	Upper Extremity
139	foot	Lower Extremity
	Disc	
103	cervical	Spine
110	lumbar	Spine
106	thoracic	Spine
89	Duodenum	Abdomen
55	Ear canal	Face
55	Ear NFS	Face
120	Elbow	Upper Extremity
	Esophagus	
69	above sternal notch	Neck
77	below sternal notch	Thorax
49	Ethmoid bone [see Skull, base]	Head
56	Eye, whole organ or NFS	Face
53	Face, whole area [use for Penetrating or Skin]	Face

Page	Anatomical Description	Section
59	Facial bone(s) NFS	Face
38	Facial nerve	Head
94	Fallopian tube [see Ovarian tube]	Abdomen
137	Femoral artery	Lower Extremity
139	Femoral nerve	Lower Extremity
137	Femoral vein	Lower Extremity
147	Femur	Lower Extremity
151	Fibula	Lower Extremity
132	Finger [see Phalange]	Upper Extremity
143	Forefoot NFS	Lower Extremity
	Foot	
143	joint NFS	Lower Extremity
145	bone NFS	Lower Extremity
122	Forearm NFS	Upper Extremity
49	Frontal bone [see Skull, vault]	Head
90	Gallbladder	Abdomen
58	Gingiva (gum)	Face
121	Glenohumeral joint [see Shoulder]	Upper Extremity
57	Globe [see Sclera]	Face
39	Glossopharyngeal nerve	Head
122	Hand NFS	Upper Extremity
31	Head, whole area [use for Penetrating, Scalp, Head/Brain injury NFS, Crush]	Head
77	Heart	Thorax
141	Hip	Lower Extremity
125	Humerus	Upper Extremity
70	Hyoid bone	Neck
39	Hypoglossal nerve	Head
41	Hypothalamus [see Brain stem]	Head
90	Ileum (small bowel) [see Jejunum]	Abdomen
84	Iliac artery (common, internal, external)	Abdomen
85	Iliac vein (common, internal, external)	Abdomen
159	Ilium [see Pelvis]	Lower Extremity
55	Inner ear	Face
73	Innominate artery [see Brachiocephalic artery]	Thorax
74	Innominate vein [see Brachiocephalic vein]	Thorax
	Interphalangeal joint	
121	hand [see Metacarpophalangeal joint]	Upper Extremity
144	foot [see Metatarsophalangeal joint]	Lower Extremity
78	Intracardiac valve	Thorax
78	Intracardiac septum	Thorax
32	Intracranial vascular injury	Head
159	Ischium [see Pelvis]	Lower Extremity
90	Jejunum-ileum (small bowel)	Abdomen
129	Joint capsule NFS	Upper Extremity

Page	Anatomical Description	Section
	Jugular vein	
68	external	Neck
68	internal	Neck
91	Kidney	Abdomen
141	Knee	Lower Extremity
89	Large bowel [see Colon]	Abdomen
69	Larynx	Neck
151	Lateral malleolus [see Fibula]	Lower Extremity
145	Leg NFS	Lower Extremity
57	Lens [see Eye]	Face
93	Liver	Abdomen
133	Lower extremity, whole area [use for Penetrating, Skin, Degloving, Amputation, Crush]	Lower Extremity
78	Lung	Thorax
57	Macula	Face
81	Main stem bronchus [see Trachea]	Thorax
151	Malleolus [see Fibula]	Lower Extremity
59	Mandible	Face
61	Maxilla	Face
61	Maxillary sinus [see Maxilla]	Face
119	Median nerve	Upper Extremity
41	Medulla [see Brain stem]	Head
140	Meniscus	Lower Extremity
93	Mesentery	Abdomen
121	Metacarpophalangeal joint	Upper Extremity
131	Metacarpus	Upper Extremity
144	Metatarsophalangeal joint	Lower Extremity
	Metatarsus	
144	joint	Lower Extremity
154	bone	Lower Extremity
41	Midbrain [see Brain stem]	Head
55	Middle ear [see Inner ear]	Face
143	Midtarsal joint	Lower Extremity
58	Mouth NFS	Face
	Muscle NFS	
119	arm	Upper Extremity
140	leg	Lower Extremity
77	Myocardium [see Heart]	Thorax
153	Navicular	Lower Extremity
65	Neck, whole area [use for Penetrating or Skin]	Neck
	Nerve root	
104	cervical	Spine
111	lumbar	Spine
107	thoracic	Spine
62	Nose	Face
49	Occipital bone [see Skull, base or vault]	Head

Page	Anatomical Description	Section
38	Oculomotor nerve	Head
37	Olfactory nerve	Head
94	Omentum	Abdomen
	Optic nerve	
37	intracranial segment	Head
37	intraocular segment	Head
55	intraorbital segment	Face
62	Orbit	Face
49	Orbital roof [see Skull, base]	Head
55	Ossicular chain (ear bone)	Face
94	Ovarian tube	Abdomen
94	Ovary	Abdomen
58	Palate	Face
94	Pancreas	Abdomen
63	Panfacial	Face
49	Parietal bone [see Skull, vault]	Head
151	Patella	Lower Extremity
140	Patellar tendon	Lower Extremity
159	Pelvis	Lower Extremity
95	Penis	Abdomen
80	Pericardium	Thorax
95	Perineum	Abdomen
139	Peroneal nerve	Lower Extremity
	Phalange	
132	hand	Upper Extremity
155	foot	Lower Extremity
	Phalangeal joint	
121	hand [see Metacarpophalangeal joint]	Upper Extremity
144	foot [see Metatarsophalangeal joint]	Lower Extremity
69	Pharynx	Neck
68	Phrenic nerve	Neck
48	Pituitary gland	Head
98	Placenta [see Uterus]	Abdomen
80	Pleura	Thorax
41	Pons [see Brain stem]	Head
137	Popliteal artery	Lower Extremity
137	Popliteal vein	Lower Extremity
95	Prostate	Abdomen
159	Pubic ramus [see Pelvis]	Lower Extremity
73	Pulmonary artery	Thorax
78	Pulmonary region [see Lung]	Thorax
74	Pulmonary vein	Thorax
119	Radial nerve	Upper Extremity
128	Radius	Upper Extremity
95	Rectum	Abdomen

Page	Anatomical Description	Section
83	Rectus abdominus muscle	Abdomen
57	Retina	Face
96	Retroperitoneum	Abdomen
69	Retropharyngeal area [see Pharynx]	Neck
82	Rib cage	Thorax
111	Sacral plexus [see Nerve root]	Spine
159	Sacroilium [see Pelvis]	Lower Extremity
159	Sacrum [see Pelvis]	Lower Extremity
36	Sagittal sinus [see Superior longitudinal sinus]	Head
70	Salivary gland	Neck
32	Scalp	Head
123	Scapula	Upper Extremity
139	Sciatic nerve	Lower Extremity
57	Sclera	Face
96	Scrotum	Abdomen
78	Septum [see Intracardiac septum]	Thorax
121	Shoulder	Upper Extremity
35	Sigmoid sinus	Head
35	Sinus NFS	Head
63	Skin NFS as to body region	External
	Skull	
49	base	Head
49	vault	Head
49	Sphenoid bone [see Skull, base or vault]	Head
39	Spinal accessory nerve	Head
	Spinal cord	
102	cervical	Spine
109	lumbar	Spine
105	thoracic	Spine
96	Spleen	Abdomen
121	Sternoclavicular joint	Upper Extremity
82	Sternum	Thorax
97	Stomach	Abdomen
35	Straight sinus	Head
73	Subclavian artery	Thorax
74	Subclavian vein	Thorax
143	Subtalar joint	Lower Extremity
36	Superior longitudinal (sagittal) sinus	Head
85	Superior mesenteric artery	Abdomen
159	Symphysis pubis [see Pelvis]	Lower Extremity
153	Talus	Lower Extremity
144	Tarsometatarsal joint	Lower Extremity
63	Teeth	Face
49	Temporal bone [see Skull, base or vault]	Head
58	Temporomandibular joint	Face

Page	Anatomical Description	Section
	Tendon NFS	
119	arm	Upper Extremity
140	leg	Lower Extremity
97	Testes	Abdomen
81	Thoracic duct	Thorax
82	Thoracic wall	Thorax
71	Thorax, whole area [use for chest injury NFS, Penetrating or Skin; see also Thoracic injury, page 81]	Thorax
132	Thumb	Upper Extremity
69	Thyroid cartilage [see Larynx]	Neck
70	Thyroid gland	Neck
149	Tibia	Lower Extremity
139	Tibial nerve	Lower Extremity
155	Toe [see Phalange]	Lower Extremity
58	Tongue	Face
83	Torso	Abdomen
	Trachea	
70	above sternal notch	Neck
81	below sternal notch	Thorax
36	Transverse sinus	Head
38	Trigeminal nerve	Head
38	Trochlear nerve	Head
55	Tympanic membrane (ear drum)	Face
129	Ulna	Upper Extremity
119	Ulnar nerve	Upper Extremity
113	Upper extremity, whole area [use for Penetrating, Skin, Degloving, Amputation, Crush]	Upper Extremity
97	Ureter	Abdomen
97	Urethra	Abdomen
88	Urinary bladder [see Bladder]	Abdomen
98	Uterus	Abdomen
58	Uvea	Face
98	Vagina	Abdomen
	Vagus nerve	
86	abdomen	Abdomen
39	head	Head
68	neck	Neck
75	thorax	Thorax
	Vena Cava	
85	inferior	Abdomen
75	superior [and thoracic portion of inferior]	Thorax
	Vertebra	
103	cervical	Spine
110	lumbar	Spine
106	thoracic	Spine

Page	Anatomical Description	Section
	Vertebral artery	
34	head	Head
67	neck	Neck
	Vessels	
	<i>Each body region, except the Spine and External, has a section titled Vessels. In addition to listing specific arteries and veins, a nonspecific description is included to code vessel injuries when precise information is lacking. The coder is urged to become acquainted with these default codes by body region.</i>	
55	Vestibular apparatus	Face
38	Vestibular nerve [see Vestibulocochlear nerve]	Head
58	Vitreous	Face
70	Vocal cord	Neck
98	Vulva	Abdomen
167	Whole body injury	Other Trauma
120	Wrist [see Carpal joint]	Upper Extremity
63	Zygoma	Face
	<i>The following traumatic events to the whole body or to an entire body region are listed as follows:</i>	
81	Air Embolus	Thorax
166	Asphyxia/Suffocation	Other Trauma
165	Burns	External (Skin) and Thermal Injuries
166	Caustic Agents	Other Trauma
	Compartment Syndrome	
114	arm	Upper Extremity
134	leg	Lower Extremity
51	Concussive Injury	Head
65	Decapitation	Neck
166	Drowning	Other Trauma
166	Electrical Injury	Other Trauma
163	Frostbite	External (Skin) and Thermal Injuries
81	Hemomediastinum	Thorax
81	Hemopneumothorax	Thorax
81	Hemothorax	Thorax
167	Hypothermia	Other Trauma
80	Inhalation [see Lung]	Thorax
81	Pneumomediastinum	Thorax
81	Pneumothorax	Thorax
166	Suffocation [see Asphyxia]	Other Trauma
167	Whole Body Injury	Other Trauma