Enabling AI Browser extension for code generation

Select appropriate options under settings






Fine Tuning
MENU
Usage
Cost
API Keys
Fine-tuning
Storage
AGENTS
Test Case Generator
Playwright Converter
Settings
Profile
Logout
Fine-tuning
Train and manage custom models
1
TOTAL JOBS
1
SUCCEEDED
0
FAILED
21,316
TRAINED TOKENS
All
Successful
Failed
+ Create
FINE-TUNE ID
BASE MODEL
METHOD
STATUS
TRAINED TOKENS
CREATED
ft:gpt-4o-mini-2024-07-18:testleaf-2::DVvR...
gpt-4o-mini-2024-07-18
supervised
Succeeded
21,316
18 Apr 2026 13:40
1–1 of 1
1
10 / page


ft:gpt-4o-mini-2024-07-18:testleaf-2::DVvR2k3V
Status
Succeeded
Job ID
ftjob-BYxv3Bt96OkG3FiVe5yQKpDF
Training Method
supervised
Base Model
gpt-4o-mini-2024-07-18
Output Model
ft:gpt-4o-mini-2024-07-18:testleaf-2::DVvR2k3V
Created At
18 Apr 2026 13:40:48
Trained Tokens
21,316
Epochs
4
Batch Size
1
LR Multiplier
0.1
Seed
227765314
Training File
file-4dWyazJGkKBJnmgmCsQtzy
Re-run as Job
Close



Feature and Page class Generated :

```
Feature: Login to Salesforce

  Scenario Outline: Successful login with valid credentials
    Given I open the login page
    When I type "<username>" into the Username field
    And I type "<password>" into the Password field
    And I click the Login button
    Then I should be logged in successfully

  Examples:
    | username              | password      |
    | "user1@example.com"   | "Password123" |
    | "user2@example.com"   | "Password456" |
    | "user3@example.com"   | "Password789" |
```

```
package com.leaftaps.stepdefs;

import io.cucumber.java.en.*;
import org.openqa.selenium.*;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.*;

import java.time.Duration;

public class LoginStepDefinitions {
    private WebDriver driver;
    private WebDriverWait wait;
```

```
    @io.cucumber.java.Before
    public void setUp() {
        System.setProperty("webdriver.chrome.driver", "path/to/chromedriver"); // Set the path
to your chromedriver
        driver = new ChromeDriver();
        wait = new WebDriverWait(driver, Duration.ofSeconds(10));
        driver.manage().window().maximize();
    }

    @io.cucumber.java.After
    public void tearDown() {
        if (driver != null) driver.quit();
    }

    @Given("I open the login page")
    public void openLoginPage() {
        driver.get("https://login.salesforce.com/");
    }

    @When("I type {string} into the Username field")
    public void enterUsername(String username) {
        WebElement el =
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("username")));
        el.sendKeys(username);
    }

    @When("I type {string} into the Password field")
    public void enterPassword(String password) {
        WebElement el =
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("password")));
        el.sendKeys(password);
    }

    @When("I click the Login button")
    public void clickLogin() {
        WebElement loginButton =
wait.until(ExpectedConditions.elementToBeClickable(By.id("Login")));
        loginButton.click();
    }

    @Then("I should be logged in successfully")
    public void verifyLogin() {
        // Assuming successful login redirects to a dashboard or home page
        wait.until(ExpectedConditions.urlContains("home")); // Adjust based on actual URL
after login
        String currentUrl = driver.getCurrentUrl();
        assert currentUrl.contains("home") : "Login failed, current URL: " + currentUrl;
    }
}</password></username>
```