

## DATABASE DESIGN –EAT&EAT

### 1)Tbl\_login:

Sl_no	Attribute	Datatype	Size	Comstraints
1	Login_id*	Int		Primary key
2	User_email	varchar	200	Not NULL
3	Password	varchar	200	Not NULL
4	C_password	varchar	200	Not Null
5	User_type	varchar	200	Not Null

### 2)Tbl\_reguser:

Sl_no	Attribute	Datatype	Size	Constraints
1	User_email*	Int		Primary key
2	Login_id**	Int		Foreign key
3	User_name	Varchar	200	Not Null
4	User_phone	Varchar	200	Not Null
5	Address	Varchar	200	Not Null
6	Pincode	Int		Not Null
7	User_place	Varchar	200	Not Null
8	Password	Varchar	200	Not Null

### 3)Tbl\_Orderdetails:

Sl_no	Attribute	Datatype	Size	Constraints
1	Order_id*	Int		Primary key
2	User_email**	Varchar	200	Foreign key
3	Order_date	Date		Not Null
4	Order_totalamt	Int		Not Null
5	Order_status	Varchar	200	Not Null

### 4)Tbl\_Orderitemdetails:

Sl_no	Attribute	Datatype	Size	Constraints
1	Order_itemid*	Int		Primary key
2	Order_id**	Int		Foreign key
3	User_email**	Varchar	200	Not Null
4	Quantity	Int		Not Null
5	Price	Int		Not Null
6	Rating	Float		Not Null

### 5)Tbl\_Feedback:

<b>Sl_no</b>	<b>Attribute</b>	<b>Datatype</b>	<b>Size</b>	<b>Constraints</b>
<b>1</b>	<b>Feed_back*</b>	<b>Int</b>		<b>Primary key</b>
<b>2</b>	<b>User_email**</b>	<b>Varchar</b>	<b>200</b>	<b>Foreign key</b>
<b>3</b>	<b>Sender</b>	<b>Varchar</b>	<b>200</b>	<b>Not Null</b>
<b>4</b>	<b>Date</b>	<b>Date</b>		<b>Not Null</b>
<b>5</b>	<b>Message</b>	<b>Text</b>		<b>Not Null</b>

### 6)Tbl\_Category:

<b>Sl_no</b>	<b>Attribute</b>	<b>Datatype</b>	<b>Size</b>	<b>Constraints</b>
<b>1</b>	<b>Cat_id*</b>	<b>Int</b>		<b>Primary key</b>
<b>2</b>	<b>Cat_name</b>	<b>Varchar</b>	<b>200</b>	<b>Not Null</b>

### 7)Tbl\_Subcategory:

<b>Sl_no</b>	<b>Attribute</b>	<b>Datatype</b>	<b>Size</b>	<b>Constraints</b>
<b>1</b>	<b>Sub_id*</b>	<b>Int</b>		<b>Primary key</b>
<b>2</b>	<b>Cat_id**</b>	<b>Int</b>		<b>Foreign key</b>
<b>3</b>	<b>Sub_catname</b>	<b>Varchar</b>	<b>200</b>	<b>Not Null</b>

<b>4</b>	<b>Price</b>	<b>Int</b>		<b>Not Null</b>
----------	--------------	------------	--	-----------------

### 8)Tbl\_Cateringagency:

<b>Sl_no</b>	<b>Attribute</b>	<b>Datatype</b>	<b>Size</b>	<b>Constraints</b>
<b>1</b>	<b>Catagent_id*</b>	<b>Int</b>		<b>Primary key</b>
<b>2</b>	<b>Login_id**</b>	<b>Int</b>		<b>Foreign key</b>
<b>3</b>	<b>User_email**</b>	<b>Varchar</b>	<b>200</b>	<b>Foreign key</b>
<b>4</b>	<b>Agent_name</b>	<b>Varchar</b>	<b>200</b>	<b>Not Null</b>
<b>5</b>	<b>Agent_Address</b>	<b>Varchar</b>	<b>200</b>	<b>Not Null</b>
<b>6</b>	<b>Agent_Pincode</b>	<b>Int</b>		<b>Not Null</b>
<b>7</b>	<b>Agent_password</b>	<b>Varchar</b>	<b>200</b>	<b>Not Null</b>
<b>8</b>	<b>Agent_Cpassword</b>	<b>Varchar</b>	<b>200</b>	<b>Not Null</b>
<b>9</b>	<b>Agent_Place</b>	<b>Varchar</b>	<b>200</b>	<b>Not Null</b>

### 9)Tbl\_Cart:

Sl_no	Attribute	Datatype	Size	Constraints
1	Cart_id*	Int		Primary key
2	User_email**	Varchar	200	Foreign key
3	Catagent_id**	Int		Foreign key
4	Order_itemid**	Int		Foreign key
5	Price	Int		Not Null
6	Quantity	Int		Not Null

### 10)Tbl\_Payment:

Sl_no	Attribute	Datatype	Size	Constraints
1	Payment-id*	Int		Primary key
2	User_email**	Varchar	200	Foreign key
3	Order_id*	Int		Foreign key
4	Status	Varchar	200	Not Null
5	Price	Int		Not Null