CODE: 19MCS1007 SET-2

# ADITYA INSTITUTE OF TECHNOLOGY AND MANAGEMENT, TEKKALI (AUTONOMOUS)

I M.Tech.I Semester Regular/Supplementary Examinations, April, 2022

#### **DISTRIBUTED DATA BASES**

(Computer Science and Engineering)

Tin	ne: 3	Max Marks:60		
		Answer any FIVE questions All questions carry EQUAL marks		
1.	a)	Explain Principles of Distributed Databases	6M	
	b)	Illustrate Types of Data Fragmentation	6M	
2.	a) b)	Discuss Equivalence transformations for Queries Explain Parametric Queries	6M 6M	
3.	a)	Discuss Supporting Atomicity of Distributed Transactions	6M	
	b)	Illustrate Architectural Aspects of Distributed Transactions	6M	
4.	a) b)	Discuss Basic Concepts of reliability Explain Distributed Database Administration	6M 6M	
5.	a)	Explain Alternative Client/Server Architectures	6M	
	b)	Illustrate Object Migration	6M	
6.	a)	Discuss Multidata base Concurrency Control	6M	
	b)	Explain Query Processing Layers in Distributed Multi-DBMSs	6M	
7.	a) b)	Elaborate Integrity Constraints in Distributed Databases What are Join Queries	6M 6M	
8.	a) b)	Explain Optimistic Methods for Distributed Concurrency Control Discuss Non blocking Commitment Protocols	6M 6M	

### CODE: 19MVL1007 SET-2


### ADITYA INSTITUTE OF TECHNOLOGY AND MANAGEMENT, TEKKALI (AUTONOMOUS)

#### I M.Tech I Semester Regular/Supplementary Examinations, April, 2022 DIGITAL SYSTEMDESIGN (VLSI SystemDesign)

Time: 3 Hours Max Marks:60

#### Answer any FIVE questions All questions carry EQUAL marks

Differentiate between state transition graph and ASM chart. Draw the ASM chart of a 3-bit 7M 1. a) up/down counter. How many ASM blocks are there in the ASM chart? Describe the rules for state assignment with an example. b) 5M Give the procedural steps involved in the design of an iterative circuit. 4M2. a) What are the differences between CPLD and FPGA? What are the advantages of FPGA? b) 8M Using path sensitization method, find the test vectors for detecting stuck at faults at x6 and x9 8M 3. a) for the below given circuit



- b) Draw the logic diagram for the expression f = a.b'.c + (d'.e'). Find the test vectors for detecting 4M the faults at input line a and d using Boolean difference method.
- 4. Explain PLA minimization using multiple output prime implicant method with an example.
- 5. a) Find the minimized PLA of the following output Boolean function by a PLA minimizer. f1 = (2,4,5,6,7,10,14,15): f2 = (4,5,7,11,15)
  - b) Discuss about fault models of PLA testing. 6M
- 6. a) Examine the possibility of hazard in the OR-AND logic circuit whose Boolean function is given 7M by =  $\sum (0,2,6,7)$ . Show how the hazard can be detected and eliminated.
  - b) Discuss about state reduction in Asynchronous sequential machines. 5M
- 7. a) Discuss briefly about testable PLA design. 6M
  - b) Compare and contrast Races, Cycles and Hazards. 6M
- 8. Explain the procedure involved in PODEM Algorithm with an example. 12M

1 of 1

CODE: 19MSE1004 SET-2

## ADITYA INSTITUTE OF TECHNOLOGY AND MANAGEMENT, TEKKALI (AUTONOMOUS)

I M.Tech I Semester Regular/Supplementary Examinations, April, 2022

### ANALYTICAL AND NUMERICAL METHODS FOR STRUCTURAL ENGINEERING (Structural Engineering)

Time: 3 Hours Max Marks:60

#### Answer any FIVE questions All questions carry EQUAL marks

- 1 a) Find the positive root of the equation  $x^3 5x + 1 = 0$ . Using Bisection method correct upto 3 6M decimal places.
  - b) Using N-R method find Square root of a number. Apply the methods to N = 24 to obtain the square root correct to 2 decimals.

6M

6M

6M

2 a) A function f(x) is given by the following table

X 0 2 3 4 5 1 6 f(x)176 185 194 203 212 220 229

Obtain the value of f(x) at x = 0.6

b) Use Gauss backward interpolation formula to find f(32), given that f(25) = 0.2707, f(30) = 0.3027, f(35) = 0.3386, f(40) = 0.3794.

a) From the following table values of x and  $y = e^x$  interpolate values of y when x = 1.91

 x
 1.7
 1.8
 1.9
 2.0
 2.1
 2.2

 y
 5.4739
 6.0496
 6.6859
 7.3891
 8.1662
 9.0250

b) The following table gives the values of  $\log_{10} x$ . Obtain the value of  $\log_{10} 301$ 

 x
 300
 304
 305
 307

  $\log_{10} x$  2.4771
 2.4829
 2.4843
 2.4871

4 a) The population of a certain town (as obtained from census data) is shown in the following table. 6M Estimate the rate of growth of the population in the year 1981.

Year(x)	1951	1961	1971	1981	1991
Population in	19.96	39.65	58.81	77.21	94.61
thousands(y)					

b) Obtain the first and second derivatives of the function given below at the point x = 1.2 using 6M Stirling's central difference formula.

X	1.0	1.1	1.2	1.3	1.4
f(x)	0.841	0.891	0.932	0.963	0.985

5 Evaluate the following integral  $\int_0^2 e^{-x^2} dx$ , by using Trapezoidal rule and Simpson's 3/8 rule 12M

.

3

CODE: 19MSE1004 SET-2

- 6 a) Given  $\frac{dy}{dx} = -xy^2$ , y(0) = 2. Compute y(0.2) in steps of 0.1 using modified Euler's method.
  - b) Solve:  $\frac{dy}{dx} = xe^y$ , y(0) = 0 by Picard's method and estimate y(0.1), y(0.3), and y(1).
- 7 a) Given  $\frac{dy}{dx} = x^2 + y^2$  with y(0) = 0. Estimate y(0.4) using Runga-Kutta fourth order method.
  - b) Use Gauss Seidel method to perform three iterations for solving the equations 6M 8x + y + z = 1; x 5y + z = 16; and x + y 4z = 7.
- Calculate seven iterations of the power method with scaling to approximate a dominant eigenvector of the matrix  $A = \begin{bmatrix} 1 & 2 & 0 \\ -2 & 1 & 2 \\ 1 & 3 & 1 \end{bmatrix}$  Use  $x_0 = (1,1,1)$  as the initial approximation

2 of 2