
The Big Picture

who talks to what



← tech stack at a glance

Frontend

- React 18
- Next 14 App Router
- Plain CSS + CSS modules
- Fonts: Tilt Neon, TikTok Sans

Backend

- Next route handlers
- Mongoose 9 models
- JWT (7 days) + cookies
- bcryptjs hashing

Integration

- FBR Bridge HTTP client
- 35 s default timeout
- Receipts audit log
- Sandbox / Production

Reporting

- Asia/Karachi months
- Admin / Accountant / Supervisor
- CSV export (supervisor)
- Print-ready A4 modals

Quality

- yarn lint
- test:admin · test:company
- test:supervisor
- Mock-API browser checks

Layers + Folder Map

top to bottom

request

1 Pages & Components

app//page.js · components/***

React client components, reducers, CSS modules

2 Layout Shells

AdminSidebar · AdminTopbar · PortalShell

Role shells: nav, search, account menu, mobile drawer

3 API Route Handlers

*app/api/**/route.js*

Parse request → guard → validate → model → JSON

4 Auth Guards

*lib/auth/**

getCurrentUser · requireAdmin · requireCompanyUser · requireSupervisor

5 Domain Logic

lib/validators · lib/taxmission · lib/fbr

Rules, totals, scenario profiles, FBR mapping, stats

6 Data Models

models/.js · lib/mongodb.js*

Company · User · Submission · FbrReceipt · InvoiceItem · ReferenceData

response ↑

lib/fbr

- bridgeClient.js HTTP client
- mapSubmissionToInvoice.js
- scenarioProfiles.js SN018/SN019
- fbrStatus.js · exampleInvoice.js

lib/validators + taxmission

- submissionValidator (shared client + server)
- companyValidator · userValidator
- calculateInvoiceTotals
- prepareFbrPayload

lib/{admin,company,supervisor}

- dashboardStats.js builders
- reportingPeriods (Karachi tz)
- readAccess · syncCompanyPersonnel

styles/ + public/images


- variables.css · print.css
- sidebar / hero / login art
- CSS modules per portal

rule: pages never touch the database directly

Login, JWT + Role Guards

who may do what

Login sequence



Cookie flags

- httpOnly · sameSite=lax · path=/
- secure in production · 7 day maxAge

Safe failures

- Wrong user/password → 401
- Inactive user/company → 403
- No password set → 401

Two roles, three personas

- super_admin → /admin/dashboard
- company_user + accountant → /company/dashboard
- company_user + supervisor → /supervisor/dashboard

Passwords

- bcryptjs hash
- ≥ 8 chars for supervisors
- verify-password gate for deletes

On every API request

1. cookies().get("auth_token")
2. verifyToken(JWT)
3. User.findById → must be active
4. company_user ⇒ Company must be active
5. requireX() → role check or 403

Live checks

- Role changes take effect immediately
- Deleted / inactive users lose access
- No trust in stale JWT claims

Access matrix


Area	Admin	Accountant	Supervisor
/admin/* + API	✔	✘	✘
/company/* + API	✘	✔	✘
/api/fbr/submit	✘	✔	✘
/supervisor/* (GET only)	✘	✘	✔
/api/auth/*	✔	✔	✔

Every query is tenant-scoped

- Company routes always filter by companyId from the session
- Supervisor APIs: GET only, no-store cache, safe company fields, no FBR tokens

Submit an Invoice to FBR

end-to-end sequence



Headers sent to the bridge

- Authorization · X-Request-ID
- X-Idempotency-Key = <id>:submit
- X-FBR-Environment · X-FBR-Token (opt.)

Token selection

- production → fbrProductionToken
- sandbox → fbrSandboxToken
- empty → header omitted

Always logged

- FbrReceipt created for
- success AND failure

Result

- ok → status submitted
- else → status failed
- submittedAt stamped

API + Page Route Map

47 endpoints

ARCHITECTURE 5/5

Admin /api/admin

requireAdmin

- GET /stats · /search?q=
- GET POST /companies
- GET PUT DEL /companies/[id]
- GET POST /users
- GET PUT DEL /users/[id]
- GET /submissions · /submissions/[id]
- GET POST /reference-data
- PUT DEL /reference-data/[id]

Accountant /api/company

requireCompanyUser

- GET /profile · /stats
- GET POST /invoice-items
- PUT DEL /invoice-items/[id]
- GET POST /submissions
- GET PUT DEL /submissions/[id]
- POST /submissions/[id]/validate
- POST /submissions/[id]/prepare-payload
- POST /submissions/[id]/submit (placeholder)

Supervisor /api/supervisor

requireSupervisor

- GET /stats · /profile
- GET /submissions · /fbr-invoices
- GET read-only, company-scoped, no-store

the real FBR push lives here ↓

FBR /api/fbr

requireCompanyUser

- POST /submit → bridge + receipt
- GET DEL /receipts · /receipts/[id]

Auth /api/auth

public / session

- POST /login · /logout
- GET /me
- POST /change-password · /verify-password

Shared

session

- GET /api/reference-data (dropdown lists)
- POST /api/seed (setup, secret key)

UI page routes

Admin

/admin/dashboard
/admin/companies · /new · /[id]
/admin/users · /new · /[id]
/admin/submissions · /[id]
/admin/reference-data

Accountant

/company/dashboard
/company/submissions/new · /[id]
/company/records (submissions)
/company/fbr-records · invoice-items
/company/profile

Supervisor

/supervisor/dashboard
/supervisor/submissions
/supervisor/fbr-invoices
/supervisor/profile


Conventions

- Dynamic segments use [id] folders · routes export GET / POST / PUT / DELETE functions
- Guards return { error } 403 early · dashboards add Cache-Control: no-store · pages redirect by role

tip: green GET = read-only

Entity Relationship Map

6 collections · MongoDB



Tenant key = companyId

- on User, Submission, FbrReceipt, InvoiceItem

How to read

- PK primary key · FK reference
- UQ unique · ENUM fixed values
- EMB embedded sub-document
- N : 1 = many to one

No SQL joins — refs via Mongoose

All collections have

- createdAt / updatedAt
- (Mongoose timestamps)

SUBMISSION = ONE INVOICE

header + itemList[]

Submission · header

FK	companyId	ObjectId
FK	createdBy	ObjectId
	submissionType	String
	scenarioId	SN018|SN019
ENUM	fbrEnvironment	sandbox|prod
	taxPeriodMonth	Number
	taxPeriodYear	Number
	invoiceType	String
	invoiceDate	YYYY-MM-DD
	invoiceNumber	String

Submission · totals + state

	totalSaleValue	Number
	totalTaxAmount	Number
	totalBillAmount	Number
ENUM	status	enum (5)
ENUM	validationStatus	enum (3)
	validationErrors	[String]
	fbrPayload	Mixed
	fbrResponse	Mixed
	submittedAt	Date

Status values

- draft → validated
- → ready_for_submission
- → submitted | failed

Submission · parties

	sellerBusinessName	String
	sellerNTN	String
	sellerProvince	String
	sellerAddress	String
	buyerBusinessName	String
	buyerNTN	String
	buyerCNIC	String
	buyerProvince	String
	buyerAddress	String
	buyerType	String

One invoice per submission

- Seller comes from the top level
- Buyer comes from the FIRST item row
- Every row becomes items[]

Calculated on save

- saleValue = qty × unitPrice
- taxAmount = saleValue × taxRate / 100
- totalBill = Σ saleValue + Σ taxAmount

validationStatus

- pending · valid · invalid

itemList[] · price & sale

EMB	itemSNo	Number
	itemDescription	String
	hsCode	String
	uom	String
	quantity	Number
	unitPrice	Number
	saleValue	Number
	taxRate	Number
	taxAmount	Number
	saleType	String
	discount	Number
	totalValueOfSales	Number
	fixedNotifiedValue	Number

Item row ≈ 33 fields

- embedded array — no _id join
- edited as a grid in the UI

Typed carefully

- NTN: 7 alphanumerics
- CNIC: 13 digits
- dates stored YYYY-MM-DD strings
- fbrPayload keeps the exact JSON sent
- fbrResponse keeps bridge envelope

itemList[] · tax, buyer, SRO

	extraTax	Number
	furtherTax	Number
	fedPayable	Number
	stWithheldAtSource	Number
	sroScheduleNo	String
	sroItemSerialNo	String
	buyerNTN / CNIC	String
	buyerBusinessName	String
	buyerType	String
	buyerProvince	String
	sellerProvince	String
	buyerAddress	String
	invoiceType·No·Date	String
	invoiceReferenceNo	String
	reasons · reasonRemarks	String
	petroleumLevyOn	String

Why embed items?

- An invoice is read and written as a whole
- One round-trip loads the form
- Print modals and FBR mapping read one doc
- Totals live beside the rows they sum

Company · User · Branch

tenants and people

Company · FBR registration

registrationNo	String
referenceNo	String
salesTaxRegistered	Boolean
salesTaxRegisteredDate	String
category	String
ppRegIncNo	String
registeredOn	String
taxOffice	String
incomeTaxStatus	String
salesTaxStatus	String

* means required

- Company: name, legalName, ntn, province, address
- User: fullName, email, role

Who is who

- super_admin → no company
- company_user + accountant → creates invoices
- company_user + supervisor → read-only reports

Supervisor sign-in

- Needs a password set by an admin
- ≥ 8 chars, bcrypt hashed
- blank on edit = keep existing

Company · identity & integration

	companyName *	String
	legalName *	String
	ntn *	String
	strn	String
	province *	String
	address *	String
	email · cell	String
	fbrSandboxToken	String
	fbrProductionToken	String
EMB	branches[]	Branch
ENUM	status	active|inactive|suspended
EMB	settings{ }	Object
FK	createdBy	ObjectId

Branch (embedded in Company)

name	String
address	String
principalActivity	String

settings (embedded object)

defaultInvoiceType	String
defaultTaxRate	Number
allowSubmission	Boolean

Company status

- active · inactive · suspended

User

PK	_id	ObjectId
	fullName *	String
UQ	email *	String (lowercase)
	phone	String
	password	String (bcrypt hash)
ENUM	role *	super_admin | company_user
ENUM	personnelType	accountant | supervisor | null
FK	companyId	ObjectId → Company
ENUM	status	active | inactive
	lastLoginAt	Date
FK	createdBy	ObjectId → User

Safety checks at runtime

- inactive user → blocked
- inactive company → blocked
- role + personnel re-read from DB

FBR tokens

- One token per environment
- Production never reuses the sandbox token
- Empty token → bridge default

Personnel sync

- lib/personnel/syncCompanyPersonnel keeps
- company contacts ↔ user accounts aligned

Receipts · Items · Reference Data

audit + lookup lists

FbrReceipt (audit log)

FK	companyId	ObjectId → Company
FK	createdBy	ObjectId → User
FK	submissionRef	ObjectId → Submission
	submissionId	String
ENUM	action	validate | submit
	invoicePayload	Mixed (JSON sent)
	success	Boolean
	mock	Boolean
	environment	sandbox | production
	requestId	String
	httpStatus	Number
	fbrResponse	Mixed
	errorCode	String
	errorMessage	String
	rawEnvelope	Mixed
	receivedAt	Date

rawEnvelope (bridge response)

```
{
"success": true,
"requestId": "...uuid...",
"httpStatus": 200,
"environment": "sandbox",
"mock": false,
"fbrResponse": {
"validationResponse": {...},
"invoiceStatuses": [...] },
"error": { "code", "message" },
"receivedAt": "ISO date"
}
```

InvoiceItem (saved item templates)

FK	companyId	ObjectId → Company
FK	createdBy	ObjectId → User
	registrationNo *	String
	itemDescription *	String
	productDescription	String
	buyerAddress	String
	saleOriginProvinceOfSupplier	String
	destinationOfSupply	String
ENUM	type	buyer type
ENUM	status	active | inactive

index { companyId: 1, status: 1 }

Buyer type (InvoiceItem.type)

- Unregistered · Registered
- Unrecognised · Retail Consumer

Bridge error codes

- FBR_TIMEOUT (35 s default)
- FBR_NETWORK_ERROR
- FBR_UNEXPECTED_RESPONSE
- plus FBR's own status codes

Receipts never lost

- A receipt is written for success and
- failure so there is always an audit trail
- viewable under FBR Invoices

ReferenceData (dropdown values)

ENUM	type	enum (9)
	label *	String
	value *	Mixed
	extraData	Mixed {}
ENUM	status	active | inactive
FK	createdBy	ObjectId → User

ReferenceData.type values

province · invoice_type · buyer_type · tax_rate · hs_code · sale_type · document_type · uom · sro_schedule

Admin-managed lists

- Provinces, HS codes, tax rates, UOM,
- SRO schedules feed the invoice form via
- GET /api/reference-data

getFbrInvoiceStatus()

- Reads status from the envelope:
- status → statusCode → invoiceStatuses[0]
- shown as the badge in FBR Invoices


Delete is gated

- Receipt / submission deletes ask for the
- user's password (verify-password)

Status Flow + Data Mapping

life of one submission

Submission.status state machine



Dashboards count

- 5 statuses:
- draft · validated · ready · submitted · failed
- by tax period

Editable while

- status is draft or validated

On every FBR call

- FbrReceipt row + fbrResponse + fbrPayload
- stored; submittedAt only on success

Submission field → FBR invoice payload

sellerNTN	sellerNTNCNIC	item.saleValue	valueSalesExcludingST
buyerNTN | buyerCNIC	buyerNTNCNIC	item.taxAmount	salesTaxApplicable
buyerType	buyerRegistrationType	item.stWithheldAtSource	salesTaxWithheldAtSource
sellerProvince	sellerProvince (FBR name)	item.totalValueOfSales	totalValues
item.itemDescription	productDescription	item.fixedNotifiedValue	fixedNotifiedValueOrRetailPrice
item.uom	uoM	item.invoiceReferenceNo	invoiceRefNo

Type rules in the mapper

- NTN/CNIC are strings
- item.extraTax is a string
- other tax fields are numbers

Display names

- Islamabad → CAPITAL TERRITORY · KPK → KHYBER
- PAKHTUNKHWA · invoice type title-cased

Total bill (modal)

- Σ valueSalesExcludingST + Σ salesTaxApplicable
- (not Σ totalValues — that is PFAD only)

Who Does What

journeys for each role

Super Admin
/admin/*

1. Register company
- FBR registration data
- branches
- sandbox + production tokens

2. Create users
- accountants & supervisors
- set passwords
- activate / deactivate

3. Manage ref. data
- provinces · HS codes
- tax rates · UOM
- SRO schedules

4. Monitor submissions
- all companies
- status filters
- record details

5. Dashboard + search
- 10 live metrics
- Ctrl/Cmd+K search
- activity feed

Accountant
/company/*

1. Sign in
- lands on dashboard
- company-scoped data

2. Save invoice items
- reusable item templates
- per seller registration

3. Create submission
- seller · buyer · scenario
- item grid + live totals

4. Validate
- client + server rules
- fix listed errors

5. Submit to FBR
- sandbox / production
- receipt + print A4

Supervisor
/supervisor/*

1. Sign in
- password set by admin
- read-only role

2. Review dashboard
- progress · ready · failed
- financial totals


3. Search & filter
- status · environment
- paged lists

4. Open a record
- read-only modal
- print-ready A4

5. Export CSV
- all matching records
- formula-safe cells

Creating + Sending an Invoice

accountant flowchart



Form state

- useReducer: SET_FIELD · ADD_ITEM · UPDATE_ITEM · REMOVE_ITEM
- row totals recomputed on every edit

Fill sample data helper

- uses the selected scenario defaults
- for demo / testing only

Every step is company-scoped & audited

A FbrReceipt row is written for success AND failure · password confirmation protects deletes · production submits go to production token only

Validation Rulebook

lib/validators/submissionValidator.js

Header rules

- Scenario ID required
- Submission type matches scenario
- Invoice type = Sale Invoice
- Invoice date valid, not in future
- Tax period ≤ current month, ≤ 6 months old
- Seller / buyer province in FBR list
- Seller / buyer NTN or CNIC valid
- Internal document number present
- Buyer type from allowed list
- Names + addresses present
- At least one item row

Per-item rules

- Description · HS code · UOM present
- Origin + destination province
- Buyer type + document number
- Sale type matches scenario
- Quantity > 0 (max 4 decimals)
- Unit price > 0
- Tax rate between 0 and 100
- Fixed / notified value present
- SRO schedule no. present
- SRO item serial no. present

NTN / CNIC checker

`/^[0-9A-Z]{7}$/|^[0-9]{13}$/`

F443122	NTN (alphanumeric) ✓
4765371	NTN (digits) ✓
1234567890123	CNIC 13 digits ✓
12345	too short ✗

input is uppercased & stripped first

Scenario ⇄ type ⇄ sale type

- SN018 → services_fed_st_mode → "Services (FED in ST Mode)"
- SN019 → sale_tax_fed → "Services"
- other IDs: only "scenario required"

Allowed provinces (FBR names)

CAPITAL TERRITORY · PUNJAB · SINDH · KHYBER PAKHTUNKHWA · BALOCHISTAN · AZAD JAMMU AND KASHMIR · GILGIT BALTISTAN

Buyer types

Registered · Unregistered · Unregistered Distributor · Retail Consumer

Typical error messages

- Invoice date cannot be in the future
- Tax period must be within the last 6 months
- Seller NTN/CNIC must be 7 characters (NTN) or 13 numeric digits (CNIC)
- Item 2: quantity must be greater than 0
- Item 1: SRO schedule number is required

Aliases accepted

- Islamabad / ICT → CAPITAL TERRITORY
- KPK → KHYBER PAKHTUNKHWA

Two validators, one rule file

- same function runs in the browser and on the server
- plus FBR's own checks via the bridge

Tax Maths — a Worked Example

`calculateInvoiceTotals()`

Sample invoice · Scenario SN019 · Services · 16%

#	Description	Qty	Unit price	Sale value	Rate	Tax
1	Consulting services	10	5,000	50,000	16%	8,000
2	Software support	2	12,500	25,000	16%	4,000
3	Training day	1	8,000	8,000	16%	1,280

saleValue

qty × unitPrice

taxAmount

saleValue × rate ÷ 100

itemSNo

row number, auto

Rows are recalculated on every edit (UPDATE_ITEM) and again when saved.

Item 3 is deliberately 8,000 × 16% = 1,280 — shows a non-round tax.

TotalsCard

Total Sale Value
PKR 83,000.00

Total Tax Amount
PKR 13,280.00

Total Bill Amount
PKR 96,280.00

Σ saleValue

50,000 + 25,000 + 8,000
= 83,000

+

Σ taxAmount

8,000 + 4,000 + 1,280
= 13,280

=

Total Bill

83,000 + 13,280
= 96,280

Where totals show up

- form totals card
- submission & FBR modals
- dashboards & CSV exports

Good to know

- Total Bill ≠ Σ totalValues (that field is PFAD-only)
- extraTax is sent to FBR as a string; other tax fields as numbers
- Money columns stay Numbers in MongoDB; display uses 2 decimals

Reporting basis

- Monthly buckets use the TAX PERIOD month/year
- Dashboards & trend % compare current vs previous month (Asia/Karachi)
- New = activity after a zero month · 0% when both months are zero

Scenarios + Environments

what gets sent where

Scenario profiles (lib/fbr/scenarioProfiles.js)

	SN019	SN018
submissionType	sale_tax_fed	services_fed_st_mode
saleType	Services	Services (FED in ST Mode)
default HS code	9815.9000	—
default tax rate	16 %	—
SRO schedule	ICTO TABLE II	—
SRO item no.	1(i)	—

On scenario change

- submissionType set
- every item row gets saleType, HS, rate, SRO defaults


Other scenario IDs

- accepted by validator
- only "required" is checked
- add a profile to extend

Adding SN0xx later

- profile + <select> option + validator rule

Environment & token selection (/api/fbr/submit)



Env badges

Sandbox

Production

shown in records

Safety rules

- a sandbox token is NEVER sent for production (and vice-versa)
- receipt stores the environment actually selected

Headers to the bridge

- Authorization (API key)
- X-Request-ID · X-Idempotency-Key (<id>:submit)
- X-FBR-Environment
- X-FBR-Token (optional)
- timeout 35 s → FBR_TIMEOUT

Admin Dashboard — Annotated

super admin portal

FEATURES 6/10



1 · Sidebar + topbar

- 5 links, active glow
- search · activity · account

2 · 8 live metric cards

- percent vs last month
- sparklines from real data

3 · Status donut

- 5 statuses · this month / all
- year selector on chart

4 · Quick actions

- add company · add user
- submissions · reference data

5 · Tables

- recent submissions
- company ranking, scrollable

Data source

- GET /api/admin/stats
- status counts · 12-month series
- card trends · rankings

Search (Ctrl+K)

- GET /api/admin/search?q=
- bounded, escaped results
- companies · users · submissions

Layout rule

- desktop ≥ 1100 × 600 fits the viewport
- tables scroll inside cards
- mobile: stacked + drawer

Time zone

- Asia/Karachi month boundaries
- tax-period buckets

Accountant + Supervisor Dashboards

two portals · one theme

FEATURES 7/10





Accountant API

- GET /api/company/stats
- 6-month trend + status mix
- top 5 buyers by total bill

Interactions

- 3 / 6 month chart toggle
- all / this-month status
- buyer sort controls

Supervisor API

- GET /api/supervisor/stats
- read-only · company scoped
- no integration tokens

Reports

- summary CSV download
- progress counts both envs
- ready / failed links

Shared pieces

- PortalShell · PortalSidebar · Topbar wrap both portals
- PortalTheme.module.css: navy tables, badges, alerts, print reset
- mobile ≤ 960px: sidebar becomes a focus-trapped drawer

Supervisor = view only

- no create / edit / delete / submit actions
- search → opens record modal via ?record=
- CSV export contains every matching record

App palette

#4B4E6D	primary navy-purple
#FF6372	coral accent / danger
#B3B6CB	soft lavender
#F0F0F0	light app bg
#090E25	dark portal bg
#171E3A	card surface
#B4BAFF	portal primary
#FF637F	portal accent
#32E6B4	success mint
#FFC258	warning amber
#263354	table hover
#8F7BFF	chart purple

Sticky-note accents (illustrations)

Status colours

Draft · Validated · Submitted · Failed

Typography

Tilt Neon — headings

TikTok Sans — body & tables

Arial — portal form controls

H1 22px · base 15px · small 13px

Radius 6 / 10 / 14 · soft navy shadows

Sidebar 240–260px · Topbar 56–64px

Buttons & inputs

Primary · Ghost · Danger

Search companies, users... Ctrl+K

This Month ▾ · Sandbox · Production

Tables & badges

#	Buyer	Status
1	IT MISTRY	Submitted
2	Arslan	Failed
3	Walk-in	Draft
4	Test Buyer	Validated

row hover #263354 · sticky headers · inner scroll

Supplied artwork (public/images)

login_background.png
login page background

dashbord_background_styles.png
admin area backdrop

sidebar_backgroundimage.png
sidebar art


taxmission_dashboard_title_background.png
dashboard hero

Mnagae_taxmission_logo_new.png
cropped logo (login + sidebar)

***_dashbord_desing.png**
visual references only

Component Tree + Navigation

React component map



Shared building blocks

SubmissionViewModal
print-ready A4 · 2 item tables

ReceiptViewModal
FBR invoice view · totals


PasswordConfirmModal
guards deletes

PortalFilterBar
filters apply on Filter

AdminIcon
icon set for nav & cards

PortalTheme.module.css
shared portal styling

Sidebar menus



Conventions

- thin pages, logic in lib/
- CSS module per portal
- modals print via .print-area

Responsive

- ≥1100px: fixed sidebar
- <960px: drawer + stacked cards
- checked 320 → 1920px

Submission Form + A4 Print Modal

where invoices are made & shown

FEATURES 10/10

New Submission · /company/submissions/new

Seller & invoice header

Seller Registration No. * : FGK… (select)

Tax Period * : Sep 2026

Submission Type : sale_tax_fed

Scenario ID * : SN019 ▾

FBR Environment : Sandbox ▾

Auto-fill items for this seller : pick a saved item template…

Invoice items

#	Buyer	Description	HS	Qty	Price	Rate	Tax	SRO	
1	IT MISTRY	Consulting	9815.9000	10	5,000	16	8,000	ICTO T.II	×
2	IT MISTRY	Consulting	9815.9000	10	5,000	16	8,000	ICTO T.II	×
3	IT MISTRY	Consulting	9815.9000	10	5,000	16	8,000	ICTO T.II	×

+ Add item

Total Sale 83,000 | Total Tax 13,280 | Total Bill 96,280

Save Draft | Validate | Submit to FBR

ValidationErrors

- Item 2: quantity must be greater than 0
- Buyer NTN/CNIC must be 7 characters (NTN) or 13 numeric digits (CNIC)

view →

Submission / FBR Invoice (A4)

Seller
FGK Back Office · NTN 4765371
Punjab

Buyer
IT MISTRY LIMITED
Sindh

Items table 1: description · HS · qty · price · value

Items table 2: extra tax · further tax · ST withheld · SRO

Totals

Total Sale Value	83,000.00
Total Tax	13,280.00
Total Bill	96,280.00

Print area = one page: html/body capped at 281mm, modal made static, backdrop un-fixed.

beforeprint → hide siblings of the modal
afterprint → restore them
styles/print.css reveals only .print-area

forms = pen & paper, modals = A4 paper

Form layout

- seller header → item grid → totals → actions
- grid scrolls horizontally on small screens
- totals stack on mobile

Three actions

- Save Draft → POST / PUT
- Validate → /validate (draft ⇄ validated)
- Submit → save + /api/fbr/submit

Success path

- FbrSuccessModal with receipt
- view / print from FBR Invoices
- status chip turns Submitted

Print QA

- one A4 page for modals
- check Chrome & Firefox
- Receipt modal relies on CSS only