

Скачать MongoDB Community Server Download

<https://www.mongodb.com/try/download/community-kubernetes-operator>

MongoDB Community Server Download

Or, to install the Community version locally:

Version

8.2.5 (current)



Platform

Windows x64



Package

msi




Download




Copy link


More Options



Нажимаєте на next



I accept and next



Complete → next

MongoDB 8.2.5 2008R2Plus SSL (64 bit) Service Customization

Service Configuration

Specify optional settings to configure MongoDB as a service.

☒ Install MongoD as a Service

☒ Run service as Network Service user

☐ Run service as a local or domain user:

Account Domain:

Account Name:

Account Password:

Service Name:

Data Directory:

Log Directory:

< Back Next > Cancel

Install MongoD as a Servece

Run service as Network Service user

Next

MongoDB Compass

Install MongoDB Compass


MongoDB Compass is the official graphical user interface for MongoDB.

By checking below this installer will automatically download and install the latest version of MongoDB Compass on this machine. You can learn more about MongoDB Compass here: <https://www.mongodb.com/products/comp...>


☒ Install MongoDB Compass

Back Next Cancel

Next



Install




Открываєте VS code

В термінал пишете

`npm init -y`

`npm install mongoose`



Создаете файл app.js

В app.js пишете

```
const mongoose = require('mongoose');
```

```
// Адрес вашей локальной базы данных
```

```
// 'test_db' — это название базы, она создастся автоматически
```

```
const url = 'mongodb://127.0.0.1:27017/test_db';
```

```
async function connect() {
```

```
  try {
```

```
    await mongoose.connect(url);
```

```
    console.log("Успешное подключение к MongoDB!");
```

```
  } catch (err) {
```

```
    console.error("Ошибка при подключении:", err);
```

```
  }
```

```
}
```

```
connect();
```

```

JS app.js > ...
1  const mongoose = require('mongoose');
2
3  // Адрес вашей локальной базы данных
4  // 'test_db' – это название базы, она создается автоматически
5  const url = 'mongodb://127.0.0.1:27017/test_db';
6
7  async function connect() {
8      try {
9          await mongoose.connect(url);
10         console.log("Успешное подключение к MongoDB!");
11     } catch (err) {
12         console.error("Ошибка при подключении:", err);
13     }
14 }
15
16 connect();

```

Запускаете

```

PS C:\Users\Nargiza.Sailaubayeva\Desktop\123> node app.js
Успешное подключение к MongoDB!

```

Если у вас в компас не появилось то в браузере можете ввести данную ссылку
 mongodb://127.0.0.1:27017/test_db и открываете через компас и у вас выйдет так

