myAssistente Toolkit

config.json Configuration Manual

Release 4.x · English Manual

---

config.json Configuration Manual

Note: If the `config.json` file is missing, the system will generate a new default one at startup. If it is present but corrupted, the system will rename it as `config.json.bak` and create a new one.

If you change the language, the system will store the information in `config.json` and save a backup of the previous settings in `config.json.bak`.

Complete configuration can be done directly from the myAssistente user interface using the command `configure`. Please refer to the User Manual for step-by-step instructions.

All command names can be modified in the `lang_XX.json` file; refer to the **lang.json Configuration Manual** for details.

1️⃣ Configure User and Avatar

Updated to release 4.x

It is recommended to customize the assistant and user names to avoid the default `"Ciao user"` greeting.

Note: Avatar and username configuration can also be performed via the UI using the `config short` command.

> **File Path:** 📁 `_dati/configurazione.json`

```
{
  "nome_avatar": "Assistant",
  "nome_utente": "user",
  "avatar_iniziale": "benvenuto",
  "avatar_random": ["sorridente", "coniglio", "soddisfatto"],
  "avatar_finale": "ciao.mp4",
  "frase_finale": "Ciao!",
  "lingua": "en"
}
```

All avatar images (`.jpg`) and videos (`.mp4`) can be modified inside: 📁 `_dati/asset/avatar/` . The `lingua` field sets the initial language, though the system automatically stores the last language used.

2️⃣ STT / TTS Parameters

Audio settings for Text-to-Speech and Speech-to-Text.

> **Warning:** Voice data is processed using the Google API. Do not use the microphone if you require 100% privacy.

```
{
  "tts_config": {
    "engine": "auto",
    "rate": 150,
    "volume": 0.9,
    "pitch": 50,
    "voice_gender": "auto"
  },
  "stt_config": {
    "soglia_rumore": 200,
    "sample_rate": 16000,
    "max_secondi": 10,
    "silenzio_secondi": 0.5,
    "lingua": "en-US"
  }
}
```

The `"lingua": "en-US"` setting is crucial for correct Google API pronunciation. If your speakers and microphone work correctly, you do not need to modify other parameters.

3️⃣ A.I. Configuration

Optional AI parameters. The assistant will only send requests to an external AI if it does not recognize a command locally.

> **Warning:** AI integration requires an internet connection unless you have a local AI installed. Leave this disabled for maximum privacy.

```
"ai_config": {
  "enabled": false,
  "provider": "openai",
  "api_key": "",
  "model": "gpt-3.5-turbo",
  "temperature": 0.7,
  "max_tokens": 500,
  "fallback_to_ai": true
}
```

4️⃣ Shortcuts



The SHORTCUT buttons appear at the bottom right of the myAssistente interface.

Use shortcuts for your most frequent commands. Set the button label and the command to execute. If you include a trailing space (e.g., `"ok "`), the command will wait for additional parameters; otherwise, it executes immediately.

You can add multiple buttons, but a maximum of 4 will be visible at once.

```
"shortcut": [
  { "etichetta": "Quiet please", "comando": "ok" },
  { "etichetta": "Task manager", "comando": "open task" },
  { "etichetta": "Control panel", "comando": "open panel" },
  { "etichetta": "Configure", "comando": "configure short" }
]
```

Examples:
"Quiet please" interrupts the assistant during long data readouts. "Task manager" runs specific Windows OS commands (see **DocENGrel4.x-WindowsUsefulComands.md**).

5️⃣ Command Aliases

New in release 3.0: The system typically uses settings from `lang_XX.json`. Specific aliases can be defined here to persist even if the user changes the interface language.

📁 Folder Structure & Maintenance

Ensure the following file organization is maintained:

- **_dati/config.json:** Main settings.
- **_dati/memory.json:** Stored data.
- **_dati/lang_*.json:** Localization files.
- **_dati/aiml_*.json:** AIML files.
- **_dati/asset/avatar/:** Assistant images and video.

Screenshots

The Assistant using the "magazziniere" avatar.

---

myAssistente - Personal Desktop Assistant Toolkit

Author's website · © 2026 Emanuele Cassani