myAssistente

Personal Desktop Assistant - Toolkit Documentation
Release 4.X · English Manual

User Manual

Updated to release 4.X

Start up guide

- **Purpose:** This manual, guide you for the first installation and configuration of your myAssistente.
- **Prerequisites:** file myAssistente in the correct version of your O.S. or the source python file with Python installed in your machine (multiplatform)
- **Sections:** Installation, First program startup, Enjoy

> **Download** all necessary files from the Assistant gitLab project repository. English and Italian languages are included, if you need a languages (15 languages ready to use) download the lang_XX.json file from localization-file folder of the same gitLAb repositoy.

Installation

The Assistant application is portable and can be launched from any position, from the desktop or from a USB drive.

Windows

Download and unzip `myAssistente_[last release].zip`
Run `myAssistente.exe`

Linux

Download and unzip `myAssistente_[last release]_linux.zip`
Run `myAssistente`

Python

Download `myAssistente_[last release].py`
Download the complete `_dati/` folder
Make sure your Python installation has all required dependencies (see README)
Place `myAssistente_[last release].py` and the `_dati/` folder in the same directory
Run `myAssistente_[last release].py`

All Operating Systems

Optional: insert the file `lang_XX.json` of the additional languages inside the `_dati folder` (the same place were the `lang_it.json` and `lang_en.json` are located.

For customization of the default language and other parameters, please refer to the [myAssistente .json Configuration Manual]

Screenshots

Welcome screen



1) Area where to **change language**.
If the language is not correct at startup, change it using the bottom-right buttons.
NOTE: the languages inserted inside `_dati` are automatically detected by the application. The program starts with the last language selected

2) Area to **enter commands**. By pressing the microphone you can use voice commands
Note: the STT speech to Text uses **Google API**, and the information will be sent to google. For 100% privacy do not press the microphone, use text command only.
3) **Command buttons** area. If you remember the commands, you can close this sidebar using the arrow at the bottom right, next to the speaker or use buttons instead of typing/speaking the commands in the user bar.
4) **Assistant answer area**. The answer will be writte here and spoken if the

speaker is enabled. To stop the reading of the answer, enter the command `ok` or press the shortcut button "Quiet please"

Shortcut



By clicking the arrow on the right of the SHORTCUT, you can open/close your personalized shortcut commands.
All the buttons in this area are changeble (for customization, please refer to the [Assistant .json Configuration Manual](#))

Default Comands

Command	Description (lang_en.json)
`give me...<name>`	Retrieves data
`open <name>`	Opens file, link or program
`search <query>`	Searches memory
`search media <query>`	Searches picture, music and video stoers inside `_dati/asset` folder
`list memory`	Shows all entries
`configure`	Configure the config.json file
`help`	Shows available commands
`exit`	Closes the assistant
`--- MANAGE MEMORY ---`	
`learn`	Guided input
`remember <name> <data>`	Saves information

Command	Description (lang_en.json)
`remember image <name> <data>`	Saves images
`modify <name>`	Modifies an entry
`delete <name>`	Deletes an entry
`copy <name>`	Copies to clipboard
`SHORTCUT`	
List of your personalized shortcuts	
`LANGUAGE`	
`language <code>`	Changes language

> **Note** all the comands name are changable, in the lang_XX.json file, for each comand you can insert more than one word, the first one will be used in this panel, the other can be used in alternative (Example, for the same comand, you can set: search / find / bring or any word you wish, in this example the first search will appear on the comand panel)

Username and assistant name

Write or press the microphone and say:

```
user:>configure
Assistant:> Enter new value for 'parametro (es: tts_config.rate)':
user:>nome_avatar
Assistant:> nome_avatar current = 'Assistant'
Enter new value for 'nome_avatar':
  [SEND empty = cancel]
```

```
user:>Alice
Alice:> Parameter 'nome_avatar' updated to 'Alice'
Alice:> Configure other parameters? (yes/no)
What do you want to configure? Use 'configure list' to see paramete
user:> nome_utente
Alice:> nome_utente current = 'user'
Enter new value for 'nome_utente':
  [INVIO vuoto = annulla]
user:> Emanuele
Alice:> Parameter 'nome_utente' updated to 'Emanuele'
Alice:> Configure other parameters? (yes/no)
What do you want to configure? Use 'configure list' to see paramete
Emanuele:>
Alice:> Do you want to stop the configuration? (yes/no)
Emanuele:> yes
Alice:> Configuration cancelled.
```

> **Note** You can do the same setting by modifing `_dati/config.json` file (using any simple text editor like notepad).
>
> ```
> {
>  "nome_avatar": "Assistent",   <- assistent's name
>  "nome_utente": "user",        <- username
>  "avatar_iniziale": "benvenuto",
>  "avatar_random": ["sorridente","coniglio","soddisfatto"],
> ```

Documentation

Advanced documentation **IN PROGRESS** for release 4.x
The documents will be availabe in the /DOCS folder of the repository. At the

moment please refer to the documentation of previous releases

- **config.json file** to configure name of assistant and username, startup language (managed automatically by the program). STT / TTS parameters if you need to adjust parameters to microphone / speaker of your machine / OS. Optional AI configuration inserting API of your AI provider
- **memory.json file** where the assistent store (learn and remember commands) and retrive (open, search, list commands) information
- **lang_XX.json file** customise all your language configuration
- **aiml_XX.json file** advanced external AIML engine where to set conversational phrases

---