## Insert

```
MariaDB [DML_Rulida]> insert into customers (customer_id, first_name, last_name, email_address, number_of_complaints) values

-> (1 , Ivan, Rulida, 'rulidaivan@gmail.com', 3),
-> (2 , Dirk, Igcalinus, 'Dirk@gmail.com', 5),
-> (3 , Saliz, Pag-oy, 'SaligPag@gmail.com', 4);
ERROR 1054 (42S22): Unknown column 'Ivan' in 'field list'
MariaDB [DML_Rulida]> INSERT INTO customers (customer_id, first_name, last_name, email_address, number_of_complaints) VA

LUES
-> (1, 'Ivan', 'Rulida', 'rulidaivan@gmail.com', 3),
-> (2, 'Dirk', 'Igcalinus', 'Dirk@gmail.com', 5),
-> (3, 'Saliz', 'Pag-oy', 'SaligPag@gmail.com', 4);
Query OK, 3 rows affected (0.003 sec)
Records: 3 Duplicates: 0 Warnings: 0

MariaDB [DML_Rulida]>
```

#### Select

# Update

```
MariaDB [DML_rulida] > update customers set first_name = 'Ivan Dave' where customer_id = 1;
Query OK, 1 row affected (0.004 sec)
Rows matched: 1 Changed: 1 Warnings: 0
MariaDB [DML_rulida]> select * from customers;
                                                                    | number_of_complaints |
  customer_id | first_name | last_name | email_address
                 Ivan Dave
                                Rulida
                                             rulidaivan@gmail.com
                 Dirk
                                Igcalinus
                                             Dirk@gmail.com
             3 j
                 Saliz
                                Pag-oy
                                             SaligPag@gmail.com
                                                                                           4
3 rows in set (0.000 sec)
MariaDB [DML_rulida]>
```

# Delete

```
MariaDB [DML_rulida]> delete from customers where customer_id = 3;
Query OK, 1 row affected (0.002 sec)
MariaDB [DML_rulida]> select * from customers;
  customer_id | first_name |
                             last_name |
                                         email_address
                                                               | number_of_complaints
                Ivan Dave
                             Rulida
                                          rulidaivan@gmail.com
                                                                                    3
            2 |
                Dirk
                             Igcalinus
                                          Dirk@gmail.com
2 rows in set (0.000 sec)
MariaDB [DML_rulida]>|
```

## Cascade

```
MariaDB [DML_rulida]> alter table sales add constraint fk_customer_id foreign key(customer_id) references customers(cust omer_id) on delete cascade on update cascade;

ERROR 1005 (HY0000): Can't create table 'dml_rulida'.'sales' (errno: 121 "Duplicate key on write or update")

MariaDB [DML_rulida]> ALTER TABLE sales

-> ADD CONSTRAINT fk_sales_customer

-> FOREIGN KEY (customer_id) REFERENCES customers(customer_id)

-> ON DELETE CASCADE

-> ON UPDATE CASCADE;

Ourney OK 00 rows affected (0.001 cos)
Query OK, 0 rows affected (0.091 sec)
Records: 0 Duplicates: 0 Warnings: 0
 MariaDB [DML_rulida]> desc sales;
  | Field
                                                               | Null | Key | Default | Extra |
                                          | Type
                                          | int(10) | NO
| int(10) | NO
      purchase_number
                                                                                  PRI | NULL
      order_id
                                                                                   PRI
                                                                                               NULL
                                             date | YES
int(10) | YES
     date_of_purchase
                                                                                                NULL
     customer_id
                                                                                  MUL
                                                                                               NULL
  4 rows in set (0.017 sec)
```