Heterogeneity in knowledge flows across regions: Investigating patterns and mechanisms

Ashwin Iyenggar (1521001) ashwin.iyenggar15@iimb.ernet.in

February 9, 2017

1 Regression Results

The results are in Table 1

Table 1: Effect of Geographic Distribution of Citations Made on Citations Received

	(1)	(2)	(3)
	Citations Received	Citations Received	Citations Received
Citations Received			
Share Citations Made[Same Region, Same Assignee]	-0.169	-0.104	-0.134
	(0.218)	(0.623)	(0.454)
Share Citations Made[Same Region, Different Assignee]	-0.149	-0.191	-0.0919
	(0.215)	(0.458)	(0.468)
Share Citations Made[Different Region, Same Assignee]	0.217^{*}	0.266^{*}	0.348**
	(0.012)	(0.037)	(0.004)
Share Citations Made[Different Region, Different Assignee]	0.00828	0.0315	0.0179
	(0.789)	(0.499)	(0.661)
Log(Total Citations Made)	0.0180***	0.0198***	0.0134^{*}
	(0.000)	(0.001)	(0.014)
Log (Num Patents)	0.785***	0.811***	0.830***
	(0.000)	(0.000)	(0.000)
Log (Patent Pool Size)	-0.111***	-0.227***	-0.0944***
	(0.000)	(0.000)	(0.000)
Constant	-0.0711	0.673***	-0.500***
	(0.487)	(0.000)	(0.000)
Observations	9241	3885	5356
Groups	1314	529	785
Sample	All Locations (UC)	US Locations (UC)	Non-US Locations (UC

p-values in parentheses

All models include region fixed effects, year dummies and technology subcategory controls

^{*} p < 0.05, ** p < 0.01, *** p < 0.001


Table 2: Effect of Geographic Distribution of Citations Made on Citations Received

	(1)	(2)	(3)
	Citations Received	Citations Received	Citations Received
Citations Received			
Share Citations Made[Same Region, Same Assignee]	-0.169	-0.213	-0.0200
	(0.158)	(0.177)	(0.913)
Share Citations Made[Same Region, Different Assignee]	-0.0597	0.252	-0.125
	(0.593)	(0.214)	(0.351)
Share Citations Made[Different Region, Same Assignee]	0.0630	0.0570	0.185*
	(0.336)	(0.549)	(0.041)
Share Citations Made[Different Region, Different Assignee]	0.0488	0.0678*	0.0641
	(0.056)	(0.043)	(0.107)
Log(Total Citations Made)	0.0131***	0.00710	0.0126^{*}
	(0.001)	(0.184)	(0.025)
Log (Num Patents)	0.779***	0.788^{***}	0.852***
	(0.000)	(0.000)	(0.000)
Log (Patent Pool Size)	-0.128***	-0.198***	-0.123***
	(0.000)	(0.000)	(0.000)
Constant	-0.177*	0.329*	-0.748***
	(0.047)	(0.011)	(0.000)
Observations	10966	5677	5289
Groups	1590	816	774
Sample	All Locations (MSA-UC)	US Locations (MSA-UC)	Non-US (MSA-UC)

p-values in parentheses


All models include region fixed effects, year dummies and technology subcategory controls

^{*} p < 0.05, ** p < 0.01, *** p < 0.001




Same Region Flows (Aggregated over Assignees) Normalized Citations (percent) 15 10 5 0 2015 2000 2005 2010 Year of Citation Bangalore Beijing Tel Aviv-Yafo Austin-Round Rock Boston-Cambridge-Newton San Francisco-Oakland-Hayward San Jose-Sunnyvale-Santa Clara Data Source: PatentsView.org, Merged MSA-Natural Earth Data


(b) MSA-Urban Centers Data with Missing Regions Filled from location.tsv




(a) Urban Centers Data




(b) MSA-Urban Centers Data with Missing Regions Filled from location.tsv




(a) Urban Centers Data




(b) MSA-Urban Centers Data with Missing Regions Filled from location.tsv




(a) Urban Centers Data




(b) MSA-Urban Centers Data with Missing Regions Filled from location.tsv





(a) Urban Centers Data



(b) MSA-Urban Centers Data with Missing Regions Filled from location.tsv







(b) MSA-Urban Centers Data with Missing Regions Filled from location.tsv