
What this is, and the one claim it rests on


An agent composes a First-Then board from what a parent types, and cites the practice it used.

Every number in this video is in a file you can open.



The flow, in order, because the order is the design

Safety check first. Retrieval. Grounding check. Compose. Parse. Save. Review. The save comes before the review — a draft is unreviewed by definition.



Retrieval, and the mistake worth showing

The query was wrong, not the threshold

	17:09	17:49
Best evidence score	0.167	0.737
Passages reaching the Composer	3	6
Practices grounded	none	both
Citations	1 invented	4 real

Only the evidence query changed. Same message, same prompts, same threshold. The NSP extract is a reference table — a parent's narrative will never match it at any threshold.

evidence/05-retrieval-scores.md

Citations built by code, not by the model

Citations are assembled in code, and audited

```
CITATION AUDIT - each cite must name a passage actually retrieved:
  OK   triad-visual-supports-p1-3.docx, chunk 12
  OK   triad-visual-supports-p1-3.docx, chunk 13
  OK   nsp-established-treatments-p11-19.docx, chunk 3

RESULT: ALL CHECKS PASS
```

Each passage arrives with its citation already built from its own attributes. **The model copies it; it does not compose it.**

evidence/08-audit.py · re-runnable



Refusing before extracting

An ungrounded answer says so

SENT

```
My 7 year old does not want to brush her teeth in the morning.
She loves dinosaurs. Afterwards she likes to swing outside.
```

RECEIVED, VERBATIM

```
No board was made. I could not find anything in the evidence
sources for this request, and I will not write a board from memory - ever
```

evidence/02 · the flow returns before the model is called

The second agent

Draft saved - 2 things to fix before approving it.

REVIEW: revise


- FIRST_NOT_POSSIBLE (must) cards[0].label / script.Before: The obstacle says she

- THEN_ALREADY_AVAILABLE (must) plan.placement / plan.reinforcement: The

The platform parts, honestly


Two providers, four edits

Amazon Bedrock · Claude Haiku 5.5



`1,437,705 of 10,000,000 tokens a day`

Microsoft · OpenAI GPT-5.5



`23,875 of 400,000 tokens a day`


The same app, rebound in **four edits** — two agent bindings and two typed log names. Both compose valid, grounded boards. **The allowances differ by 25×.**

evidence/15 · Portal readings, 11 November

The data layer, and the criterion this does not meet

This application does not use DataFabric. There was nothing to federate.

Every entity is private; the only way in is a service action.



An agent built this, and the rule that made it safe

Every block ends with a confirm prompt

```
Read the app back to me and answer these, each with where you looked.
```

WHAT THAT CAUGHT, AND A SCREEN DID NOT

A unique index that was never created	F1
Three missing fields on a reference table	F2
A mandatory flag never set	F3

All three were in what the agent did **not** say. **A read-back is a second reading, not a test.**

mentor-build-prompts.html · 27 prompts, five blocks



Wording as a constraint, not a flourish

A test that fails if it starts sounding like a diagnosis

```
assert "diagnos"   not in REFERRAL_TEXT
assert "disorder"  not in REFERRAL_TEXT
assert "you should" not in REFERRAL_TEXT
assert "probably"  not in REFERRAL_TEXT
```

The referral text is the one thing in here a frightened parent reads. **It has its own test.**

tools/test_guardrails.py

Appendix — what it costs

What it costs, measured

Measurement	Figure	Source
One board, whole flow — escalation check, two knowledge-base searches, Composer, parse, save, Reviewer	**34,252 tokens** **31,249 in · 3,003 out · about 30 seconds**	evidence/20
Seven-board average, same session	**~28,570**	evidence/20
Thirty refusals — the safety check returns before any search and before the model	**0 tokens** **96 ms P90, against 27 s for a board**	evidence/19
Amazon Bedrock, one day's allowance	**1,437,705 / 10,000,000**	Portal, 11 Nov
Microsoft OpenAI, one day's allowance	**23,875 / 400,000**	Portal, 11 Nov

91.2% of every token is input. The cost is what we send, not what comes back — so trimming the prompt is worth three times trimming the output. And **declining is free and roughly 280 times faster than composing**, which is the cheapest thing this application does.