
QMS1 · ACME.APPDATA.QUEUE

MQ AI Agent Ticket Pipeline

From a silent queue to an actionable diagnosis



850 messages waiting · 0 applications reading

A.J. Aronoff · IBM AngelHack · October 2026

Overview: What we are building

An automated pipeline that records status, notices problems, writes the ticket, enhances the ticket for the MQ AI Agent and asks the agent what is wrong.

DETECT

Sweep every queue. Depth with nothing reading it is the state that always needs a person.

```
CURDEPTH > 0
IPPROCS = 0
```

→

TICKET

Each stuck queue becomes one ticket, carrying the MQ facts that prove it.

```
INC-0042   QMS1
850 deep, 0 readers
```

→

ENHANCE

One line is added — the line that turns a record of a problem into a question an agent can answer.

```
Diagnose Q <queue>
on Q Manager <qmgr>
```

→

DIAGNOSE

The IBM MQ AI Agent reads it, inspects the live queue manager, and names the cause and the command.

```
GET(DISABLED)
found in 20 seconds
```

Nobody has to notice first (automated: detection, ticketing, enhancement)

Detect, ticket and enhance are ours, and they run unattended. **Diagnose is IBM's MQ AI Agent, live. The fix stays a human decision.**

A queue can be 85% full with no one reading from it

850 / 1000

ACME.APPDATA.QUEUE

85% full and climbing

3600 / 4000

ACME.COMMERCE.QUEUE

last put: a week ago

NONE

Connected user applications

nothing is draining either queue

IBM MQ already knew all of this.

Every number on this slide came off the QMS1 dashboard. The gap is not visibility — it is that nothing turns what MQ already reports into something a person is handed.

Source: IBM MQ Console, queue manager QMS1, 9 October 2026, 12:30 AM

One sweep, every queue

```
echo "DISPLAY QSTATUS(*) TYPE(QUEUE) \
      CURDEPTH IPPROCS OPPROCS" \
  | runmqsc QMS1
```

THE RULE

CURDEPTH > 0 AND IPPROCS = 0

Work is waiting, and no application has the queue open for input. Nothing can drain it.

WHERE IT RUNS

One MQSC call per queue manager, on a schedule. The MQ Agent covers up to twenty queue managers; the sweep covers the same estate in one pass.

SCANNER OUTPUT · QMS1

QUEUE	DEPTH	IPPROCS	
ACME.APPDATA.QUEUE	850	0	TICKET
ACME.COMMERCE.QUEUE	3600	0	TICKET
SYSTEM.DEFAULT.LOCAL.QUEUE	0	0	ok

Two tickets, not one. The sweep found a queue we had not broken on purpose — stuck since last week.

Depths are live from QMS1. No connected user applications — IBM MQ Console, Overview.

The enhancement is one line

TICKET AS RAISED

ID	INC-0042
SOURCE	qstatus sweep
QMGR	QMS1
QUEUE	ACME.APPDATA.QUEUE
CURDEPTH	850
IPPROCS	0
SEVERITY	High

Accurate, and useless to an agent.

→

AFTER THE ENHANCER

ID	INC-0042
QMGR	QMS1
QUEUE	ACME.APPDATA.QUEUE
CURDEPTH	850

INSTRUCTION

Diagnose Q ACME.APPDATA.QUEUE
on Q Manager QMS1

Two field substitutions. That is the whole enhancer.

Template: `Diagnose Q <queue from ticket> on Q Manager <queue manager from ticket>`

The answer

SEVERITY HIGH

PRIMARY ISSUE

The queue is GET-DISABLED, so applications cannot retrieve messages. This is why the depth is growing.

CURRENT METRICS

CURDEPTH 850 / MAXDEPTH 1000 **85% full**

UNCOM 0 no in-flight transactions MONQ off no put/get timestamps


Ruled out: high uncommitted counts, trigger issues, dead-letter routing

RECOMMENDED ACTIONS

```
ALTER QLOCAL('ACME.APPDATA.QUEUE') GET(ENABLED)
```

Then: investigate why GET was disabled — recent config changes, deployments, or operational procedures.

Decomposed from the live reply. The unedited transcript is in the appendix.



as it appeared

AI

20 seconds

from the enhanced ticket to a named root cause and the exact command that fixes it.

Three other causes ruled out without being asked.

Nobody ran a single MQSC command.

The agent recommends, people still decide

BEFORE

Someone notices

A consumer team complains, or a depth alert fires. An administrator opens the console, finds the queue, reads QSTATUS, then goes looking through recent changes for why GET is off.

NOW

The ticket arrives explaining itself

The sweep finds every stuck queue, raises a ticket per queue, and the enhancer adds one instruction. The agent answers with the cause and the command.

NEXT

The agent takes the ticket directly

This version makes the ticket easy to enhance. The next version of the agent can consume that enhanced ticket itself, with remediation behind an approval step.

The fix was always one command.

Everything we built exists to get a person to it faster.

```
ALTER QLOCAL('ACME.APPDATA.QUEUE') GET(ENABLED)
```

QMS1 · ACME.APPDATA.QUEUE · DIAGNOSED

Thank you

Questions?
During questions, I'll run a recreation of the Qs
And re-ask the MQ AI agent for a diagnosis

A.J. Aronoff · IBM AngelHack · October 2026

WHAT IS NEXT

- Depth-trend detection, to catch the slow consumer
- The agent consumes the enhanced ticket directly
- Remediation behind an approval step



GET(ENABLED) · depth 0