

# Organizer Trial Guide

A direct, persona-based walkthrough for event organizers evaluating Conference Ops without needing engineering support.

| DOCUMENT        | PRODUCT              | USE             |
|-----------------|----------------------|-----------------|
| Organizer guide | Conference Ops 0.2.0 | Follow in order |



**OPEN THE PROSPECTIVE-CLIENT PILOT**

<https://conference-ops-pilot-app.techfren.workers.dev>

Create and verify your own account. Do not use or share an operator credential.

01 / BEFORE YOU START

# Use a safe, realistic trial setup

**Your account**

Open the pilot, create and verify your own account, then create an event. Do not ask for or use the Apricot operator password. Use Forgot password only for your own approved inbox.

| Persona         | Recommended tester                 | Why                                                                       |
|-----------------|------------------------------------|---------------------------------------------------------------------------|
| Organizer       | You, with your own work email      | Owns setup, routing, decisions, schedule, publication, and monitoring.    |
| Applicant       | A separate email/account           | Proves drafts, submission, revision, confirmation, and status projection. |
| Reviewer        | A different person/account         | Self-review is blocked and track coverage is explicit.                    |
| Speaker         | Accepted participant email/account | Proves claim, tasks, files, profile, comments, and resources.             |
| Public attendee | Signed-out/private window          | Proves only published allowlisted data is visible.                        |

## Safety checklist

- Use synthetic or representative event, profile, travel, and file data.
- Send email/calendar only to approved test recipients.
- Never paste passwords, reset/invitation links, Airtable tokens, webhook secrets, or provisioning files into feedback.
- Keep the pilot invitation to named testers; broad anonymous launch needs abuse and file-scanning controls.

02 / CREATE THE EVENT

# Confirm a usable workspace before inviting anyone

| Step | Do this                                                                                                                           | Check this                                                                              |
|------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1    | Open the pilot, sign up, and complete email verification.                                                                         | You reach the private event/workspace flow.                                             |
| 2    | Choose Create event. Enter organization, event/short name, slug, purpose, timezone, venue, dates, CFP close, website, and accent. | CFP close is before event start; Create is blocked if not.                              |
| 3    | Create, then open Event details and reload.                                                                                       | Values persist and URLs keep the correct eventId.                                       |
| 4    | Open Control Room.                                                                                                                | Runway, exceptions, invitation, event details, guide, and workflow search are present.  |
| 5    | Open Program setup and Rooms/Tracks.                                                                                              | Default hotel/flight work, messages, reminders, room, and track exist and are editable. |

**Fresh-event defaults**

The system seeds an operable starting plan. Review every default before inviting participants; defaults are examples, not assumptions about your real event.

03 / BUILD THE CFP

# Create, version, publish, and share the right form

## In CFP builder

- Create or select a CFP. Use separate forms when different programs need independent questions, deadlines, or links.
- Edit welcome, proposal, participant, and confirmation copy.
- Configure participant minimum/maximum, submission limits, close time, redirect, confirmation, and long-text budget.
- Add and reorder text, long text, email, URL, select, multiselect, checkbox, or information fields.
- Keep a required track question. Use Dropdown for one track or Multi-select for one or more.
- Test one equals/contains visibility condition. Required validation applies only when the field is visible.
- Preview, save draft, reload, publish, and copy that form's public link. Do not reuse a different form's URL.

| Control                   | Expected behavior                                      |
|---------------------------|--------------------------------------------------------|
| Create/clone/switch/close | Each CFP has its own versions and public link.         |
| Save draft                | New private version with concurrency protection.       |
| Publish                   | Makes that version immutable and available publicly.   |
| Pinned draft              | An applicant keeps the form version they started with. |
| Public file question      | Blocked; request files later as private speaker tasks. |

04 / ROUTE AND REVIEW

# Use explicit coverage and a distinct reviewer

| Step | Organizer/reviewer action                                                                       | Expected result                                                              |
|------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| 1    | In Program setup, map every track to one or more reviewer groups/reviewers.                     | No uncovered track. Invitation alone does not grant all tracks.              |
| 2    | Configure the scoring plan, criteria, weights, and evidence instructions.                       | Reviewer desk reflects the active plan.                                      |
| 3    | Invite a reviewer using a separate verified account.                                            | Reviewer sees only eligible assignments; proposal owners are excluded.       |
| 4    | Applicant submits one or more tracks.                                                           | Assignments are the union of covered tracks, without duplicates/self-review. |
| 5    | Reviewer enters scores/evidence, saves draft, reloads, chooses Approve/Maybe/Deny, and submits. | Server-computed final evidence is read-only.                                 |
| 6    | Organizer inspects reviews, requests changes or stages Accept/Decline/Waitlist, then finalizes. | Audited decision or revision cycle.                                          |

Revision behavior

Before the pinned CFP closes, an applicant can edit a non-final proposal or respond to an organizer change request. Accepted, rejected, and session-backed proposals remain locked. Each reopened revision receives fresh review work while submitted review evidence remains historical and organizer-visible.

05 / ACCEPT AND ONBOARD

# Make the automatic handoff visible

Final acceptance is one guarded workflow. It creates the linked unscheduled session, activates eligible speaker access, creates every configured onboarding task, records audit evidence, and persists the configured decision email before delivery.

| Speaker task          | How to verify                                                                            |
|-----------------------|------------------------------------------------------------------------------------------|
| Hotel stay            | Complete the organizer-authored requirement form; reload and confirm the response.       |
| Flight reimbursement  | Complete the organizer-authored reimbursement form; confirm organizer visibility.        |
| Talk description      | Update/finalize session-facing copy through the requested task.                          |
| Bio/photo             | Complete profile, publication consent, and a representative headshot.                    |
| Slides/documents      | Upload, replace, download current and prior versions, and add a task comment.            |
| Calendar              | Complete acknowledgement or receive a controlled RFC 5545 REQUEST invite.                |
| External action       | Open the organizer's HTTPS link, return, and mark the manual evidence appropriately.     |
| Announcements/invites | Use optional manual/external tasks for announcing participation and inviting colleagues. |

Private evidence

Speaker files and comments are task-scoped. Raw file bytes stay in private R2; only safe metadata may appear in Airtable. Use non-sensitive trial files because malware scanning is not yet a broad-launch control.

06 / SCHEDULE AND PUBLISH

# Place the program, prove conflicts, then go public

| Step | Action                                                                             | Check                                                                      |
|------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| 1    | Create/edit rooms and tracks. Keep capacity, color, and names realistic.           | Used rooms/tracks cannot be deleted silently.                              |
| 2    | Open Schedule and switch List, Day/Rooms, Week, and Conflicts.                     | View/filter/day state persists in the URL.                                 |
| 3    | Place the accepted session by drag/drop or placement control.                      | Session stays inside event window with room/track/speaker checks.          |
| 4    | Create a deliberate collision.                                                     | Conflict appears; choose another slot or give a durable override reason.   |
| 5    | Reschedule and reload.                                                             | All views agree; calendar sequence increments for material invite changes. |
| 6    | Complete readiness and publish agenda.                                             | Only eligible scheduled sessions become public.                            |
| 7    | In a signed-out window, inspect agenda, speakers, resources, favorites, and embed. | No emails, reviews, private files, account IDs, or storage keys appear.    |

Publication rule

New scheduled sessions remain private until Publish. A later placement edit to an already published session updates the live program according to the published revision contract.

07 / COMMUNICATE AND SHARE

# Use messages, resources, history, calendar, and exports

| Capability     | Organizer action                                                     | Proof                                                                  |
|----------------|----------------------------------------------------------------------|------------------------------------------------------------------------|
| Templates      | Edit submission, acceptance, rejection, reminder, and calendar copy. | Save/reload shows event-scoped content.                                |
| Reminder rules | Tune draft and overdue-task timing; enable only for the test window. | Cron creates durable intents without duplicate send keys.              |
| Manual message | Preview recipients, choose a small approved set, and queue once.     | Delivery history shows sanitized kind/status/recipient evidence.       |
| Calendar       | Queue a REQUEST for scheduled/public eligible recipients.            | Stable UID, sequence, room/time and attachment contract.               |
| Resources      | Create a plain-text guide, optional HTTPS reference, and publish.    | Appears in participant portal and public resource index.               |
| Exports        | Download speakers.csv, sessions.csv, and program.json.               | Protected filters apply; spreadsheet formula prefixes are neutralized. |
| Assistant      | Ask what needs attention and follow its event-scoped link.           | Read-only advice; no mutation, send, or decision.                      |

**Delivery wording**

A durable queue/history entry proves that Conference Ops accepted and processed the workflow. Actual mailbox receipt still depends on the configured sender, Cloudflare Email, recipient system, and controlled receipt check.



08 / AIRTABLE FOR ORGANIZERS

# Know what you may edit and when to stop

Airtable can reflect conference business records as the source of truth while Conference Ops/D1 remains the transactional workflow mirror. The Program setup status panel shows safe health guidance without exposing base IDs, table IDs, tokens, webhook secrets, or record payloads.

| Do                                                                                                        | Do not                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Confirm the status panel says the connection is healthy and the intended authority is active.             | Do not assume the base is live because tables exist.                                                                                               |
| Edit only documented descriptive fields and wait for the app to reflect the change.                       | Do not edit External Key, Entity Type, hashes, canonical structure, permissions, decisions, review finality, completion, publication, or deletion. |
| Use Conference Ops for lifecycle work; ask the operator for a supported Workflow Command when documented. | Do not add ad hoc command types, duplicate idempotency keys, delete canonical rows, or clear conflicts blindly.                                    |
| Report a conflict with event, entity/key label, visible reason, approximate time, and intended value.     | Do not include PATs, webhook secrets, record payloads containing private data, or screenshots of provisioning artifacts.                           |

Stop

If the panel reports pending, dead, conflict, degraded, blocked, syncing, or unhealthy state, pause spreadsheet edits and contact the operator. Never ask an organizer to force authority or edit connection bookkeeping.

09 / TROUBLESHOOTING

# What to check before filing feedback

| Symptom                  | Check first                                                                                                                        | Then report                                                                                   |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Wrong workspace/role     | Confirm eventId, role selector, verified account, invitation/claim email, and that you did not reuse another person's session.     | Event slug, role, URL, and approximate time.                                                  |
| No review                | Confirm explicit track mapping, reviewer acceptance, proposal track, and self-review exclusion.                                    | Proposal label and expected track coverage, without private review content.                   |
| Cannot edit proposal     | Confirm it is non-final, before pinned form close, and not accepted/rejected/session-backed.                                       | Visible status, form label/version notice, and expected edit path.                            |
| Cannot publish           | Open readiness; resolve unscheduled sessions, conflicts, incomplete required speaker work, or unpublished resources as applicable. | Exact readiness item and linked page.                                                         |
| Email/calendar absent    | Check approved recipient preview, configured sender, durable history status, and spam/quarantine only in the test mailbox.         | Message kind, recipient you control, status, and approximate time - never token links.        |
| Airtable does not update | Pause edits; check authority/health, pending/dead/conflicts, webhook state, and whether the field is allowlisted.                  | Non-secret status labels, entity/key label, expected descriptive value, and time.             |
| File fails               | Check role/task access, file extension/MIME, size, and non-empty content.                                                          | Task label, extension, approximate size, and visible error - never the sensitive file itself. |

## Before sending a screenshot

- Remove passwords, names/emails not needed for the report, reset/invitation links, private file contents, Airtable IDs/tokens/secrets, and provisioning artifacts.
- Include browser, viewport, URL path, event slug, persona, expected result, actual result, and whether reload changed it.

# Organizer evaluation checklist

- Own verified organizer account and isolated event.
- Multiple/single CFP behavior, conditional field, track question, preview, publish, and form-specific link.
- Explicit reviewer coverage and distinct reviewer Approve/Maybe/Deny submission.
- Applicant draft, multi-track submission, organizer change request or self edit, resubmit, and final lock.
- Final acceptance creates session, speaker access, task plan, audit, and message intent.
- Hotel/flight/profile/file/external work, file replacement/prior download, comments, and resource reading.
- List/Day/Week/Conflicts, placement, collision, reasoned override or reschedule, and publish.
- Signed-out agenda, speakers, resources, favorites, and embed show public data only.
- Controlled email/calendar receipt/history and safe exports.
- Airtable status healthy; if commissioned, one allowlisted descriptive edit round trip; no direct protected-state edits.

**Useful  
verdict**

For each line, record Pass, Gap, Blocked by setup, or Not needed. Attach a short reason and the page/role involved. This gives the product team actionable acceptance evidence without exposing private content.

Pilot: <https://conference-ops-pilot-app.techfren.workers.dev>

Conference Ops 0.2.0 / organizer trial guide / August 8, 2026